



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Afriso

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
42300	WP 6 The water level sensor
42310	
42368	
43500 / LAG-13 K	Leak detector
63031	Push button stop cock
AN 16500 -MT-Profil G1 1/2	level gauge
AN 43790	Europress
Art.-Nr. 43645	Leakage Liquid Concentrate
DMU 01 VM 0/25bar G1/2B	
31155	PRESSURE TRANSMITTER, 0-25 BAR; 1/2 "4-20 MA;
43410	LAG-14 ER leak detector own >D, PL<
RF100Ch (85222402)	Bourdon tube for chemical
WWG-1	A ground probe BWS
MT-Profil G1 1/2 (16500)	Mechanical level gauge
86032302	Rohrfederanometer mit Grenzsinalgeber
67447X	
67407X	Immersion thermostat
40540	LAG mounting kit for leak detectors
P/N: 43521	mounting frame
43416	Set for Watchdog
43645	Leak detection fluid - concentrate
LAG 14 ER AN 40642	Signalteil
42305	
42311	
85121701 RF 63	Glycerine filled Bourdon tube pressure gauges Type D7
85121711 RF 63	
67421X	
RF 100 85225802	
85104101	Pressure Gauge
85001211	Standard Bourdon tube pressure gauges
DMU 600/10	Druckmessumformer
GTT / 7RG, Art.-Nr.: 67407X	Gehäuse-Tauchthermostat
GTT / 7RG (67407X)	Immersion thermostats
RF 100 D201, Art. N: 85214201	Pipe-spring standard manometer
LAG-14 ER, Art. N: 43410	Leak detector intrinsically safe, with relay
LAG-14 ER (43410)	leak detector

Product	Description
Art N: 40540 (LAG mounting kit for LAG-13K)	LAG mounting kit for LAG-13K
84 127	Fire protection switch
84 127K	Brandschutzschalter
RF 130 PG. D102 (87916102)	Rohrfedermanometer-Process-Gauge:
Mano-DKH Rp1/2 MxM MOP5 MS vern / 63031	Pressure gauge push-button valve
Unitop 3000 (28000)	Pneumatic level indicator Unitop
Pneumofix Typ 2 (20142)	Mounting kit for pneumatic level gauges.
Unitop-Set AdBlue. pneumatisches (28040)	Level Meter
67407X (GTT / 7RG)	Gehäuse-Tauchthermostat
EUROLYZER STx. 69276	Eco-Sensor
Art. Nr. 500237	Anschluss-Set ASS-DP
Art. Nr. 500900	Systemkoffer L "Gasanalyse"
TC2 1750 - 542470	Immersion thermostat
43500 Type LAG-13 KR	Leckanzeigegerät LAG-13 KR nicht eigensicher
DMU 01 K	
ÖWWG 3 Art.-Nr. 44510	oil-water alarm device
44516	Flexible Kaltleitersonde zu ÖWWG 3
LAK13KR	
56168S VibraFox GVG 12	Switch
PMG 10 DF 53536-D-A-41-03000-N	Level Sensor
VibraFox® GVG 12	Compact vibration level switch
Art. Nr. 63914	Heizungsmanometer HZ 63, 0-4 bar, G 3/8" ax.
P/N: 85123701 Type: RF63Gly 0/400bar 1/4 rad	
D701	
44510	Oil/water alarm unit
78885	
78887	
MT-Profil G2 / 16540	mechanical level measuring device with float
DMU 03 ST 0/60bar G1/4A 0.25%	
ELT680 DC 24V	Konduktiver Füllstandgrenzschafter
DMU 01 Art.Nr. 31127G2	PRESSURE TRANSMITTER
Eurovac HV / 43750	leak detector
EUROVAC LAZ 04/1	Vacuum leak detector
WGA 02	
EFM 752 obsolete	Füllstandmessgerät
53202	Transmitter for UFS 01 230V
85214201	Manometer
S2601 (FZM 30)	PRESSURE MEASURING INSTRUMENT
Anschluss-Set ASS-DP	
87717402	
31283	Digital Panel
WMS-WP6 MS (42300)	Water indicator
MC-7	Opticlean
MULTI STx O2 CO/H2 NO SO2 + NO2	
35904931 OEM	

Product	Description
Eurovac NV (43755)	Leak detector
ATM 331	
230107FDG	
WMS-WP6 R2 42319	Water level limiter
11500	Unmes Universal D, GB, F
Art.-Nr.: 40731	
P/N: 53204 Type: 937	Flexible PTC thermistor probe
85051701	
85051711	
63191	Pressure gauge push-button stop cock female x female
DA 06 EX	
P/N: 85071701 Type: RF50Gly, D701	Glycerine filled Bourdon tube pressure gauge
WUC 10	Pressure Transmitter
WP6	
40731	LAG Container Black
40730	
40630	
40539	
43500 LAG-13 KR	Leak detector
31558	
66147302	Bimetallic temperature indicator
40642	LAG-14 ER >D< signal unit
64502	protective tube
39615	0-4Bar Pressure Measuring Instrument
85315301	
66308302	
85316301	
85215101 , RF100 0/10bar 1/2 rad D101	MANOMETER
65348211 , Bimetall-Therm. BiTh 100 / D 211, 0/120 °C, 100 mm	
85216101 , RF100 0/16bar 1/2 rad D101	MANOMETER
66348302	
5017307	3-way valve actuator
53410 , WGA 01	Hydrocarbon presence detectors
63003	
63003 , (G 1/2" x G 1/2", PN 16)	
20319	filter insert
32500S	
44495	Probe Fuse
PN400 63112	shut off valve
BiTh 80 I D 211	Temperature gauge
HZ 63, 0-4 bar, G 1/4" ax.	Heating manometer
PN400 63113	
MT-Profil R - 1 1/2	
PMG 20	

Product	Description
31816 , DMU 11 D	Sensor
44502	OM signal unit 5
44503	Optoelectric probe
40041	KVA cable extension set
61015 / SLD 1	rotating beacon
61012	horn
GWG 23 Wa 400	Limit switch, yellow
GWG 23 Wa 700	Limit switch, yellow
AND5007	Engine valve three
MAG80, Art.-Nr. 88025312	Magnetic piston manometer for differential pressure
RF 63 ChGly D802 MD 62 , 31323WS	manometer
DIN EN 10 204 - 3.1 (37131)	Material certificate
EUROPRESS , EN 13160 , 43790	Overpressure leak detector
p/n 31638 Type: DMU 03	Pressure transmitter
31121S , DMU 01	Water pressure sensor
RF100Gly	
85069701	gauge
P/N:80983; Type:DFM 20-2M	flowmeter
P/N:31127; Type:DMU 01	Pressure transducers
69810	Signal anode
P/N:86037431; Type:RF100I MK2.21 -1/1,5bar 1/2 ax K1,0 D431	
86654312	
88005312	Magnetic piston pressure gauge for differential pressure
TRT TR2/711 EU 0/120°C 1000mm	Thermostat
Art.-Nr. 40540	LAG mounting set
GS 2.1 Art.-Nr. 61185	Gas detector methane
Art.-Nr. 32854	Pressure transducers
Art.-Nr. 32820	
P/N:85116712S; Type:RF63ChGly 0/16bar 1/4 ax D712	
32820G2	
DMU 02 Vario 0/250bar G1/4B G2O2 (32854G2O2)	
31699	
31711	
85112751	
P/N:69960; Type:FloCo-Top-1K Si	PERCOLATOR
77710	Quick vent valve
77700	Quick vent valve
Nr.16500	mechanical level meter with float
FloCo-Top-2KM Si	Automatic fuel oil bleeder
85053701	
63235	VALVE
85120701	
87466302	manometer

Product	Description
40510	LAG probe for leak detectors, pluggable >ET<
61150	gas detector
61188	gas sensor
WTh30	RESISTANCE THERMOMETER
RF100ChGlyD812 +MD50	Bourdon tube pressure gauge
MFM 22	Humidity meter
63346	
63318	
43962	condensation strip, connections: 4 mm
52108	Controller
31281	display
31282	Display
69808	Anode
69825	Sacrificial anode
69842	Anode tester AT1
ELE-ST 50-1 TF	Piercing electrode
ELE-ST 50-2 TF	Piercing electrode
WMS-WP 6 (42300)	
TankControl 10	
DMU 03, 31146	Pressure transducers DMU 03 Industrial version
42305, TÜV.HWB. 07-232	SAFETY PRESSURE SWITCH
42300 , TÜV.HWB. 07-232	SAFETY PRESSURE SWITCH
43646	Liquid lock plastic
43692	Capacitor strip
AN 43662	
AN 43663	
AN 43664	
GTT/7P1 (67 407)	immersion thermostat
63918	Manometer
MF 100 Dif, D401 88090401	differential pressure gauge
42716, WAF 04 R – G 1 1/4	water filter
WMS-WP6 R2	safety switch
P04629210	durable eco sensor O2, CO/H2,
35023402	pressure gauge
85209801	pressure gauge
512242450	thermo pressure gauges
85012211	
P/N: 85115701, Type: RF63Gly 0/10bar 1/4 rad D701	
AN 85115702	
20032	100µm stainless steel sieve
20308	filter insert
31122, DMU 01 0/25bar G1/2B	
77752	quick-release air vent

Product	Description
P/N: 85310431 Type: RF1001 0/1bar 1/2 ax K1.0 D431	Pressure gage
P/N: 44502 Type: OM5 230V DMU 01 0/25bar G1/4B G2	oil detectors
P/N: 52145, Type:DTA 10 43774	TANK LEVEL INDICATOR
52151	TankControl 10 level measuring device
DMU 01 0/25bar G1/2B 43795	Leak detector
43704	mounting kit
43688 / TF 220	dry filter
69226	dry pearls
43698	stub
43662	tube
43663	tube
43797	Pump with Europress motor >ET<
78082 / TCM 320	EnOcean radio module
BLUELYZER ST Set O2 CO FZ 85054701	glycerin filled gauge
S2601 0-150mbar 2xD8 (Art.-Nr 569680)	
P/N: 67400X Type: GAT/7RC 20/60°C DMU 08 (Art.-Nr 31559)	DMU 08 0/400mbar 5m PUR cable
DMU 01 0/25bar G1/2B (Art.-Nr 31122)	
45105 GWG 12 K/1	probe 360mm, grey fitting
Nr. 31122 Type DMU 01 0/25bar G1/2B EN 837-1	Pressure transducers
manometer	
HWB.02-232	Boiler Low Level Water Alarm
20903	Reducer G2xG1 1/2 plastic grey
52150	
mounting bracket DA 06	mounting bracket
Nr. 52145 Type DTA 10 mit Pneumofix 2	
Nr. 28000 Type Unitop 3000 >D<	
43790	LEAK DETECTOR
DMU 04 -1/+1.5bar G1/2B 63040	
63093	
FloCo-Top-1K Si 85115902	
85116701	manometer
63927	Bourdon tube pressure gauge
ELT 8 - 55XX Series OM5 , Art.Nr. 44486	o.probe 24V
31165	pressure transmitter
85118701	MANOMETER
WMS-WP6- 42305	

Product	Description
52152	Additional probe differential alarm
3-Wege-Ventil	
Antrieb 3-Wege-Ventil	
S2680-F	PRESSURE MEASURING INSTRUMENT
DMU 21 D (33410-1-01-153-01-1)	Pressure transmitter
Si-Ventil MS G3/4xG1 3bar, Hz (42391)	Safety valve for hot water
KSG Maxi 3bar 100kW >AFRISO< (77581)	Safety valve kit
G1/2 VE25 (77752)	Quick vent 12 bar
G3/8 MV R1/2 VE25 (77706)	Quick exhaust
WMS-WP6 (Art.-Nr 42300)	Boiler Low Level Water Alarm- Mechanical
MT-Profil R - 2" / 16540	Level indicator
TV 22 GL	Isolation amplifier
Eurovac NV / 43782	Vacuum leakage detector
RF 80 E D902	Bourdon Tube Pressure Gauge
RF100ChGly (85215802S)	Pressure gauge
316Ti FA (63149)	Discharge pipe
316Ti FC (63152)	Discharge pipe
85114701	Pressure gauge
55105	signal part
40028	Oil-water alarm device
Dn63 2,5 bar/psi ¼ post	
Dn63 25 bar/psi ¼	
MT-PROFIL 16500	
AFA 11 (40894)	Liquid detector
AFA 11 (40890)	230V liquid detector
NB 220 H 230V AC	Transducer
NB 220 H 24V DC	
P00016 - MULTILYZER STx Industrial	
WMS-WP6 MS	
MD62 Tri-Clamp 1 (31323W)	Tri-clamp 1 1/2"
WMS-WP6 MS/ DN20	
MT-Profil G2	mechanical level meter with float
Certificate of origin	
RF63Gly 0/1,6bar 1/4 ax D711	pressure gauges
NG63- Standard // 38210	bracket attachment
85122701	Manometer
S4650 ST 0-5000mbar 2xD8	
S2610 0/1000mbar 2xD8	
20696	
43945	
85120731	
85117731	
55100	SWS floating probe
63801	Bimetallic standard thermometer
67522125	Thermometer with capillary line THK 130/45 S

Product	Description
77924	cap valve
BiTh63E 0/120°C 200mm glatt ax K1 D312	Temperature Gauge
DMU 01 0/10bar G1/2B	Pressure Transmitter
85215402	PRESSURE GAUGE
TÜV.HWB. 07-232	
TÜV.HWB. 07-232 without locking	
WGA 01D-WGA-ES4/5	alarm device
WGA-ES8	probe
DMU 01 0/200bar G1/2B (31878)	
Type 43410	
31125	
42319	
route for 85214201	track
ES4 / 1148 / 5618597	
43516	LAS 24 E leak detector
31557	
DMU 01 K 0/250bar G1/4B	
RF100 Ch MK3.X D402 -	
32506	
42421	Si valve
RF63Gly / 85122701	STACKER&RECLAIMER RAIL CLAMP IS A HYDRAULIC PUMP PRESSURE GAUGE.
87457302	Bourdon tube pressure gauge with electrical contact
31514	
RF63Gly 0/16bar 1/4 rad D701 / 85116701	GLYCERINE STAINLESS STEEL PRESSURE GAUGE
ARM 343	
16500	level indicator
31289	WAG 03 wall mount housing
31614	
85065711	pressure gauge
20309	
20429	two-line filter
5038126	
16540	Level indicator MT-Profil R
56169	
85130701	
85180701	
85134701	
85114731	
35018211	
HV [LAZ 04-1]	Vacuum leak detector
RF100I MK2.21 -1/+3bar 1/2 ax K1,0 D431	
Eurovac NV 43788	
A00031151	
35021401	GAUGE

Product	Description
TSA-02 230V	
85101701	
DMU 03 .31151	
GWG 12 K/1/5	probe
85119701	PRESSURE GAUGE
85117711	PRESSURE GAUGE
85112701	PRESSURE GAUGE
16703	Probe for Minimelder
MT-PROFIL G1 1/2	GAUGE, 1-1/2" FOR HELIDECK FOAM TANK
63343	
31560PUR10	
31824	
31822	
31248	
35006211	
35006351	
63193	
3/K 69930	Automatic Fuel Oil De-aerator Flow Control
77934	cap valve
RF50 -1/0bar 1/8 rad PPS D101	
RF50 0/25bar 1/8 rad PPS D101	