







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk



Circutor

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
R2425R CFB-46/100-6B	3-phase power capacitor
<u>CFB-46/100-6B</u>	3-phase power capacitor
<u>CFB-46/25-6B</u>	capacitor
R2425K CFB-46/50-6B	power capacitor
<u>M-CVMk2 - ITF-405</u>	Netzanalyser,
<u>CIRR10872</u>	Reactive power regulator
COMPUTER MAX12 / R10872	Max 12 computers
<u>CPCb- 230 / 400</u>	Zero crossing control
M55911 / CVM-C10-ITF-485-ICT2	Analyzer
<u>M54402 / CVMk2 - ITF-402</u>	analyzer
<u>M54410</u>	Netzanalyser
<u>CVMK2-ITF-402 (M54402)</u>	net analyzer
<u>CVMk2 - ITF-405</u>	Three-Phase Power Analyzer
M317C4 / CVM Mini EDMK-MID-ITF-RS485-C	Three-Phase Electronic Energy Meter
CVM-NRG 96	Netzanalyser
M51900 / CVM-NRG96-ITF	Netzanalyser
CVMNRG96-ITF-RS485-C (M51911)	Three-Phase Power Analyzer
LM 4A/2IO-M/ M31565	meter memory
LM4I/4O-M/ M31563	counter memory
<u>M12931 (HLC 96 47-53 Hz 230 V)</u>	Frequency Meter
P/N: M15051 Type: MEG 1000	insulation tester
P/N:M15051-00-A; Type: MEG 1000	Insulation gauge
<u>M15051-00-A</u>	Insulation measuring device
<u>M25511</u>	CFE
M51911 / CVM-NRG96-ITF-RS485C	Three-Phase Power Analyzer
M5ZZF1	Mounting frame 72 x 72 mm
Art. Nr. M61020, type EDS-Deluxe	Datenlogger / Konverter
<u>M72136</u>	TC6 420-300 A
AR6-FLEX-4-Kit	Netz- und Ladegerät
<u>P10131, WGS 20</u>	transformer
<u>P10132</u>	Differenzstromwandler
<u>P10132, WGS 30</u>	transformer
P10151 / WGC-25	Residual Current Transformer
P10152 / WGC-35	transformer
P10155 / WGC 110	transformer
P10156 WGC 140	transformer

Enapart Group



Product	Description
WGC-220x105 (CIRP10158)	Earth Leakage Transformer (rectangle)
WGC-350x150 (P10159)	Earth Leakage Transformer (rectangle)
P11941001, type RGU - 10	Differenzstrom-Auswerterelais
P12204, RG1M-0,03	Residual current relay
<u>P12231</u>	Residual Current Relay RGE-R1
<u>QNA-500</u>	Quality Analyser
CLZ-FP 440 V / 25 kvar / 50 Hz 400 V / 20 kvar / 50 Hz	3-phas. power capacitor
<u>R2425K</u>	Power capacitor 3-phase
<u>R2425R</u>	Power capacitor 3-phase
<u>RGU - 10 C P11944</u>	Residual current evaluation relay
TCP1RS-TCP+/ M62121	Converter RS 232/485 to Ethernet
M54033 Type TCP2RS-TCP+	RS-232/485 to Ethernet Converter TCP2RS+
WGC 180 (Art-Nr. P10157)	Differential current converter
CIRWATT B 410-QT5A-95B10	energy meter
CIRWATT B 410-QD1A-95B10 (QB4B3)	Energy Meter
AR5L Kit 4	Portable Power Analyzer AR5L Kit 4
AR6 Circutor	Power supply and charger
CVM-C10-ITF-485-ICT2 / M55911	net analyzer 4-quadrant measurement
WGC 80 (P10212)	Residual Current Transformer
RGE-R1 (P12231-003)	Residual current assessment relays
<u>TP-88 800/5A (M70137)</u>	Transformer
P/N: M54402 Type: CVMk2 - ITF-402	Network analyzer
RGU-10 (CIRP11941)	Differenzstrom-Auswerterelais
TRM180 5000/5A CIRP50167	current Transformer
<u>M7122C)</u>	SHB 50 A / 60 mV shunt Form A with insulation base
M54033,TCP2RS+ ,SN: 9081324126	Converter RS 232/485 to Ethernet
P/N: M54400 Type: CVMk2 - ITF-405	Network analyzer
<u>M70362</u>	TC 8 500/5A current transformer KI.0,5 7,5 VA
<u>M10230 + M102XK</u>	interchangeable scale for EC 96 500/5A P2
P/N: M54040 Type: RS485	usb converter
<u>RB-80-400, (P70155)</u>	Filter reactor
<u>M7037G) TC 10 400/5A</u>	Aufsteckstromwandler
M56011 CVM-B100	Three-Phase Power Analyzer
M56111 / CVM-B150-ITF-RS485-I2-C2-T2	Three-Phase Power Analyzer
<u>R12213</u>	RGU-10A Residual Current Relay
<u>TC 5 40/5A</u>	Aufsteckstromwandler
<u>TC 5 125/5A</u>	Aufsteckstromwandler
<u>TC 6 400/5A</u>	Aufsteckstromwandler
<u>TC 10 1000/5A</u>	Aufsteckstromwandler
<u>TC 10 1200/5A</u>	Aufsteckstromwandler
<u>TC 12 2000/5A</u>	Aufsteckstromwandler
<u>TC 12 2500/5A</u>	Aufsteckstromwandler
P/N: M55911, Type: CVM-C10-ITF-485-ICT2	Network analyzer 4-quadrant measurement
R2058G CLZ-FP 46/25	Kondensator
Art. Nr. C59610 , type EMS96-PFS	Netzanalyser 4-Quadranten Messung
	-

Enapart Group

! Address 93 S Railroad Avenue Bergenfield NJ 07621 USA ! Onrion LLC ! + 1 862 3004034 ! sales@enapart.com ! www.onrion.com Page 2 / 15



Product	Description
R2324L CSB-44/60	Leistungskondensator
R2425D CFB-46/12,5-6B	Leistungskondensator
R2425G CFB-46/25-6B	Leistungskondensator
<u>M51900</u>	Netzanalyser
<u>R2057E</u>	3-phas. Leistungskondensator
<u>R205EF</u>	3-phas. Leistungskondensator
<u>P10154</u>	WGC-80 Residual Current Transformer
<u>M70823</u>	Meßwertumformer für Wechselströme
<u>M70822</u>	Meßwertumformer für Wechselströme
<u>M71043</u>	Meßwertumformer für Wechselströme
<u>M71046</u>	Meßwertumformer für Wechselströme
<u>M71047</u>	Meßwertumformer für Wechselströme
<u>MEG 1000</u>	Insulation measuring device
<u>M80821</u>	Kit 4
AR6	Netz- und Ladegerät
<u>R2415R</u>	Leistungskondensator
BLRCS104A125B40	VarplusCan SDuty-Kondensat
BLRCS150A180B40	VarplusCan SDuty-Kondensat
BLRCS200A240B40	VarplusCan SDuty-Kondensat
BLRCS050A060B40	VarplusCan SDuty-Kondensat
BLRCS075A090B40	VarplusCan SDuty-Kondensat
CVMNRG96ITF RS485 1DO	Power analyzer
<u>M73122</u>	Current Transformer
Art. Nr. M55911 , type CVM-C10-ITF-485-ICT2	Netzanalyser
P24622	Differenzstrom
<u>P10153</u>	Differenzstromwandler
CLZ-FP-44/25N	Capacitor
<u>M70154</u>	TP-816 Split-Core Current Transformer
<u>M70155 (TP-816 3000/5A)</u>	Split-Core Current Transformer
<u>M85000</u>	AR5L Portable Power Analyzer
<u>M810C4</u>	Kit3-CPRG-1000 Current Clamp Set
<u>R205EG</u>	Compensation capacitor
<u>CVM-C5-ITF-485-C</u>	Network analyzer
<u>TP-812 1600/5A</u>	Split-Core Current Transformer
<u>TC6 600/5A</u>	Narrow-Section Current Transformer
<u>TCH 10 1000/5A</u>	High-Accuracy Current Transformer
<u>TCH 10 1600/5A</u>	High-Accuracy Narrow-Section Current Transformer
<u>TCH 8 800/5A</u>	High-Accuracy Narrow-Section Current Transformer
<u>TCH 10 2500/5A</u>	High-Accuracy Narrow-Section Current Transformer
<u>TCH 6 300/5A</u>	High-Accuracy Narrow-Section Current Transformer
<u>TCH 6 250/5A</u>	High-Accuracy Narrow-Section Current Transformer
CEM-C20-312 MID	Direct measuring three-phase meter
CLZ-FP 44/25-HD (R2H54L)	3-phas. Power capacitor
CIRR2H54N, CLZ-FP-44/30-HD	Capacitor
CVM-C5-ITF-485-C (M55884)	Netzanalyser 4-Quadranten Messung

Enapart Group

! Address 93 S Railroad Avenue Bergenfield NJ 07621 USA ! Onrion LLC ! + 1 862 3004034 ! sales@enapart.com ! www.onrion.com Page 3 / 15



Product	Description
RBX-20-400 20 kvar, 400 V (P72125)	Detuned Filter Reactor for Harmonic Mitigation
RBX-40-400 40 kvar 400 V (P72140)	Detuned Filter Reactor for Harmonic Mitigation
RBX-80-400 80 kvar 400 V (P72155)	Verdrosselungsfaktor 7 %
CLZ-FP 44/10-HD (R2H54B)	Power Capacitor
CLZ-FP 44/12,5-HD (R2H54D)	Three-Phase Tubular Power Capacitor (Heavy Duty)
CLZ-FP-44/20-HD (R2H54J)	capacitor
CLZ-FP 44/30-HD	3-phase power capacitor
CVM-1D-C	Netzanalyser
	Split-Core Current Transformer
 M70339	Aufsteckstromwandler
<u>M19943</u>	Schutz IP 65 für Geräte 96 x 96
<u> </u>	Three-Phase Power Analyzer CVM-B100-ITF-485-ICT2
 <u>M 56111</u>	Three-Phase Power Analyzer CVM-B150-ITF-485-ICT2
 M56E01	Expansion Module M-CVM-AB-8I-80TR
	Expansion Module M-CVM-AB-8I-8OR
M56E03	Expansion Module M-CVM-AB-4AI-8AO
	Expansion Module M-CVM-AB-MBUS
<u>M56E08</u>	Expansion Module M-CVM-AB-LonWorks
<u>M56E09</u>	Expansion Module M-CVM-AB-Profibus
<u>CVM-NRG 96 (M51800)</u>	Network analyzer
CIRR2H55L , (CLZ-FP-46/25-HD)	Capacitor
M30310 (MKB-363-M 63A/400V ARON)	Three-Phase Three-Wire Active Energy Meter with Built-in Current Transformers
<u>M70339 (TC 6 800/5A)</u>	Plug-in current transformer
Q22312 (CEM-C20-312)	Three-Phase Energy Meter for Direct Measurement up to 65 A
<u>RGU - 10 (P11941)</u>	Residual current evaluation relay
CVM-NRG69-ITF-RS485 C	CIRCUTOR M51911
TCP2RS-TCP+	converters
RGE-R1	Differenzstrom-Auswerterelais
TP816 4000/5A M70156 20VA KI0,5	Split-Core Current Transformer for 4000 A to 5 A Conversion
<u>TP-816 5000/5A (M70157)</u>	Wandler
DHB-402 M22027	Programmable Panel-Mounted Digital Indicator with Dual Alarm Relays
DHB-424, Code: M22028.	Programmable Digital Indicator with RS-485 Communication and Multiple Inputs
<u>CIRM52021</u>	Three-Phase Power Analyzer CVM-MINI-ITF-RS485-C2
<u>VIV9001</u>	PowerSupply
<u>M70147</u>	Split-Core Current Transformer TP-812 1250/5A
<u>P11941004 , type RGU - 10</u>	Differenzstrom-Auswerterelais
Nr. M55853 Type CVM-C5-IC	Network analyzer
P/N: M55884 Type: CVM-C5-ITF-485-C	Network analyzer
Art. Nr. M62121 , type TCP1RS-TCP+	Konverter
Art. Nr. M31565 , Type LM 4A/2IO-M	Counter memory
Art, Nr. M51911 , type CVM-NRG 96-ITF-RS485-C1	Netzanalyser 4-Quadranten Messung
Art. Nr. R13862 , type Computer Smart III 12	Smart Power regulator



Product	Description
Art. Nr.M54033 , type TCP2RS-TCP+	Konverter von RS 232/485 auf Ethernet
Art. Nr. R2H54L , type CLZ-FP 44/25-HD	3-phas. Leistungskondensator
Nr. M54033 Type TCP2RS-TCP+	converters
MEG-1000, COD: M1505100B0000	insulation measuring device
<u></u>	Computer Smart III 14
<u>RBX-20-400</u>	Reactor
<u>RBX-40-400</u>	Reactor
CIRR13851, Computer Smart III 6	Regulator
<u>CBS-4 / P12711</u>	Multipoint Evaluator relay
WGC-180 (CIRP10157)	leakage transformer
<u>WGC-55 (P10153)</u>	Differenzstromwandler
<u>CLZ-FP 44/25-HD</u>	3-phas. Power Capacitor
<u>CVM B100 - ITF- RS485</u>	Modularer Netzanalyser
<u>M71230</u>	SH 50A/60mV Shunt
<u>M20227</u>	DC72B A (10A) Digital Ammeter
<u>M20222</u>	DC72B A (10A) Digital Ammeter
<u>M-CVM-B100/B150</u>	- ANALOG-Erweiterungsmodul
<u>WN 70</u>	Digital Power Analyzer for Three-Phase Systems
<u>M31781</u>	meter
<u>M73113</u>	Transformer
TCP2RS-TCP+ / M54033	converters
<u>P11941</u>	Residual current evaluation relay
<u>M70323</u>	plug-in current transformers
<u>M70337</u>	CURRENT TRANSFORMER
<u>P10156</u>	Residual Current Transformer WGC-140
CLZ-FP-44/25N, Art N: CIRR205EG	Capacitor
TCP1RS+, Art N: CIRM62121	Converter
TCP2RS+, Art N: CIRM54033	Ethernet converter
<u>CIRM62121 (M62121)</u>	Converter TCP1RS+
<u>CIRM54033 (M54033)</u>	Converter TCP2RS+
RBX-50-400 old code / new code P73145 / RBZ-50-400	Reactor
<u>M31567 (LM 25-M)</u>	Counter Storage Unit
<u>M25511-00-10700</u>	Frequency Converter
<u>P10154 (WGC 80)</u>	Residual current transformer
CVM-NRG 96-ITF-RS485-C1, Art N: M51911	Power analyzer
<u>TI-420-70-500A</u>	Transformer
CVM-NRG 96-ITF-RS485-C1 (M51911)	Network Analyzer 4 Quadrants Measurement
<u>CLZ-FP 44/15-HD</u>	Three-Phase Tubular Power Capacitor (Heavy Duty)
<u>CLZ-FP 44/40-HD</u>	Three-Phase Tubular Power Capacitor (Heavy Duty)
<u>M70332 (TC 6 200/5A)</u>	Plug-in current transformer
<u>CHV-T 750/7,2</u>	Three-Phase Medium Voltage Power Capacitor
<u>CHV-T 250/7,2</u>	Three-Phase Medium Voltage Power Capacitor
<u>M62141</u>	Converter/amplifier
<u>R2415K / CFB-46/50</u>	Condenser
<u>R2415G CFB-46/25</u>	Power Capacitor for Harmonic Filters



Product	Description
R2415D CFB-46/12,5	Power Capacitor for Harmonic Filters
P/N: R2415R, Type: CFB-46/100	power capacitor
<u>CEM-C10-212</u>	Single-Phase Energy Meter with MID Certification
<u>P14035, WRU 10</u>	Residual Current Relay with Built-in Transformer
RGU2 (P11A61)	Earth leakage relay
<u>CLZ-FP -48/25-HD</u>	Three-Phase Tubular Power Capacitor (Heavy Duty)
CVM 144-ITF-RS485-C2	DIGITAL PANEL METER
TR16-RS485-25A	Voltage and direct current multi-channel analyser
WGC 140 / P10156	Differential current transformer
Computer MAX 12	Controller with 12 outputs
TI 420-35-20 A	Current Transformer with 4-20 mA Output
	RS-485 to Ethernet Converter
<u>CVM B100 - ITF- RS485 (M56011)</u>	Modular network analysis
<u>UC72</u>	PHASE SEQUENCE DISPLAY 72X72
 RGU - 10 C	Residual current evaluation relay
	Differenzstromwandler
	Temperature and Humidity Probe
Q22312	Direct measuring three-phase meter
 Q22314	Three-Phase Energy Meter with MID Certification
Q23100	Communication Module CEM-M-RS485
Q23400	Communication Module CEM-M-Modbus/TCP
 CVM B150-ITF-RS485 (M56111)	Modular Network Analyzer
<u>M56E05</u>	Expansion Module M-CVM-AB-Modbus-TCP (Bridge)
<u>R2415R / CFB-46/100</u>	Condenser
<u>CFB 46/12,5</u>	Power Capacitor for Detuned Filters
<u>CFB 46/25</u>	Power Capacitor for Detuned Filters
<u>CFB 46/6</u>	Power Capacitor for Detuned Filters
CLZ-FP-44/12,5-HD	Three-Phase Tubular Power Capacitor (Heavy Duty)
CLZ-FP-44/50-HD / R2H54S	power capacitor
CLZ-FPT-44/6,25-HD	Three-Phase Tubular Power Capacitor with Discharge Resistors (Heavy Duty)
<u>WGC-80-TB</u>	Earth Leakage Transformer
<u>CLZ-FPT-44/40</u>	capacitor
<u>WGB-35-TB300</u>	Earth leakage relay
Computer 14d 144	Digital Power Analyzer
R13864, computer Smart III 14	Regulator
<u>TC 5 (50/5A)</u>	Narrow-Profile Current Transformer
<u>TC 5 (100/5A)</u>	Aufsteckstromwandler
<u>TC 5 (75/5A)</u>	Aufsteckstromwandler
R13962 (Computer Smart III FAST 12)	Fast-Response Power Factor Regulator
DM45 CMD	Digital Multimeter with Harmonic Analysis
<u>R2H54R / CLZ-FP 44/40-HD</u>	power capacitor
M70147 / TP-812 1250/5A	Transformer
<u>CSB-46/100</u>	Three-Phase Prismatic Power Capacitor
<u>P11A61</u>	Ultra-Immunized Type A Residual Current Relay



Product	Description
<u>CVM-1D-RS485-C (M55511)</u>	Single-Phase Power Analyzer with RS-485 Communication
<u>RBX-80-400</u>	Reactor
<u>CT-PT100</u>	Temperature transducer
<u>CBS-4C / P12712</u>	Differential relay type A
CVM-C10-ITF-485-ICT2 (CIRM55911)	Network Analyzer
<u>CMC 20 B (R281A4)</u>	Contactor
CMC 32 B (R281A8)	Contactor
CMC 75 B (R281A9)	Contactor
P/n M55885 Type CVM-C5-ITF-485-I	Network analyzer
M13754 Type CUC 96	 Drehfeldanzeige
<u>P11941 (RGU-10)</u>	Differential current evaluating relay
<u>CLZ-FP -46/25-HD</u>	power capacitor
<u>TC 8 1000/5A (M70366)</u>	Slip-on current transformer
CPC3I-4RS	Thyristor control
<u>R2H54S , type CLZ-FP 44/50-HD</u>	CAPACITOR
<u>TR8-RS485-100-200A</u>	Voltage analyzer
RGU - 10- TYP-B	Relay
CLZ-FP-44/28-HD	Capacitor battery
<u>CIRe3</u>	portable network analyzer
CIReQ	portable network analyzer
<u>CIRe+</u>	portable network analyzer
<u>CVM-NRG 96-ITF-RS485-C1</u>	Network analyzer
M14625-00-C0000 (Synchro MAX 96)	Synchronism Relay
<u>CLZ-FP-46/12.5-HD (R2H55D)</u>	Capacitor
<u>USB - RS485</u>	
<u>EMS30-C</u>	electrometer
CIRR13862 , computer Smart III 12	Regulator
<u>CPC3 3ph</u>	Module
<u>P/N: M55942 Type: CVM-C10-ITF-IN-485-IC2</u>	Network analyzer
P/N:M62121 TCP1RS+	Converter
<u>M56311 Type CVM A1500 - ITF- RS485</u>	Network Analyzer
<u>M56111 Type CVM B150 - ITF- RS485</u>	Modular network analyzer
M56011 Type CVM B100 - ITF- RS485	Network Analyzer
<u>M70143 Type TP-812 750/5A</u>	Current transformer
<u>M70141 Type TP-812 500/5A</u>	Current transformer
<u>M70149 / TP-812 1600/5A</u>	Transformer
<u>M7014A Type TP-812 2500 /5A</u>	Split core current transformer
<u>RGU - 10- TYPE-B</u>	Residual Current Evaluation Relay
<u>WGC-55-TB</u>	Earth leakage transformer
<u>R2425K 460V</u>	
<u>CVM 144-ITF-RS485-C2A4O</u>	Three-phase current analyzer
<u>M56424</u>	Power analyzer
<u>M70325 (250/5A)</u>	Current transformer
<u>P72130-00-17000</u>	Residual Current Relay with Display
<u></u>	3 phas. power capacitor
	ט איז

Enapart Group

! Address 93 S Railroad Avenue Bergenfield NJ 07621 USA ! Onrion LLC !+ 1 862 3004034 ! sales@enapart.com ! www.onrion.com Page 7 / 15



Product	Description
<u>R13851</u>	Computer SMART III 6-Relay Power Factor Controller
RGE-R	Earth leakage relay
CMC 40 (R281A1)	Three-phase contactor for power capacitors
<u>R73222-00-7</u>	Passive harmonic filter
CMC 85 B (R281A3)	Three-phase contactor
TC6 420-200 A (M72134)	Measuring transducer for alternating currents
P7030J (LR-04-185)	Harmonic Filter 90KW
CVM-A1500-ITF-485-ICT2	ENERGY QUALITY ANALYZER
CVM A1500 - ITF- RS485 (M56311-00-00A00) +	
calibration certificate	
<u>RBH-50-400 P7H145</u>	REACTOR
CVM-C5-ITF-485-C, CIRM55884	Network analyser
<u>P/N: P11941, Type: RGU - 10</u>	Residual current evaluation relays
CVM-NRG 96-ITF-RS485-C	Network analyzer
R2425K CFB-46/100-6B	3-phase power capacitor
<u>P70255</u>	Filter reactor
R4Z111 / CPCb-230/400	Zero step plate
WGC 180 P10157	Residual current transformer
CVM-C5 (M55853)	Energy analyzer
M56311 // CVM A1500 - ITF- RS485	Modular Network Analyzer
	Transformer
	Controller with 14 outputs
R2H54B	Power capacitor
	Power capacitor
R2H54J	Power capacitor
	Power capacitor
 <u>R2H54N</u>	Power capacitor
LM 4A/2IO-M	Counter memory
WGS 30	Residual current transformer
WGC 35	Residual current transformer
<u>P/N: P10153, Type: WGC 55</u>	Residual current transformers
<u>WGC 110 / P10155</u>	Residual current transformer
WGC-180	Differential current transformers
WGC-220x105	Residual current transformer
TP-WGC 58	Isolating core residual current transformer
TP-WGC 88	Isolating core residual current transformer
<u>TP-WGC 812</u>	Isolating core residual current transformer
<u>TP-WGC 816</u>	Isolating core residual current transformer
<u>Q30302</u>	LOC Optical reader for CIRWATT
<u>CVM-C4-ITF-485-ICT2/M52706</u>	Network analyzer
<u>R2H54L (CLZ-FP 44/25-HD)</u>	Tubular capacitor with connection strip
P70225 (RE-20-400)	Three-phase reactors for static capacitor banks
<u>P70240 (RE-40-400)</u>	Three-phase reactors for static capacitor
<u>P70240 (NE-40-400)</u> P70255 (RBE-80-400)	Three-phase reactors for static capacitor
M-CVMk2 - ITF-402	Measuring module without display
	measuring module without display



Product	Description
<u>M61010</u>	EDS data logger / converter
CIRWATT B 410-QT5A-C0B10	Energy meter
<u>M70367 (TC8 1200/5)</u>	CURRENT TRANSFORMER
R2H57L (CLZ-FP 52/25-HD)	3-phase. Power capacitor 525 V / 25 kvar / 50 Hz
M85050 (CIRe+/3 eFLEX 54)	Network analyser
CLZ-FP -46/15-HD	Tubular capacitor with connection strip
RGU-10 (Art.Nr.P11941004)	Differential current evaluating relay
CVM-NET-RS485-C2 (M54B21)	Line analyser for DIN rail
CVM-NET-MC-ITF-RS485-C2 (M54B31)	Line analyser for DIN rail
<u>R13962</u>	Computer Smart
TQ 8 1000/5 A (M7403I)	Cable transducer
TQ 8 800/5 A (M7403F)	Cable converter
TQ 8 750/5 A (M7403E)	Cable converter
TQ 8 500/5 A (M74039)	Cable converter
TQ 6 400/5 A (M7402A)	Cable converter
TQ 6 300/5 A (M74028)	Cable converter
TQ 6 250/5 A (M74027)	Cable converter
TQ 6 200/5 A (M74026)	Cable converter
TQ 6 150/5 A (M74025)	Cable converter
TQ 6 100/5 A (M74023)	Cable converter
<u>M70812 TI 420-35-5 A</u>	Measurement value converter
CMC 150 B (R281AD)	Three-phase contactor for power capacitors
<u>P11311</u>	Residual current transformer
Model: TP-23	Current transformer
<u>M56414</u>	Network Analyzer
CVM-NRG 96-ITF-HAR-RS485-C1 (M51B11)	Network Analyzer
CVM 96 M51100-00-030	Network analyzer
<u>PI-23 (M80132)</u>	High Voltage Clamp for Peak Measurement
<u>M89941</u>	High voltage clamp
<u>CVM-C5-IC</u>	Analyzer
<u>LM 4I/40</u>	Counter memory
TCP1RS-TCP+	converter
TC6 402 300A, code M72136	TRANSFORMER
<u>LM25-M</u>	Impulse centralizer
<u>M70361</u>	Molded current transformer
<u>M62121</u>	Ethernet to RS-485 Communication Gateway
<u>M10426</u>	Voltmeter
<u>M10726</u>	Voltmeter
<u>M10419</u>	Voltmeter
<u>M10729</u>	switch position rotary
<u>M10216</u>	Ammeter
<u>M10219</u>	Ammeter
<u>M10521</u>	Ammeter
<u>M70314</u>	TC 5 75/5A Snow flow converter, class 1, 2.0 VA
<u>M70315</u>	TC 5 100/5A Pluggable Current Transformer Class 0.5 1.5 VA

Enapart Group



Product	Description
<u>M70317</u>	Current Transformer
<u>M70344</u>	TC 6.2 200/5A Pluggable Current Transformer Class 0.5 7.5 VA
<u>M70334</u>	Current Transformer
<u>M70335</u>	Current Transformer
<u>M70336</u>	TC 6 500/5A Plug-in Current Transformer Class 0.5 7.5 VA
<u>M70365</u>	TC 8 800/5A Pluggable Current Transformer Class 0.5 15 VA
<u>M70597</u>	Current transformer with W input, class 0.5, 15 VA
<u>M705A4</u>	Plug-in Current Transformers
<u>R2H55D</u>	3-phas. Power Capacitor
<u>P73115</u>	filter circuit choke
<u>P73125</u>	filter circuit choke
<u>P73140</u>	filter circuit choke
<u>P73155</u>	filter circuit choke
<u>R281A4</u>	Three-phase contactor for power capacitors
<u>R281A1</u>	Three-phase contactor for power capacitors
<u>R281A3</u>	Three-phase contactor for power capacitors
<u>R13862</u>	Computer Smart III
<u>R2H55L</u>	3-phas. Power Capacitor
<u>R281AD</u>	Three-phase contactor for power capacitors
<u>CVM-C5-IC (M55853)</u>	Network analyzer
<u>M105YB</u>	Interchangeable balance for EC 72 FA 75/5A P2
CLZ-FP -46/25-HD (R2H55L)	3-phas. Power Capacitor
<u>WGC-180-TB</u>	Type B Residual Current Transformer
RGE-RL	Differential relay
<u>M2551-00-10700</u>	FREQ CONVERTER
<u>M7123Q</u>	Earth Leakage Relay
battery cover for AR5-L	Replacement Battery Cover for AR5-L Portable Power Analyzer
<u>M71228</u>	MD22 SH Residual Current Monitoring Device
<u>CEM-C6</u>	Single-Phase Energy Meter with RS-485 Communication
<u>M71231</u>	Shunt Resistor
<u>M11420</u>	TD4 Current Transformer
<u>M114Y7</u>	TD5.2 Current Transformer
<u>CVM-C5-ITF-485-I</u>	ANALYZER
<u>TP-816 6000/5A</u>	TP-816 Split-Core Current Transformer
<u>EC72 500V</u>	AMMETER
<u>CFB-46/50-6B</u>	power capacitor
<u>TCH6-600-5A</u>	HIGH PRECISION CURRENT TRANSFORMER
<u>TCH 6 400/5A</u>	High-Accuracy Narrow Section Current Transformer
<u>TCH 6.2 400/5A</u>	High-Accuracy Narrow Section Current Transformer
TCP1RS-TCP+ (M62121) obsolete	CONVERTER
<u>M10225 (EC 72 20 A P2)</u>	rotary iron ammeter
P/N: P12041, Type: RGUL (EOL)	differential current evaluator relay
PGR96E	3-ph. performance monitoring
<u>WGC-500x200</u>	Differential current transformer
<u>SPOE000011</u>	Power Factor Regulator Computer Max P&P 12

Enapart Group

! Address 93 S Railroad Avenue Bergenfield NJ 07621 USA ! Onrion LLC ! + 1 862 3004034 ! sales@enapart.com ! www.onrion.com Page 10/15



Product	Description
<u>R10871004</u>	Max P&P 6 Computer
CLZ-FP 48/7,5-HD	3-phas. power capacitor
<u>CLZ-FP 48/15-HD</u>	3-phas. power capacitor
Nr. M56311, Type CVM A1500-ITF-485-ICT2	Modular network analyser
P/N: R2325R, Type: CSB-46/100	power capacitor
P/N: P10154, Type: WGC 80	Residual current transformers
LM4I-40-M	Impulse Centraliser with 4 Digital Inputs and 4 Relay Outputs
RAPTION 50 CCS2 T2C32	Compact Fast Charging Station for Electric Vehicles
M62411 / Line-TCPRS1	RS 232/485 to Ethernet/ WIFI converter
M56311-00-00A00 / CVM A1500 - ITF- RS485	Modular grid analyzer
M56E06 / M-CVM-B100/B150	DataLogger extension module
<u>M76037 / TQR-8 400/5 A</u>	cable converter
<u>RGU-10</u>	Differential current evaluation relay
R2H67E / CLZ-FP 52/15-HD	High-Density Capacitor Bank for Power Factor Correction
<u>R2H67J / CLZ-FP 52/20-HD</u>	Three-Phase Tubular Power Capacitor (Heavy Duty)
EDS-Deluxe, Art-Nr. M61020	Data logger/ converter
<u>CDP-DUO (E51002)</u>	Dynamic power controller for zero feed
<u>Nr. P11951 Type RGU - 10- TYP-B</u>	residual current evaluation relay
WGC 110-TB / P11756	residual current transformer
<u>WGC 140-TB / P11757</u>	residual current transformer
<u>Nr. M56111 Type CVM B150 - ITF- RS485</u>	Three-Phase Power Analyzer with Color Display and RS-485 Communication
<u>R2H57S</u>	Three-Phase Tubular Power Capacitor (Heavy Duty)
CVM B100 - ITF- RS485 modular network analyzer	Three-Phase Power Analyzer with Color Display and RS-485 Communication
<u>CVM-C5-MC-485-C (M55894)</u>	Panel-Mounted Multifunction Multimeter with RS-485 Communication
Synchro MAX 96 / M14624	Digital Synchronization Relay for Generators
Nr. M58E06 Type LINE-M 20-I	LINE series analog module
DHC-96 HVdc	Voltmeter
<u>RGU-10B</u>	Residual Current Relay
P73145 / RBZ-50-400	Three-Phase Power Capacitor for Power Factor Correction
<u>M62422 / TCPRS1+</u>	converters
CVM-E3-MINI-ITF-485-IC	energy analyzer
<u>M81613 / KIT-1-FLEX-R120</u>	FLEXIBLE SENSOR
<u>MEG-1000 / M15051</u>	Insulation meter
CVM-E3-MINI-ITF-485-IC2	Network analyzer
<u>M2516100B1000</u>	AC Current Transducer CCE-A
<u>TI-420-35-50A</u>	Transformer
P/N: M73121, Type: MC3-63	3-Phas. current transformer
CVM-C5-ITF-RS485-C	Analyzer
M56414 CVM-E3-MINI-ITF-485-IC2	DIN rail network analyzer
<u>M14625-00-2</u>	Synchronoscope
<u>RBH- 80- 400</u>	REACTOR HARMONIC FILTRE
Art.no. M58E03 Type LINE-M 4IO-A	LINE series analog module



Product	Description
CLZ-FP 52/30-HD / R2H67N	3-phas. power capacitor
MYEBOX-150-4 FLEX-R45	Portable Power Analyzer with Recording of Quality Events and Transients
CVM-C11-ITF-IN-485-ICT2	Power analyzer
DCB-72 Aac	Digital ammeter
TA210 250/1A	current transformer
<u>MEG 1000 (230V)</u>	Insulation measuring device
MEG 1000(400V)	Insulation measuring device
CVM-B150-ITF-485-ICT2	Analyzer
<u>RBZ-60-400 (P73150)</u>	Three-Phase Power Capacitor for Power Factor Correction
<u>M70127</u>	Split-Core Current Transformer TP-58 800/5A
LM 50-TCP +	counter storage unit
M25121 CCE-A-AP	Transducer
Nr. M56351 Type CVM A1500-FLEX-485-ICT2	Modular network analyzer
<u>WGC-80</u>	differential current transformer
<u>M10521 (0-100A)</u>	AC Ammeter EC72 FA/5 A
<u>M14431</u>	Synchronoscope
<u>M14435</u>	Synchronoscope
<u>TI-420-35-150A</u>	Measurement value converter for alternating currents
	Type A Ultra-Immunized Residual Current Relay
TI-420-35-100A	Measurement value converter for alternating currents
<u>Computer C-12 WiFi</u>	Power Factor Regulator with Wi-Fi Connectivity
TP-58 500/5A	cable conversion converter
	differential current relay
WGBU-90-210	differential current relay
AFQm-3WF-200C-480	Active Multifunction Filter
<u>M6215A</u>	LoRa to RS-485 Converter with AC Power Supply
 P16025	Earth Leakage Transformer WGC-35B
P16023	WGC-25B Toprak Kaçak Akım Transformatörü
<u>CLZ-FP-48/12,5-HD / R2H56D</u>	power capacitor
WZ-140 50/1A	WZ Serisi Akım Transformatörü, 50/1A
M54033 /TCP2RS+	RS-232/485 - Ethernet Dönüştürücü
TD 6 250/5A / M75049	Plug-on current transformer
<u></u>	Differential relay type A
TC 10 2000/0.5A	Narrow Section Current Transformer
V10633 / URBAN MASTER T2	Smart charger
V10730 / URBAN MASTER CCS2	Smart charger
V17123 / RAPTION 50 CCS2 T2S32	50 kW Fast Charging Station
R2H67N / CLZ-FP 52/30-HD	Three-Phase Power Capacitor
<u>M703770040004</u>	TC10 400/5 Current Transformer
<u>R2H66N / CLZ-FP-48/30-60Hz-HD</u>	Power capacitor
M71014 / TCB-420-35-20	Current Transformer with 4-20 mA Converter
<u>WGBU-105</u>	Residual Current Transformer with Built-in Relay
<u>R2H57N / CLZ-FP-52/30-HD</u>	Three-Phase Tubular Power Capacitor



Product	Description
<u>M10728</u>	Three-Phase AC Voltmeter with Phase Switch
<u>M10428</u>	AC Voltmeter EC72 500V
M5ZZF1. / ADP CVM-MINI/RGU10/CBS4	Panel Adapter for CVM-MINI, RGU-10, and CBS-4
CLZ-FP-69/25-HD	Condenser
<u>R14842</u>	RGU-10B Residual Current Relay
<u>R2H67L</u>	Three-Phase Tubular Power Capacitor
DHC-96 CPM (M223A8)	DC Digital Multimeter with Shunt Input
DCH-96 CPM-HS (M223B8)	DC Digital Multimeter with Hall Effect Sensor Input
DCH-96 CPM 1500 (M223C8)	DC Digital Multimeter with Shunt Input
DHC-96 CPM-HS 1500 (M223D8)	DC Digital Multimeter with Hall Effect Sensor Input
<u>M70702</u>	Transformer
M70218 / TP420-23-500A	Current Transformer
P/N: R2H67N, Type: CLZ-FP 52/30-HD	3-phas. power capacitor
M56638 / CVM-D41 DC mA	Analyzer
M566380040000 / CVM-D41 DC mA	Analyzer
M5663A / CVM-D41 DC V	Analyzer
M5663A0040000 / CVM-41DCV	Analyzer
<u>P10160</u>	differential current transformer
<u>P73255</u>	filter circuit throttle
<u>V40320 / PD20-eNext</u>	eNext Wallbox for Electric Vehicle Charging
CLZ-FP 52/30-HD	Three-Phase Tubular Power Capacitor
CHV-T 100/6,6 / R8K1000006605	medium voltage capacitor
CHV-T 500/6,6 / R8K500000660E	Three-phase medium voltage capacitor
CHV-T 200/6,6 / R8K200000660E	medium voltage capacitor
CHV-T 350/6,6 kV / R8K350000660E	three-phase capacitor
Computer Smart III 12 / R13862	Three-Phase Power Factor Controller
<u>M1172A</u>	Earth Leakage Relay with Display
P13491 / RGMD-4-63-30	Ultra-Immunized Residual Current Device with MCB
<u>M73118</u>	RBZ-60-480-60 Hz-7% Reactor
RGUL-P12041	Residual current evaluation relay
TQ-8 400 /5A M74037	cable conversion converter
TQ-10 500/5A M74041	cable conversion converter
<u>STQ 24 100/5A</u>	mini separator core converter
TQR-10 1250/5A	cable conversion converter
<u>TQR-10 800/5A</u>	cable conversion converter
TQR-10 600/5A	cable conversion converter
<u>RBZ-60-480</u>	Reactor for Detuned Filters
M55834 / CVM-C5-ITF-485-C	Three-Phase Power Analyzer
M52706 / CVM-C4-ITF-485-ICT2	Network Analyzer
<u>M84023 / MyEBOX 150</u>	Portable Power Analyzer with Quality Event Recording
P731550017000	RBZ-60-480-60 Hz-7% Reactor
<u>M75018 / TD4 200/5A</u>	Narrow Profile Current Transformer
P24662 / RGU-10C	Residual current evaluation relay
M70816 / TI-420-35-100	Transformer
P73145-00-17000	filter circuit throttle

Enapart Group

! Address 93 S Railroad Avenue Bergenfield NJ 07621 USA ! Onrion LLC ! + 1 862 3004034 ! sales@enapart.com ! www.onrion.com Page 13/15



Product	Description
R281BH / CMC-150D+RD+CABLE	Capacitor Bank Contactor with Fast Discharge Resistor
M56E0A / M-CVM-AB-Modbus-TCP	Three-Phase Power Analyzer with Modbus TCP Communication
<u>M70134 / TP-88 500/5</u>	Transformer
DHC-96 CPM 1500	Voltmeter
<u>P11A70</u>	RELAY
<u>E8000 / TR8-RS-485-25A</u>	Photovoltaic String Monitoring Device
CLZ-FP 52/40-HD	Three-phase tubular condenser
<u>AFQm -4WF-060M-400</u>	Multifunction active filter
Computer SMART III Fast 6	Advanced Power Factor Controller with Fast Switching
<u>TD5-150/5A, M75027</u>	Narrow Profile Current Transformer
<u>TD5- 60/5A, M75023</u>	Narrow Profile Current Transformer
<u>TD4- 40/5A, M75011</u>	Narrow Profile Current Transformer
<u>TD5-100/5A, M75025</u>	Narrow Profile Current Transformer
V17422 / RAPTION 50 EVO CCS2 T2C32	50 kW Expandable Fast Charging Station
<u>E80005 (TRH16-RS485-25A)</u>	Multi-Channel DC Voltage and Current Analyzer for Photovoltaic Strings
<u>M58E01 / Line-M-4IO-T</u>	Remote Input/Output Module with Temperature Sensor
<u>M58E03 / Line-M-4IO-A</u>	Expansion Module with Analog Inputs and Outputs
R2H67N / CLZ-FP-52/30-60Hz-HD	Three-Phase Power Capacitor for 60 Hz Systems
CVM-A 1500-SDC-ITF-485-ICT2	Advanced Power Quality Analyzer with Data Logging
R281B9 / CMC-75B+RD+CABLES	Capacitor Bank Contactor with Damping Resistors
M58E0A /Line-M-EXT-PS	Supply module
M62510 /Kit line-TCPRS1/M-20I	kit
<u>CBS-40A P12A70</u>	Type A Monitoring and RCD Protection Relay with 4 Channels
M62520 / TCPRS1/2xM-20I	kit
<u>M56011 / CVM B100 - ITF- RS485</u>	Modular network analyzer
SYNCHROMAX-PID 110600V	Power Supply
<u>CMC 85 B</u>	Contactor
<u>AC50</u>	dampening resistor
<u>M70125</u>	cable conversion converter
<u>M58541</u>	
<u>RGU-100A (P11A71)</u>	0-30 A leakage current relay with communication
<u>CSB-23/50 (R2321K)</u>	Power capacitor
<u>P14036, WRU-10-HS</u>	Residual current relay
P10181, WGC-20-SC	esidual current transformer
KIT-TCPRS1/2 x M-2 (M62520)	Pulse and contact centra
<u>R4Z111</u>	
<u>CPC3B – 230/400</u>	Thyristor Control Board
<u>V17423 / RAPTION 50 EVO CCS2 T2S32</u>	
<u>CHV-T 250/6,6 - R8K250000660E</u>	
<u>R8K333000660E</u>	
<u>R8K400000660E</u>	
<u>R8K300000660E</u>	
<u>R8K600000660E</u>	
M-CVM-AB-4AI-8AO	ANALOG MODULE

! Address 93 S Railroad Avenue Bergenfield NJ 07621 USA ! Onrion LLC ! + 1 862 3004034 ! sales@enapart.com ! www.onrion.com Page 14/15





Product	Description
<u>TI-420-105-1000A</u>	
<u>CEM-C21-485-T1</u>	
CVM-B150-ITF-485-ICT2 (M56111)	ANALYZER: NETWORK E;CIRCUTOR;CVM-B100;DIGIT
M55884 / CVM-CS-ITF-485-C	Network Analyzer
CVM-B100-ITF-485-ICT2 (M56011)	
<u>CEM-C21-T1</u>	