



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Danotherm

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

| Product | Description |
|-------------------------------------------------------------------------|----------------------------------------------------|
| CAH 150 C 411 27R KT / Z11553227411 | DRAHTWIDERSTAND, Serie ALPHA |
| Typ CBH 265 C 10R 777 | WIRE RESISTOR |
| Typ GBF 30/156 A 3R3 401 | Glazed WIRE RESISTOR |
| GBF-30-156A | |
| GRF13/63A 1K0 5% | Power Wirewound Resistor |
| GRF 15/102 L 10R 5% | wire resistance |
| GRF 30/200 A 10k0 | |
| R7641-233402 | Type ZRF 30/165 402 33R SIK |
| GRF 13/63 A 1k 5% | wire resistance |
| TYP 22/50 750R | WIRE POTENTIOMETER |
| ZRF 30/165 SIK 33R 402 (R7641-233402) | HIGH LIST WIRE RESORTS, ZRF Series |
| P/N: R7641-233402, Type: ZRF 30/165 33R 402 | High load wire resistors |
| GRI 20/165 S 0R47 401 | HEAVY DUTY WIRE RESISTANCE, GLAZED, LOW INDUCTANCE |
| GRI 20/267 S 22R 401 | resistor |
| GRV 30/265 L 800R Standard | DRAHTWIDERSTÄNDE, glasiert |
| CBH 165 C 320R 503 | |
| ZRF 15/100 A 6R2 | Wire wound resistor |
| Typ HSD 210 A 27k0 | HEAT-SINK-RESISTOR |
| GRF 13/100 L 800R +10 % | Wire resistor, glazed |
| GRI 12/102 L 56R | HIGH LOAD WIRE RESISTOR |
| GRF 30/165 L 100k | DRAHTWIDERSTAND, glasiert |
| ZRF 30/165 SIK 24R 402 (R7641-224402) | HOCHLAST-DRAHTWIDERSTÄNDE, Serie ZRF |
| Typ CAH 150 C 411 27R KT (Z11553227411) | POWER RESISTOR |
| CBV 165 C 22R | resistor |
| Typ CAH 150 C 27R 411 | DRAHTWIDERSTAND, Serie ALPHA |
| Typ GRF 30/265 L 100R (R8411310000) | DRAHTWIDERSTAND, glasiert |
| Typ GRF 30/265 L 100R (R8411310000) (QUANTITY 5 pieces) | DRAHTWIDERSTAND, glasiert |
| Typ 22/50 800R Standard | wire potentiometer, glazed |
| Typ 22/50 800R Standard (5 STK) | wire potentiometer, glazed |
| Typ GRF 30/267 L 1k0 181 | |
| Typ GRF 20/140 L 47K0 | |
| Typ HSAC 70 3x8k | Thick film resistor |
| CAH 165 C 120R | Coiled chassis mount resistor |
| CAH 150 C H 3R3 411 (ZH1153133411) | DRAHTWIDERSTÄNDE, Serie ALPHA |

| Product | Description |
|---------------------------------------------------------|------------------------------|
| CAH 150 C 9R0 (Z1153190800) | brake resistance |
| CAH 150 C H 411 3R3 | inverter resistance |
| GFF 27/153 A 12k 5% (price for 5 pcs.) | wirewound resistors |
| GFF 27/153 A 12k 5% (price for 10 pcs.) | |
| GFF 27/153 A 12k 5% (price for 50 pcs.) | |
| F2 HSO 280C 500R 513 F1 261813 | Heatsink Resistor |
| Typ CBVX 335 C 419 20R | WIRE RESISTOR, Series ALPHA |
| Typ CBH 165 C H 5R0 414 | resistor |
| ZBV 30/330-3 4R6 590 | wire resistors |
| GRF 20/140 | |
| 22/23 2Sekt 13R | wire potentiometer |
| ZRF30/165-33R | Wire Wound Resistor |
| Typ ZRF 30/100A-3 40R+5R 555 | wire resistance |
| Typ CBH 215 C H 5R0 414 (ZH3213150414) | wire resistance |
| Typ CBV 335 C 10R0 | Compact Alpha Power Resistor |
| Type: CAH 150 C 27R 411 | RESISTOR |
| CCR-V M 222 C 800 160R | |
| 22/23 40R | |
| GRF 20/140 L 47k | wire resistor |
| Typ 22/50 | DRAHTPOTENTIOMETER, glasiert |
| CAH 300 CH 800 4R0 (ZH1303140800) | wire resistance |
| ZRV 55/490 A | |
| ZRV 55/490 S | |
| GRF 30/265 S 10R | Resistor |
| GRF 20/142A 120R | DRAHTWIDERSTAND, glasiert |
| 165 C 777 47R | Resistor |
| ZRV 15/100 10k0 + 10 % | Adjustable resistor |
| R102 (set 2 pcs) | Befestigungswinkel Set |
| Typ GRV 30/265 L 10R | |
| CAR 130 C 25R 466 (Z6133225466) | DRAHTWIDERSTAND, Serie ALPHA |
| Typ CAH 150 C 12R0 511 | |
| GFF 27/50 L 680R | Wire resistance |
| CRH 40 0R9 | |
| CAH 150 C 27R 465 | |
| GRF 30/200 A | |
| GFI 27/100 | |
| Typ CBH 215 C H 5R0 414 | DRAHTWIDERSTAND |
| Z3163210410 (Typ CBH 165 C H 10R 410) | brake resistor |
| CAH 150 C 411 27R KT | braking resistor |
| CBT-H 760 D H T 406 16R | WIREWOUND RESISTOR, ALPHA |
| Z0043250453 (Typ BA4 50R 453) | resistor |
| GBF 30/156 A 6R8 401 | Wire wound resistor |
| Z1153227411 | Drive braking resistor |
| GRF 30/133 S 1R0 507 | |
| GRF 30/200 A 1k0 | |

| Product | Description |
|--------------------------------------------------------------|-------------------------------------------|
| GRF 30/120 S 2k7 509 | |
| ZRF 30/165 24R 402 (R7641-224402) - 10037531 | |
| GRF 30/265 L 2k2 | |
| CAV 150 CH 402 3R3 KT | Alpha Resistor |
| ZRF 30/165 33R 402 (R7641-233402) | Wire Wound Resistor |
| CAV 150 C 12R3 800 | DRAHTWIDERSTAND, Serie ALPHA |
| ZRF 15/51 L 6R0 730 | WIRE RESISTOR, cemented |
| ZRF 15/100 A 10R 202 | |
| CCR-VM 116 C 100R 800 | WIRE RESISTANCE |
| CCR-VM 222 C 100R 800 | WIRE RESISTANCE |
| Bracket R102 | |
| Typ CRH 40 0R5 | |
| Certificate of Origin | for ZH3163150414 |
| Certificate of Conformity | for ZH3163150414 |
| R7523133401 | Wirewound resistor |
| Typ HSD 280 C 500R | Aluminium housed wirewound power resistor |
| CBT-H 560 D HT 406 19R | RESISTOR |
| CAV 120 C 410 36R | |
| Typ CBR-VK 526 C H 15R 001 | |
| ZBV 30/330-3 2R1 590 | |
| CRH 40 18R | |
| ZFF 27/120 S 75R 731 (F3442275731) | braking resistance |
| CAH 150 C 506 12R KT | RESISTOR: BRAKING |
| Typ CAH 300 C H 4R0 800 (ZH1303140800) | resistance |
| ZFF 27/120 M 180R | WIRE RESISTOR, cemented |
| Typ CAV 150 C 800 100R | HIGH load wire resistor, cemented |
| Typ CBVX 335 C 20R 419 / ZH4333220419 | brake resistor |
| CBV 165 C 419 20R | brake resistor |
| CBH 165 C 10R 410 (Z3163210410) | WIRE RESISTOR |
| CBV 335 C 20R | |
| CBT-H 760 BHT 281 14R | |
| CBT-H 860 BHT 281 14R | |
| ZRF 55/590 22R 010 | |
| GRF 20/267 L 2k0 200W | resistor |
| CBH 165 C H 5R0 414 | resistor |
| Typ CAR 130 C 467 100R | |
| Typ CAV 120 C 36R 411 | |
| HSD 210 A 94R | Resistor |
| Type ZBV 30/330-3 1R3 590 (S8954113590) | Wire resistors |
| GFF 27/120 L 220R | wire resistance |
| CDH 102 C 60R JT | |
| GFF 27/100 A 6600R | WIRE RESISTOR |
| BI-ALPHA BA4-3 120R 432 / (Z0043312432) | wire resistor |
| Typ CBH 165 C H 5R0 414 (ZH3163150414) | WIRE RESISTOR |
| GRV 20/267 L 100R | WIRE RESISTOR |

| Product | Description |
|--------------------------------------------------------------|------------------------------------------|
| GFI 27/100 A 22R | WIRE RESISTOR |
| Typ CAH 150 C 411 3R3 KT (ZH1153133411) | Wire resistor |
| ZH3163150414 | resistance |
| Typ BI-ALPHA BA4-3 120R 432 (Z0043312432) | WIRE RESISTOR |
| CBV 265 C 22R | HIGH LOAD WIRE RESISTOR, ALPHA Series |
| Typ CBV 335 C H 10R0 | |
| CAH 150 C H 3R3 411 | Wire Resistor |
| CBH 215 C 40R | RESISTOR |
| CAH 150 C 001 50R | WIRE RESISTOR |
| Z1153250001 | Alpha Resistor |
| CAV 150 C 47R | Fixed ResistorFixed Resistor |
| 22/50 200R | wire potentiometer |
| CAVH 120 CH 20R 449 | WIRE RESISTOR, ALPHA series |
| CAV 120 C 36R 411 | WIRE RESISTOR, ALPHA series |
| Type CAH 150 C H 411 3R3 / ZH1153133411 | Fixed resistor |
| CBVX 335 C H 419 20R | WIRE RESISTOR, ALPHA series |
| ZRF 20/75 L 18R | wire resistance, cemented |
| P/N: Z2123236410, Type: CAV 120 C 410 36R | wire resistors |
| Typ HSD 210 A 94R | wire resistors |
| CAV 120 C 410 36R (Z2123236410) | wire resistors |
| GRF30/250S 12R 5% | Wire wound resistor |
| CAR 200 DT 415 80R, Serie ALPHA | wireresistor |
| P/N: F3111233411, Type: GFF 27/80 ML 33R 411 | wire resistors |
| Z2153247800 | |
| Typ CBR-V 330 BT 47R | |
| Typ 22/40 10k0 | |
| HSCC 88A 3x4k7 | |
| HSAC 70 A 3x8K | |
| CBH 215 C 224R 503 (Z3213322503) | Wireresistor |
| ZH3213150414 | Wireresistor |
| F2 ZH3163150414 | |
| GRF 30/156 S 910R 401 | DRAHRESISTOR, GRF series |
| CBT-H 460 BH 201 7R5 | Wirewound |
| Type 22/80 250R Standard (D8011325000) | |
| F2 HSD 210A 94R | Aluminium Housed Wirewoud Power Resistor |
| Type ZBV 30/330-3 3R6 590 (S8954136590) | |
| ZRF 30/165 24R 402 | high load wire resistors |
| Z11553227411 CAH 150 C 411 27R KT | |
| ZRF55/480014518-300R | wire resistance |
| GRV 20/267 S 270R | wire resistance |
| GRF 200/100 S 68R 401 | Alpha series wire resistor |
| CCH M 540 I 469 15R | Resistor |
| CCH M 338 I 469 24R | |
| CCH M 440 I 469 19R | Braking resistor |
| HSD-140-C-47R | HEATING RESISTANCE FOR PANELS, |

| Product | Description |
|-------------------------------------------------------------------------|--------------------------------------|
| HSD 280 A 530R | wire resistor |
| ZRF55/590 200R | PRELOAD RESISTOR |
| ZRF 55/590 S 200R 562 | |
| CBH 360 CT 406 210R | wire resistance |
| CAH 240 CH 6R0 800 | resistance |
| GRF13/100A 2K0 5% | Resistor |
| ZRF 55/590 200R 562 | HIGH-LOAD WIRE RESISTORS, ZRF series |
| Typ GRV 20/267 L 4R7 | |
| CBVX 215 C | resistor |
| CBH 165 C H 5R0 414 (ZH3163150414) | |
| Type: CAH 150 C 27R 411 / (Z1153227411) | resistance |
| CoC certificate for CAH 150 C 411 27R KT / Z11553227411 | |
| CBV 335 C 10R0 | charging resistor |
| CAH 150 C 220R 800 | charging resistor |
| Z1153227411 / Type: CAH 150 C 27R 411 | resistor |
| Type: CBH 215 CH 5R0 414 (ZH3213150414) | WIRE RESISTOR |
| WHBSA 150.820 0R8 | |
| GRF 12/51 L 4k7 | heating element |
| CAH 240 C H 6R0 800(ZH1243160800) | |
| ZRF 55/400 051 912 110R | |
| Type: GRF 30/265 L 1k0 / PN: R8411410001 | wire resistance |
| GRF 30/265-3 20R 5% | |
| GFF 27/80 ML 27R 411 | |
| Typ CAR 200 DT 415 80R / Z6205280415 | wire resistance |
| CBV 335 C 424 63R | wire resistance |
| GRV 20/267 68R | wire resistance |
| CAVJ 120 C 36R 410 | |
| CAH 150 C 6R8 (Z1153168506) | |
| CoC for GRF 30/265 L 2k2 | |
| ZRV 10/63 L 3k3 | wire resistance |
| Typ CAV 120 C 411 36R | |
| Typ CAR 200 DT 415 80R | |
| CAV 150 C 432 47R | wire resistance |
| CBV 256 C 800 33R | wire resistance |
| WHBSA 200.610 xxR | Resistance Water-cooled |
| 78408 / Type ZFF 27/50 A 10R | wire resistance |
| Type ZRF 30/100A-3 40R+5R 555 | wire resistance |
| CRH 40 R024 | RESISTANCE |
| R5019212000 / GRI 20/165 A 12R | WIRE RESISTOR, glazed, low induction |
| GRF 13/100 A 24R 5% 506 | |
| CBR-V 460 DT 421 80R | Endurance |
| ZRV 10/63 L 4k0 | CEMENTED WIRE RESISTOR |
| GBF 30/156A 6R8 p/n 10010072 | wire resistance |
| CAH 150 C 506 6R8 (Z1153168506) | |

| Product | Description |
|-------------------------------------------------------|-----------------------------|
| GRF 13/100 A 800R 506 | wire resistance |
| CAV 150 C 800 47R | Wire resistor |
| ZRF 30/165 24R 402 (R7641-224402) | |
| CBT-H 460 C H 001 24R | |
| CCH 110 C 001 3R | |
| ZFF 78/490 S 33R | WIRE RESISTORS |
| HSD210A 94R K1 | |
| ZRF 55/590 014 523 300R | Resistor |
| CBR-V 225 K 201 100R | WIRE RESISTANCE |
| CAH 150 C 506 6R8 | |
| F2 Z1153212511 CAH 150 C 511 12R KT | |
| GRF 20/165 S 27R 508 | |
| ZRF 30/165 33R 402 | high load wire resistance |
| CAVJ 120 C 36R 411 (Z2123J236411) | wire resistance |
| CBH 265 C 10R 777 | High pulse load resistor |
| CBV 165 C 419 11R | WIRE RESISTANCE |
| Type ZFF 27/120 M 180R (T3441318000) | Resistor |
| Z5308215605 | wire resistor |
| CBR-V 560 D HT 406 39R UL | braking resistor |
| CAH 360C 611 33R | resistor |
| Z6117333201 / Type CAR 115 K 201 330R | Resistor |
| ZH3153150414 | |
| CAV 150 C 800 47R 300 | |
| CBVX 335 C H 419 70R | |
| CAHJ 150 CH 401 3R3 | |
| 100000003714 | Braking resistance |
| Type: GRI 30/200 A/S 10R | WIRE RESISTANCE |
| ZRF 30/165 24 // 10004462 K0 402 | |
| 30/330-3 2R1 590 | |
| CCR-VM 222 C 800 140R | |
| CCR-VM 116 C 800 370R | |
| CBR-V 460 DHT 13R 415 | Wire resistor, alpha series |
| ZH3213150414 CBH215CH414 | wire resistance |
| GRF 30/200 L 2K (R7911420000) | wire resistance |