



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Elaff

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

exBRAND'Sx APOUD

SCTIrod	AauoCctdcTs
CSB2212xD-AVDx5L8D	device fan
CS3z512xzA4zD , CCCDG2C5	CCCDG2C57ettogewichtP VV M8
RA02D6Vx1E8V1x1BJC	Rransformer
RA0DG6Vx1EAG1x1BAz	Rransformer
RA02D6V FEL[1 FE7z	transformer
RE02G1[xzj411	thrush
RE]C5CCx1jA11x1AA1	
RE05111xCj411	
RE]DV5Cxj411x1AA1	
RE]DV5CxVj11xz4A1	
RE05CzCxGj411	
RE]D65zzxj411x1A	
RE026zzxGj411	
RE]C55Cxj411x1AA1	
RE]C]5Cxj411x1AA1	
RE]C25Cxj11x1AA1	
RE]D15CxjA11x1AA1	
CCC25zC5	AZialventilator
CCCC[6z]	Rransformator
C9jCC52xzAXazzxMMG H CCC2z551	7SE9EX9Xj]MxA"SA3TE7RS3ARFX
CjKCC26 H CCz16VCV	Ersat1/2fl"gelrad
CjRCG1GxDEAGzx2E9G	M"hlert"fter
zll[zzDxGA46Cx-	Ersat1/2motor , f"r 3"fter unter los z
RA0V22CxG9921x1Bj1	Rransformator Jitas
Art. 7r. CCCC[6zG , type RARD16Vx1EX51x1BA1	
RA02D6Vx1E8V1x1BJz	transformer
RA0216Vx1ET11x1E7z	09E""
RA0556VxzA9z1x1BA1	zxphase transformer
RA05]2CG99211BA1	Rransformer
RARD66VxzA4V1x1BA1	zxphase transformer
IH7P CCCC5V]5 RypeP RA0CD65x]9A11x177C	power transformer
RARD16Vx1E/G1x1B91	Rransformator
CCCC551G	UJRE]EXRXA7JBFX0ARFX
Ccc221CxzAA6-x51V1	7SE9EX9Xj]MxA"SA3TE7RS3ARFX
CBj221CxzAA6zx]BM2	7SE9EX9Xj]MxA"SA3TE7RS3ARFX
CC11]2G1	Ersat1/2motor f"r 3"fter Cjj221CxzAA6-x51V1

Product	Description
AVKX 38 SS	Camlock Adapter
AVKC 38 SS	Camlock Adapter
AVKX 50 SS	Camlock Adapter
AVKC 50 SS	Camlock Adapter
AVKX 63 SS	Camlock Adapter
AVKC 63 SS	Camlock Adapter
AVKX 75 SS	Camlock Adapter
AVKC 75 SS	Camlock Adapter
AMKX 25 SS	Camlock Coupling
AMKC 25 SS	Camlock Coupling
AMKX 32 SS	Camlock Coupling
AMKC 32 SS	Camlock Coupling
AMKX 38 SS	Camlock Coupling
AMKC 38 SS	Camlock Coupling
AMKX 50 SS	Camlock Coupling
12764309	Camlock Coupling
AMKX 63 SS	Camlock Coupling
AMKC 63 SS	Camlock Coupling
AMKX 75 SS	Camlock Coupling
AMKC 75 SS	Camlock Coupling
STKX 50	Hose couplings system
STKC 50	Steam Hose Coupling
STKX 75	Hose couplings system
STKC 75	Steam Hose Coupling
STKX 100	Hose couplings system
STKC 100	Steam Hose Coupling
SFC 25.40	Spannfix Safety Clamp
SFC 38.40	Spannfix Safety Clamp
SFC 50.16	Spannfix Safety Clamp
FFC 50.16	Spannfix Safety Clamp
SFC 75.16	Spannfix Safety Clamp
FFC 75.16	Fixed Flange Coupling
SFC 100.16	Swiveling Flange Coupling
FFC 100.16	Fixed Flange Coupling
SFC 150.16	Swiveling Flange Coupling
SFC 150.16 L	Swiveling Flange Coupling with Aluminum Hose Tail
FFC 150.16	Fixed Flange Coupling
SFC 200.10	Swiveling Flange Coupling
DFC 150.16 L	Fixed Flange Coupling with Aluminum Hose Tail
DFC 150.16	Fixed Flange Coupling
SFX 25.40	Swiveling Flange Coupling
SFX 38.40	Swiveling Flange Coupling
SFX 50.16	Swiveling Flange Coupling
SFX 75.16	Swiveling Flange Coupling
SFX 100.16	Swiveling Flange Coupling

Product	Description
SFX 63 TW	Swiveling Flange Coupling
SFX 75 TW	Swiveling Flange Coupling
SFX 100 TW	Swiveling Flange Coupling
SFC 63 TW	Swiveling Flange Coupling
SFC 75 TW	Swiveling Flange Coupling
SFC 100 TW	Swiveling Flange Coupling
SFC 25.40 SS	Swiveling Flange Coupling
SFC 38.40 SS	Swiveling Flange Coupling
SFC 50.16 SS	Swiveling Flange Coupling
FFC 50.16 SS	Fixed Flange Coupling
SFC 75.16 SS	Stainless steel hose flange
SFC 100.16 SS	Swiveling Flange Coupling
SFX 25.40 SS	Swiveling Flange Coupling
SFX 38.40 SS	Swiveling Flange Coupling
SFX 50.16 SS	Swiveling Flange Coupling
SFX 75.16 SS	Swiveling Flange Coupling
FFX 75.16	Fixed Flange Coupling
SFX 100.16 SS	Swiveling Flange Coupling
FFX 100.16	Fixed Flange Coupling
SFS 25.40	Swiveling Flange Coupling
SFS 50.40	Swiveling Flange Coupling
SK 36	Dust Cap
SK 40	Dust Cap
SK 45	Dust Cap
SK 49	Dust Cap
SK 52	Dust Cap
SK 54	Hose Clamp
SK 57	Hose Clamp
SK 60	Hose Clamp
SK 62	Hose Clamp
SK 64	Hose Clamp
SK 66	Hose Clamp
SK 68	Hose Clamp
SK 72	Hose Clamp
SK 76	Hose Clamp
SK 78	Hose Clamp
SK 80	Hose Clamp
SK 83	Hose Clamp
SK 86	Heavy-Duty Hose Clamp
SK 88	Heavy-Duty Hose Clamp
SK 90	Heavy-Duty Hose Clamp
SK 92	Heavy-Duty Hose Clamp
SK 95	Heavy-Duty Hose Clamp
SK 100	Heavy-Duty Hose Clamp
SK 104	Heavy-Duty Hose Clamp

Product	Description
SK 106	Heavy-Duty Hose Clamp
SK 110	Heavy-Duty Hose Clamp
SK 117	Heavy-Duty Hose Clamp
SK 122	Heavy-Duty Hose Clamp
SK 126	Heavy-Duty Hose Clamp
SK 135	Heavy-Duty Hose Clamp
SK 141	Heavy-Duty Hose Clamp
SX 25	Hose Coupling
SX 32	Hose Coupling
SX 38	Hose Coupling
SX 40	Hose Coupling
SX 50	Hose Coupling
SX 63	Hose Coupling
SX 75	Hose Coupling
SX 100	Hose Coupling
SX 50 SS	Hose Coupling
SC 19	Bolted Hose Clamp
SC 32	Bolted Hose Clamp
SC 38	Bolted Hose Clamp
SC 40	Bolted Hose Clamp
SC 45	Safety Bolted Hose Clamp
SC 50	Safety Bolted Hose Clamp
SC 63	Safety Bolted Hose Clamp
SC 80	Safety Bolted Hose Clamp
SC 100	Safety Bolted Hose Clamp
SC 150	Safety Bolted Hose Clamp
SC 200	Safety Bolted Hose Clamp
SC 13 SS	Safety Bolted Hose Clamp (Stainless Steel)
SC 19 SS	Safety Bolted Hose Clamp (Stainless Steel)
SC 25 SS	Safety Bolted Hose Clamp (Stainless Steel)
SC 32 SS	Safety Bolted Hose Clamp (Stainless Steel)
SC 38 SS	Safety Bolted Hose Clamp (Stainless Steel)
SC 50 SS	Safety Bolted Hose Clamp (Stainless Steel)
SC 63 SS	Safety Bolted Hose Clamp (Stainless Steel)
SC 75 SS	Safety Bolted Hose Clamp (Stainless Steel)
EB-M 6 x 20	Spare Bolt with Nut
EB-M 6 x 20 SS	Spare Bolt with Nut (Stainless Steel)
EB-M 8 x 25	Spare Bolt with Nut
EB-M 8 x 25 SS	Spare Bolt with Nut (Stainless Steel)
EB-M 10 x 40	Spare Bolt with Nut
EB-M 10 x 40 SS	Spare Bolt with Nut (Stainless Steel)
EB-M 12 x 50	Spare Bolt with Nut
M 6 x 40	Assembly Bolt
M 8 x 60	Assembly Bolt
M 10 x 70	Assembly Bolt

Product	Description
M 12 x 110	Assembly Bolt
MB80-MS	TW blind cap
42340 MB 80 AL	TW blind cap
MB 100 AI	Dust Cap (Aluminum)
MB 80 SS	TW Dust Cap (Stainless Steel)
MB 100 SS	TW Dust Cap (Stainless Steel)
VK 50-1½"	TW Male Coupling with Female Thread
VK 50-2½"	TW Male Coupling with Female Thread
P/N: 42342, Type: VK 80	TW curve piece
49999 VK 80 Bit	TW curve piece
VK 100 BIT	TW Male Coupling for Bitumen Applications
VK 80 AI	TW Male Coupling with Female Thread (Aluminum)
VK 50 SS	TW Male Coupling with Female Thread (Stainless Steel)
VK 100 SS	TW Male Coupling with Female Thread (Stainless Steel)
K 200 DIN	Chains
K 300 DIN	Chains
K 360 DIN	Chains
K 200 SS	Chains
K 300 SS	Chains
K 360 SS	Chains
MB 50 TS SS	Lockable TW Dust Cap (Stainless Steel)
TS 80 - V 3 (VK 80 TS + MB 80 TS)	Lockable Fill Pipe Coupling DN 80 with TW Connection
TS 80 - G 3	Lockable Fill Pipe Coupling DN 80 with TW Connection
VB 50	TW Dust Plug DN 50
VB 80	TW blanking plug
VB 50 AI	TW Dust Plug DN 50 (Aluminum)
VB 100 AI	TW Dust Plug DN 100 (Aluminum)
VB 50 P	TW Dust Plug DN 50 (Polyamide)
VB 80 P	TW Dust Plug DN 80 (Polyamide)
VB 100 P	TW Dust Plug DN 100 (Polyamide)
VB 50 SS	TW Dust Plug DN 50 (Stainless Steel)
VB 80 SS	TW Dust Plug DN 80 (Stainless Steel)
VB 100 SS	TW Dust Plug DN 100 (Stainless Steel)
MK80	TW nut coupling MK80
MK 80 BIT	TW Female Coupling with Male Thread DN 80
MK 100	TW-nut coupling
MK 100 BIT	TW Female Coupling with Male Thread DN 100 (Brass)
MK 80 AI	TW Female Coupling with Male Thread DN 80 (Aluminum)
MK 50 SS	TW Female Coupling with Male Thread DN 50 (Stainless Steel)
MK 80 SS	TW Female Coupling with Male Thread DN 80 (Stainless Steel)
MK 100 SS	TW nut coupling
TWK 50	TW Crown Piece DN 50
TWK 50-1½" AG	TW Crown Piece DN 50 with Male Thread
TWK 50-2" AG	TW Crown Piece DN 50 with 2" Male Thread
TWK 80	TW Crown Piece DN 80

Product	Description
TWK 80 BIT	TW crown piece
TWK 80 AI	TW Crown Piece DN 80 (Aluminum)
TWK 50 SS	TW Crown Piece DN 50 (Stainless Steel)
TWK 80 SS	TW Crown Piece DN 80 (Stainless Steel)
TWM 80	TW Coupling Nut with Lever DN 80
TWM 80 AI	TW Coupling Nut with Lever DN 80 (Aluminum)
TWM 50 SS	Ring
49999--VK 50-3" IG	coupling
VK 80-2" IG	TW Male Coupling with 2" Female Thread DN 80
VK 80-4" IG	TW Male Coupling with 4" Female Thread DN 80
VK 100-3" IG	TW Male Coupling with 3" Female Thread DN 100
VK 50-1½" AG	TW Male Coupling with 1½" Male Thread DN 50
VK 50-3" AG	TW Male Coupling with 3" Male Thread DN 50
VK 80-2" AG	TW Male Coupling with 2" Male Thread DN 80
VK 80-3" AG	V coupling with external thread
VK 100-3" AG	TW Male Coupling with 3" Male Thread DN 100
MK 50-1½" IG	TW Female Coupling with 1½" Female Thread DN 50
MK 50-2½" IG	TW Female Coupling with 2½" Female Thread DN 50
MK 50-3" IG	TW Female Coupling with 3" Female Thread DN 50
MK 80-2" IG	TW Female Coupling with 2" Female Thread DN 80
MK 80-4" IG	Adapter coupling
MK 100-3" IG	TW Female Coupling with 3" Female Thread DN 100
MK 50-1½" AG	TW Female Coupling with 1½" Male Thread DN 50
MK 50-3" AG	TW Female Coupling with 3" Male Thread DN 50
MK 80-2" AG	TW Female Coupling with 2" Male Thread DN 80
MK 80-3" AG	TW Female Coupling with 3" Male Thread DN 80
MK 100-3" AG	TW Female Coupling with 3" Male Thread DN 100
MK 100-4" AG	TW Female Coupling with 4" Male Thread DN 100
VK 50 x VK 50	TW Male Adapter Coupling DN 50
VK 50 x VK 80	TW Male Adapter Coupling DN 50 to DN 80
VK 50 x VK 100	TW Male Adapter Coupling DN 50 to DN 100
VK 80 x VK 80	TW Male Adapter Coupling DN 80
VK 80 x VK 100	TW Male Adapter Coupling DN 80 to DN 100
VK 100 x VK 100	TW Male Adapter Coupling DN 100
VK 50 x MK 80	TW Adapter Coupling DN 50 to DN 80
VK 50 x MK 100	TW Adapter Coupling DN 50 to DN 100
VK 80 x MK 50-45°	TW Adapter Coupling DN 80 to DN 50 with 45° Bent Lever
VK 80 x MK 100	TW Adapter Coupling DN 80 to DN 100
VK 100 x MK 50-45°	TW Adapter Coupling DN 100 to DN 50 with 45° Bent Lever
VK 100 x MK 80-32°	TW Adapter Coupling DN 100 to DN 80 with 32° Bent Lever
MK 50-45° x MK 50-45°	TW Adapter Coupling DN 50 with 45° Bent Levers
MK 50-45° x MK 80	TW Adapter Coupling DN 50 to DN 80 with 45° Bent Lever
MK 50-45° x MK 100	TW Adapter Coupling DN 50 to DN 100 with 45° Bent Lever
MK 80 x MK 80	TW Adapter Coupling DN 80
MK 80 x MK 100	TW Adapter Coupling DN 80 to DN 100

Product	Description
MK 100 x MK 100	TW Female Adapter Coupling DN 100
KWZ 2	Rail Tanker Adapter with 2" Male Thread
KWZ 3"	Rail Tanker Adapter with 3" Male Thread
KWZ 4"	Rail Tanker Adapter with 4" Male Thread
KWZ 3" AI	Rail Tanker Adapter with 3" Male Thread (Aluminum)
KWZ 4" AI	Rail Tanker Adapter with 4" Male Thread (Aluminum)
KWZ 2" SS	Rail Tanker Adapter with 2" Male Thread (Stainless Steel)
KWZ 3" SS	Rail Tanker Adapter with 3" Male Thread (Stainless Steel)
KWZ 4" SS	Rail Tanker Adapter with 4" Male Thread (Stainless Steel)
KWZ x VK 50	Rail Tanker Adapter with TW Male Coupling DN 50
KWZ x VK 80	Rail Tanker Adapter with TW Male Coupling DN 80
KWZ x VK 100	Rail Tanker Adapter with TW Male Coupling DN 100
KWZ x VK 50 SS	Rail Tanker Adapter with TW Male Coupling DN 50 (Stainless Steel)
KWZ x VK 80 SS	Rail Tanker Adapter with TW Male Coupling DN 80 (Stainless Steel)
KWZ x VK 100 SS	Rail Tanker Adapter with TW Male Coupling DN 100 (Stainless Steel)
Storz C-2" Ms	Storz Fixed Coupling with Female Thread DN 50 (Brass)
Storz B-3" Ms	Storz Fixed Coupling with Female Thread DN 80 (Brass)
Storz C-2" AI	Storz Fixed Coupling with Female Thread DN 50 (Aluminum)
Storz B-3" AI	Storz Fixed Coupling with Female Thread DN 80 (Aluminum)
Storz A-4" AI	Storz Fixed Coupling with Female Thread DN 100 (Aluminum)
Storz C-2" SS	Storz Fixed Coupling with Female Thread DN 50 (Stainless Steel)
Storz B-3" SS	Storz Fixed Coupling with Male Thread DN 80 (Stainless Steel)
Storz A-4" SS	Storz Fixed Coupling with Male Thread DN 100 (Stainless Steel)
GK 80-3" AI	Guillemin Fixed Coupling with Arresting Device and Male Thread DN 80 (Aluminum)
GK 100-4" AI	Guillemin Fixed Coupling with Arresting Device and Male Thread DN 100 (Aluminum)
GK 80-3" A AI	Guillemin Fixed Coupling with Arresting Device and Female Thread DN 80 (Aluminum)
GK 100-4" A AI	Guillemin Fixed Coupling with Arresting Device and Female Thread DN 100 (Aluminum)
BWO 25180	Corrugated tubes with oval steel flanges
BWO 25240	Corrugated tubes with oval steel flanges
BWO 32180	Corrugated tubes with oval steel flanges
BWO 32240	Corrugated tubes with oval steel flanges
p/n: 80000, type: BWO 40180	corrugated pipe
BWO 40240	Corrugated tubes with oval steel flanges
BWO 50180	Corrugated tubes with oval steel flanges
BWO 50240	Corrugated tubes with oval steel flanges
KW 32180	Corrugated tubes with oval flanges f. cathode protection
KW 32240	Corrugated tubes with oval flanges f. cathode protection
KW 40180	Corrugated tubes with oval flanges f. cathode protection
KW 40240	Corrugated tubes with oval flanges f. cathode protection
KW 50100	Corrugated tubes with oval flanges f. cathode protection
KW 50180	Corrugated tubes with oval flanges f. cathode protection
KW 50240	Corrugated tubes with oval flanges f. cathode protection

Product	Description
GF 20	Threaded Flange DN 20
GF 25	Threaded Flange DN 25
GF 3225	Threaded Flange DN 32/25
GF 32	Threaded Flange DN 32
p/n: 80000, type: GF 40	threaded flange
GF 50	Threaded Flange DN 50
GF 3225 ZN	Threaded Flange DN 32/25, Zinc Plated
GF 32 ZN	Threaded Flange DN 32, Zinc Plated
GF 40 ZN	Threaded Flange DN 40, Zinc Plated
GF 50 ZN	Threaded Flange DN 50, Zinc Plated
PD 20	Oval flange seals of NBR yellow
PD 25	Oval flange seals of NBR yellow
PD 32	Oval flange seals of NBR yellow
PD 40	Oval flange seals of NBR yellow
PD 50	Oval flange seals of NBR yellow
NFD 32	Oval flange seals NBR Black 8 mm for type KW
NFD 40	Oval flange seals NBR Black 8 mm for type KW
NFD 50	Oval flange seals NBR Black 8 mm for type KW
AMB 19	Camlock Dust Cap for Male Couplings, DN 19
AMB 25	Camlock Dust Cap for Male Couplings, DN 25
AMB 32	Camlock Dust Cap for Male Couplings, DN 32
AMB 38	Camlock Dust Cap for Male Couplings, DN 38
AMB 50	Camlock Dust Cap for Male Couplings, DN 50
AMB 63	Camlock Dust Cap for Male Couplings, DN 63
AMB 75	Camlock Dust Cap for Male Couplings, DN 75
AMB 100	Camlock Dust Cap for Male Couplings, DN 100
AMB 19 AI	Camlock Dust Cap for Male Couplings, DN 19, Aluminum
AMB 25 AI	Camlock Dust Cap for Male Couplings, DN 25, Aluminum
AMB 32 AI	Camlock Dust Cap for Male Couplings, DN 32, Aluminum
AMB 38 AI	Camlock Dust Cap for Male Couplings, DN 38, Aluminum
AMB 50 AI	Camlock Dust Cap for Male Couplings, DN 50, Aluminum
AMB 63 AI	Camlock Dust Cap for Male Couplings, DN 63, Aluminum
AMB 75 AI	Camlock Dust Cap for Male Couplings, DN 75, Aluminum
AMB 100 AI	Camlock Dust Cap for Male Couplings, DN 100, Aluminum
AMB 19 SS	Camlock Dust Cap for Male Couplings, DN 19, Stainless Steel
AMB 25 SS	Camlock Dust Cap for Male Couplings, DN 25, Stainless Steel
AMB 32 SS	Camlock Dust Cap for Male Couplings, DN 32, Stainless Steel
AMB 38 SS	Coupling Cap
AMB 50 SS	Camlock Dust Cap for Male Couplings, DN 50, Stainless Steel
AMB 63 SS	Camlock Dust Cap for Male Couplings, DN 63, Stainless Steel
AMB 75 SS	Camlock Dust Cap for Male Couplings, DN 75, Stainless Steel
AMB 100 SS	Camlock Dust Cap for Male Couplings, DN 100, Stainless Steel
AVKI 19	Camlock Male Adapter with Female Thread, DN 19
AVKI 25	Camlock Male Adapter with Female Thread, DN 25
AVKI 32	Camlock Male Adapter with Female Thread, DN 32

Product	Description
AVKI 38	Camlock Male Adapter with Female Thread, DN 38
AVKI 50	Camlock Male Adapter with Female Thread, DN 50
AVKI 63	Camlock Male Adapter with Female Thread, DN 63
AVKI 75 Ms (Brass)	Kamlok male part clutch
AVKI 100	Camlock Male Adapter with Female Thread, DN 100
AVKI 19 Al	Camlock Male Adapter with Female Thread, DN 19, Aluminum
AVKI 25 Al	Camlock Male Adapter with Female Thread, DN 25, Aluminum
AVKI 32 Al	Camlock Male Adapter with Female Thread, DN 32, Aluminum
AVKI 38 Al	Camlock Male Adapter with Female Thread, DN 38, Aluminum
AVKI 50 Al	Camlock Male Adapter with Female Thread, DN 50, Aluminum
AVKI 63 Al	Camlock Male Adapter with Female Thread, DN 63, Aluminum
AVKI 75 Al	Camlock Male Adapter with Female Thread, DN 75, Aluminum
AVKI 100 Al	Camlock Male Adapter with Female Thread, DN 100, Aluminum
AVKI 19 SS	Camlock Male Adapter with Female Thread, DN 19, Stainless Steel
AVKI 25 SS	Kamlok male coupling
AVKI 32 SS	Camlock Male Adapter with Female Thread, DN 32, Stainless Steel
AVKI 38 SS	Camlock Male Adapter with Female Thread, DN 38, Stainless Steel
AVKI 50 SS	Kamlok male coupling
AVKI 63 SS	Camlock Male Adapter with Female Thread, DN 63, Stainless Steel
AVKI 75 SS	Camlock Male Adapter with Female Thread, DN 75, Stainless Steel
AVKI 100 SS	Camlock Male Adapter with Female Thread, DN 100, Stainless Steel
AVB 19	Camlock Dust Plug, DN 19
AVB 25	Camlock Dust Plug, DN 25
AVB 32	Camlock Dust Plug, DN 32
AVB 38	Camlock Dust Plug, DN 38
AVB 50	Camlock Dust Plug, DN 50
AVB 63	Camlock Dust Plug, DN 63
AVB 75	Camlock Dust Plug, DN 75
AVB 100	Camlock Dust Plug, DN 100
AVB 19 Al	Camlock Dust Plug
AVB 25 Al	Camlock Dust Plug
AVB 32 Al	Camlock Dust Plug
AVB 38 Al	Camlock Dust Plug
AVB 50 Al	Camlock Dust Plug
AVB 63 Al	Camlock Dust Plug
AVB 75 Al	Camlock Dust Plug
AVB 100 Al	Camlock Dust Plug
AVB 19 SS	Camlock Dust Plug
AVB 25 SS	Camlock Dust Plug
AVB 32 SS	Camlock Dust Plug
AVB 38 SS	Camlock Dust Plug
AVB 50 SS	Camlock Dust Plug
AVB 63 SS	Camlock Dust Plug
AVB 75 SS	Dust plug
AVB 100 SS	Dust plug

Product	Description
AMKI 19	Female coupler with female parallel thread
AMKI 25	Female coupler with female parallel thread
AMKI 32	Female coupler with female parallel thread
AMKI 38	Female coupler with female parallel thread
AMKI 50	Female coupler with female parallel thread
AMKI 63	Female coupler with female parallel thread
AMKI 75	Female coupler with female parallel thread
AMKI 100	"American" female coupler with female parallel thread
AMKI 19 AI	"American" female coupler with female parallel thread
AMKI 25 AI	"American" female coupler with female parallel thread
AMKI 32 AI	"American" female coupler with female parallel thread
AMKI 38 AI	"American" female coupler with female parallel thread
AMKI 50 AI	"American" female coupler with female parallel thread
AMKI 63 AI	"American" female coupler with female parallel thread
AMKI 75 AI	"American" female coupler with female parallel thread
AMKI 100 AI	"American" female coupler with female parallel thread
AMKI 19 SS	"American" female coupler with female parallel thread
AMKI 25 SS	"American" female coupler with female parallel thread
AMKI 32 SS	"American" female coupler with female parallel thread
AMKI 38 SS	"American" female coupler with female parallel thread
AMKI 50 SS	Kamlok Nut Coupling
AMKI 63 SS	"American" female coupler with female parallel thread
AMKI 75 SS	"American" female coupler with female parallel thread
AMKI 100 SS	"American" female coupler with female parallel thread
DDC-M 25-¾" Ms	Dry Disconnect Coupling, female
DDC-M 25-1" Ms	Dry Disconnect Coupling, female
DDC-M 50-1½" Ms	Dry Disconnect Coupling, female
DDC-M 50-2" Ms	Dry Disconnect Coupling, female
DDC-M 65-2½" Ms	Dry Disconnect Coupling, female
DDC-M 65-3" Ms	Dry Disconnect Coupling
DDC-M 80-3" Ms	Dry Disconnect Coupling, female
DDC-M 25-¾" AI	Dry Disconnect Coupling, female
DDC-M 25-1" AI	Dry Disconnect Coupling, female
DDC-M 50-1½" AI	Dry Disconnect Coupling, female
DDC-M 50-2" AI	Dry Disconnect Coupling, female
DDC-M 65-2½" AI	Dry Disconnect Coupling, female
DDC-M 65-3" AI	Dry Disconnect Coupling, female
DDC-M 80-3" AI	Dry Disconnect Coupling, female
DDC-M 100-4" AI	Dry Disconnect Coupling, female
DDC-M 25-¾" SS	Dry Disconnect Coupling, female
DDC-M 25-1" SS/VI	Mother-dry clutch
DDC-M 50-1½" SS	Dry Disconnect Coupling, female
DDC-M 50-2" SS	Dry Disconnect Coupling, female
DDC-M 65-2½" SS	Dry Disconnect Coupling, female
DDC-M 65-3" SS	Dry Disconnect Coupling, female

Product	Description
DDC-M 80-3" SS	Dry Disconnect Coupling, female
DDC-M 100-4" SS	Dry Disconnect Coupling, female
DDC-S 1" PE	Dust Plug for DDC-M
DDC-S 2" PE	Dust Plug for DDC-M
DDC-S 3" PE	Dust Plug for DDC-M
DDC-S 4" PE	Dust Plug for DDC-M
DDC-V 25-¾" Ms	Dry Disconnect Coupling, male
DDC-V 25-1" Ms	Dry Disconnect Coupling, male
DDC-V 50-1½" Ms	Dry Disconnect Coupling, male
DDC-V 50-2" Ms	Dry Disconnect Coupling, male
DDC-V 65-2½" Ms	Dry Disconnect Coupling, male
DDC-V 65-3" Ms	Dry Disconnect Coupling, male
DDC-V 80-3" Ms	Dry Disconnect Coupling, male
DDC-V 25-¾" Al	Dry Disconnect Coupling, male
DDC-V 50-1½" Al	Dry Disconnect Coupling, male
DDC-V 50-2" Al	Dry Disconnect Coupling, male
DDC-V 65-2½" Al	Dry Disconnect Coupling, male
DDC-V 65-3" Al	Dry Disconnect Coupling, male
DDC-V 80-3" Al	Dry Disconnect Coupling, male
DDC-V 100-4" Al	Dry Disconnect Coupling, male
DDC-V 25-¾" SS	Father dry clutch
DDC-V 25-1" SS/Al	Father dry clutch
DDC-V 50-1½" SS	Dry Disconnect Coupling, male
DDC-V 50-2" SS	Dry Disconnect Coupling, male
DDC-V 65-2½" SS	Dry Disconnect Coupling, male
DDC-V 65-3" SS	Dry Disconnect Coupling, male
DDC-V 80-3" SS	Dry Disconnect Coupling, male
DDC-V 100-4" SS	Dry Disconnect Coupling, male
DDC-K 1" PE	Dust Cap for DDC-V
DDC-K 2" PE	Dust Cap for DDC-V
DDC-K 3" PE	Dust Cap for DDC-V
DDC-K 4" PE	Dust Cap for DDC-V
BK ½"	Dust cap
BK 1"	Dust cap
BK 2"	Dust cap
BK 3"	Dust cap
BK 4"	Dust cap
BK 5½" Al	Dust cap
BK ½" SS	Dust cap
BK 1" SS	Dust cap
BK 2" SS	Dust cap
BK 3" SS	Dust cap
K 160 L	Dust cap
K 180 L	Dust cap
K 260 L	Dust cap

Product	Description
K 160 SS	Dust cap
S-Haken SS 3.0	Stainless Steel S-Hook
RS ¾ x 1	Female/male reducer type RS
RS 1 x 1¼	Female/male reducer type RS
RS 1½ x 2	Female/male reducer type RS
RS 2 x 1½	Female/male reducer type RS
RS 2 x 2½	Female/male reducer type RS
RS 2 x 3	Female/male reducer type RS
RS 3 x 2	Female/male reducer type RS
RS 3 x 4	Female/male reducer type RS
RS 4 x 3	Female/male reducer type RS
RS 1 x 1¼ SS	Female/male reducer type RS
RS 1 x 2 SS	Female/male reducer type RS
RS 2 x 1 SS	Female/male reducer type RS
RS 2 x 2½ SS	Female/male reducer type RS
RS 2 x 3 SS	Female/male reducer type RS
RS 3 x 2 SS	Female/male reducer type RS
RS 3 x 4 SS	Female/male reducer type RS
RS 2 x 78 SS	Reducer type RS
AN ½"	Welding nipple type AN
AN 1"	Welding nipple type AN
AN 2"	Welding nipple type AN
AN 3"	Welding nipple type AN