



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

## FiamBRAND'

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### S POUCTro dUuctT

<b>oRAespB</b>	<b>Ua'pRn BnA</b>
<a href="#">SPF160</a>	2afety solenoid valve
<a href="#">3oil for SFP V, FC 1L7-, 01V SA3</a>	3oil for safety solenoid valve
<a href="#">3oil for SP(460 88V SA3 )VL4V z9, 5C )M</a>	2olenoid Salve 3oil
<a href="#">SP(86)</a>	2low6lpening 2afety 2olenoid Salve
<a href="#">SP(0 6 1LMK</a>	2afety solenoid valve
<a href="#">SP(616FC8 6 01V SA3 6 )VL4V z/ 6 14V mbar BstockO</a>	2afety selenoid valve
<a href="#">XS6SPF86).R</a>	safety solenoid valve
<a href="#">XS6SPF860</a>	2afety solenoid valve
<a href="#">SPF806IDü, 88VS</a>	Tast6lpening 2afety 2olenoid Salve
<a href="#">SPF80IDü</a>	solenoid valve
<a href="#">SPF86), 8L0K, 01VS A3</a>	solenoid valve
<a href="#">XS6SPF06)</a>	2afety solenoid valve
<a href="#">SPF1)6)</a>	2afety solenoid valve
<a href="#">SPF 16) )VV mbar, Fp8, 01VS A3</a>	valve )VV mbar
<a href="#">EDXS6P26GL7688VS</a>	spare spool
<a href="#">SPFG60 Z xü4)</a>	2afety solenoid valve
<a href="#">SPFV</a>	2olenoid valve
<a href="#">SPFM.(, 14V mbar, Fp 8 :-</a>	2afety solenoid valve
<a href="#">SPF761</a>	2afety solenoid valve
<a href="#">SPF1)6), Dhread 8 N-, )VV mbar, 88VS</a>	Xas solenoid valve
<a href="#">SPFM6(6), Dhread8 :-, )VV mbar, 88VS</a>	Salve
<a href="#">SPF46(6), Dhread 0-, )VV mbar, 88VS</a>	Salve
<a href="#">SPFI</a>	solenoid valve
<a href="#">SPF 860, FC :</a>	solenoid valve
<a href="#">ESFPü37A</a>	Xas 2olenoid Salve
<a href="#">SPF760</a>	2afety solenoid valves
<a href="#">SPFV6)</a>	2afety solenoid valve
<a href="#">STzG</a>	zigh6Tlow Rutterfly Salve
<a href="#">SPFM60</a>	valve solenoid
<a href="#">2E7</a>	magnetic drive
<a href="#">2et (z6 optional</a>	Accessory lit for Xas Salves
<a href="#">2et x</a>	Accessory lit for Xas Salves
<a href="#">STzG, xü 4)</a>	zigh6Tlow Rutterfly Salve
<a href="#">SPFV60.3</a>	E(E!DFIXA26Sentil
<a href="#">EDXS6P26VA</a>	Xas 2olenoid Salve
<a href="#">SPF806IDü, 01VS</a>	Tast6lpening 2afety 2olenoid Salve







Product	Description
<a href="#">Type OP6-A-6.0-DX-F20-R</a>	Digital position indicator
<a href="#">9602102 SEP160 220VAC</a>	Level Control Device
<a href="#">IN80-10-DX-0-100</a>	position indicator
<a href="#">OP3D100DXF14G P6 BOCC H5.5 2RR</a>	Mechanical Position Indicator with Hollow Shaft
<a href="#">OP3 A 60 DX F14 R P6 IN</a>	Mechanical Position Indicator with Hollow Shaft
<a href="#">OP6 A 30 SX F20 R</a>	Mechanical Position Indicator with Hollow Shaft
<a href="#">2016114</a>	
<a href="#">OP6-B-3.0-DX-F20-R</a>	Mechanical Position Indicator with Hollow Shaft
<a href="#">OP3-A-1.7/5-SX-F14-R-P6</a>	POSITION INDICATOR WITH HOLLOW SHAFT
<a href="#">PR-20C-20.25-10W-5K-2-100N</a>	Gear potentiometer
<a href="#">9500264CIN / PR20C R 24/1 POT.10G 500OHM CONN 4 PIN INOX SIL.</a>	transducer
<a href="#">PR20C R 20,25/1 POT. 10G 5K</a>	Rotating potentiometric transducer
<a href="#">PR-20C-24-10W-0,5K-VA</a>	Gear potentiometer
<a href="#">4424 - PR-20C-24-10W-10K-RB15</a>	Rotating Potentiometric Transducer
<a href="#">OP3 A 15 DX F14 R P6</a>	Mechanical Position Indicator with Hollow Shaft
<a href="#">9500155C / PR20C R 24/1 POT. 10G 10K CONN 4PIN</a>	rotary potentiometric transducer
<a href="#">PF200 TRASD LG 200 MM POT 3G 10K CAVO M 2</a>	Potentiometric Linear Transducer
<a href="#">OP6 B 20 DX F25 GR</a>	Mechanical Position Indicator with Hollow Shaft
<a href="#">EP20 A G VIS F Ø20</a>	Electronic Hollow Shaft Position Indicator
<a href="#">PR20C R 10/1 POT. 10G 10K CONN 4PIN</a>	Rotating Potentiometric Transducer with Connector
<a href="#">9500208</a>	
<a href="#">25892 - OP7-A-2,0-SX-F20-G</a>	Digital position display
<a href="#">31142 - OP7-A-2.0-DX-F20-G</a>	Position indicator - digital OP7
<a href="#">1090605 / I60 R 20/1 SC 0-20 SX LC 15-57431</a>	Gravitational reaction position indicator
<a href="#">P70 / 02-04072</a>	Gravitational reaction handwheel
<a href="#">36676 - IN80-5-SX-0-50</a>	Digital/analog position indicator
<a href="#">PK-700-10K - 2</a>	Pulley sensor
<a href="#">OP7 D 10 SX F20 R 2RR D14</a>	Mechanical Position Indicator with Hollow Shaft
<a href="#">OP7-D-0,10-SX-RB14-R</a>	Digital position indicator
<a href="#">OP3 C 50 DX F14 R P6</a>	Mechanical Position Indicator with Hollow Shaft
<a href="#">SEP160/24VCC / 9602103</a>	Level Control Device
<a href="#">PF300 / 9508102</a>	Potentiometric Linear Transducer
<a href="#">PR20C R 1/4 MOLT POT.1 G 10 K CONN 4PIN</a>	Rotating Potentiometric Transducer with Connector
<a href="#">EP7 B R F20</a>	meter
<a href="#">1405800P6 / OP3 A 20 DX F14 R P6</a>	Mechanical Position Indicator with Hollow Shaft
<a href="#">1407100 / FL-B OP3 A/B F14</a>	Shaft Block Flange for OP3 Position Indicators
<a href="#">FKE3-14-A-B</a>	Spindle Clamp Element for OP3 Position Indicators
<a href="#">OP3 A/B F14 FLB-F14 P6 POS.B D10</a>	LOCK FLANGE
<a href="#">OP3 A 20 DX F14 R P6 D10</a>	Mechanical Position Indicator with Hollow Shaft
<a href="#">EF700 PP 2M</a>	Wire Incremental Transducer
<a href="#">EF700 PP 5M</a>	Wire Incremental Transducer

Product	Description
<a href="#">I60 R 30/1 0-30 DX</a>	gravitational reaction position indicator
<a href="#">FL-B OP3 A/B F14 D10</a>	Shaft Block Flange
<a href="#">OP3 A 20 SX F14 G P6 INOX</a>	Mechanical Position Indicator with Hollow Shaft
<a href="#">OP6 D 20 DX F20 G</a>	Mechanical Position Indicator with Hollow Shaft
<a href="#">OP3-A-2.0-SX-F14VA-G-P6</a>	Digital position indicator
<a href="#">SM85EX</a>	Membrane level control
<a href="#">EN20 ENC 500 I.</a>	ENCODER
<a href="#">PF-200-10K-2</a>	Pulley sensor
<a href="#">9514265RES</a>	
<a href="#">OP3A10DXF14R / 1405300</a>	Mechanical Position Indicator with Hollow Shaft
<a href="#">1446601 / OP6 A 100 SX F20 R</a>	position indicator
<a href="#">OP7-A-2.0-DX-F20-R</a>	Mechanical Position Indicator with Hollow Shaft
<a href="#">3025166</a>	
<a href="#">01-32062EX</a>	
<a href="#">OP6 A 10 DX F20 GR</a>	Mechanical Position Indicator with Hollow Shaft
<a href="#">OP6 A 25 SX F20 G 5RN C</a>	POSITION INDICATOR
<a href="#">I80 R 200/1 SC 0-20 DX</a>	Analog Position Indicator with Gravity Reaction
<a href="#">1514724</a>	
<a href="#">OP2 B 10 DX F8 R</a>	Position indicator
<a href="#">OP2 B 100 DX F8 R 2RR</a>	Mechanical Position Indicator with Hollow Shaft
<a href="#">OP7 A 100 SX F25 G 3 GRANI M5</a>	Mechanical Position Indicator with Hollow Shaft
<a href="#">I80-200-DX-2Z-0-20</a>	position indicator
<a href="#">9500155CMF</a>	
<a href="#">BF-BL OP3 D12</a>	Shaft Block Flange for OP3 Position Indicators
<a href="#">OP6 A 10 DX F20 G D20/14/12 FORO TRASV M5</a>	Digital mechanical position indicator
<a href="#">66/6 D FFF 1/1</a>	POSTPONEMENT
<a href="#">EP46NET</a>	Position indicator
<a href="#">EN20-500 (9514007M5)</a>	Hollow Shaft Encoder
<a href="#">OP7-C-3.0-DX-F20-R</a>	Digital position indicator
<a href="#">OP3-B-1.0-SX-F14-R-P6</a>	
<a href="#">38187</a>	
<a href="#">PF500/9508108M5</a>	TRASD
<a href="#">I60 R 10/1 SC 0-10 SX 15-57351Q</a>	Pressure gauge
<a href="#">FKE3-14-RB08-A/B</a>	Clamping element
<a href="#">OP6 A 50 DX F20 R</a>	Position Indicator
<a href="#">OP3-A-4.0-SX-F14-G-P6</a>	Mechanical Position Indicator with Hollow Shaft
<a href="#">FLOP3 -1407100</a>	Shaft Block Flange for OP3 Position Indicators
<a href="#">V4P2</a>	Measurement display with potentiometer input
<a href="#">PM-OP3 ET SX</a>	
<a href="#">OP10A40SXSF20G AZZ 1495623</a>	
<a href="#">1407100</a>	LOCK FLANGE
<a href="#">1406209P6</a>	
<a href="#">OP7 A 40 DX F20 R 2RR</a>	
<a href="#">F1X5-3-RS485</a>	Fiama display
<a href="#">RD50 FL-OP7/EP7 1:10</a>	

Product	Description
<a href="#">OP7-A-10-DX-VA12.7-G</a>	Digital position indicator
<a href="#">EN25 50 PP 2m Z</a>	Display
<a href="#">PR20C-V</a>	
<a href="#">OP3 B 40 SX F14 R P6</a>	
<a href="#">OP6 A 80 DX F20 R</a>	ACCOUNTANT
<a href="#">OP3 A 2.5 DX F14 R P6 IN</a>	Position indicator
<a href="#">EP25BR</a>	
<a href="#">3439 / Type: SEP-160-F-230VAC</a>	Level control for solids
<a href="#">SEP160F/220 9602602</a>	