



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онџл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Fuji

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

| Product | Description |
|--|---|
| RPAE2020 | Regulator |
| 2MBI100N-060 | igbt module |
| AFAC-3 | Low voltage current limiting fuse |
| AH164-TX2BE | buzzer |
| AH165-TFG11 | Push Button Switch |
| AH165-2VR11 | PUSHBUTTON PUSH-LOCK, TURN-RESET RED 1NO+1NC |
| AH165-2VR22 | PUSHBUTTON PUSH-LOCK, TURN-RESET RED 2NO+2NC |
| AH165-TFW11 | Switch Push Button |
| AH165-V5R02-S | |
| AH165-ZTWE3 | Pilot Lamp |
| AH16P-2P3BX | Selector Switch |
| AH16P-TF RX | command switch |
| AH16P-TGL | push button |
| AHX695-24G | Switch Access LED |
| AR22G4L-10E4G | PUSHBUTTON SWITCH |
| AR22JR-2A10A | SELECTOR SWITCH KEY 2POS MAINT 1NO STANDARD KEY |
| AR22PR-210B | Switch |
| AR22PR-211B | Selector switch |
| AR22S2R-20B | PUSHBUTTON WITH SELECTOR RING 2 POS 2NO BLACK |
| AR30PR-211B | |
| AR30V0R-02R | Stop Button |
| BHL-3B3111-110H W Y-B L54-Y000 | Switch/fd |
| BHL3B3118-110H-W-Z-B | Disconnecter Key (Round Flange) |
| BLA010 | Fuse |
| BW125RAGU-3P100 | Circuit Breaker |
| BW250EAG-3P200 | Circuit breaker |
| BW50EAG-3P050 | Circuit Breaker* BW50EAG-3P |
| BW9BTAA-S2 | Auto breaker optional item |
| BZ6N10D | Switch handle |
| BZ6V10D | Handle V Type |
| CG-30 | TERMINAL COVER |
| SC-03 AC100 | |
| CR6L-20/UL | Super Rapid Fuse* |
| RB105-DE | relay |
| DR22B5-EB | BUZZER |
| DR30B5-EB | |

| Product | Description |
|--------------------------------------|------------------------------------|
| DR30D0L-E3W | Pilot Lamp |
| DR30D0L-M3W | |
| FCH-25B-1F | Compressed air chisel hammer |
| FKCT36V5-1ACY-AA | Differential Pressure Transmitter |
| FRC1C11A | Temperature transmitter |
| FRN15E1S4E | Frequency converter |
| FSCS10A2-00Y | Flow transmitter* |
| FSSC1CC1-YY | Transducer |
| FSSD1CC1-YY | |
| FU00SC | Nut |
| GYS401DC2-T2C | |
| HH52P-RF DC24V | Relay |
| HH54P-L | Miniature control relay |
| K244-GR-2S | limit switch |
| KTT-AW4-B | Test Terminal |
| TP48X | timer socket |
| MS4SR-AP | Time Delay Relay |
| NP4H-CB2 | Loader connecting cable |
| NP4H-SWN | compliant programming support tool |
| NW0H-CNV | Converter |
| RB105-DB | Relay |
| RPDE2020-T1 | AC POWER REGULATOR, AC100-240V 20A |
| AC09-RY0/20L2 | Rotary Switch |
| SC05-1A1B/120 | |
| SC-4-1/G DC24V 1A | Magnetic contactor |
| SC-N2/G DC24V | Magnetic Contactor |
| FJ-SPSR-30S-DC110-BB | |
| SR062DP6-D2 | solid state relay |
| SZ-Z5 | Coil Surge Suppression Unit |
| TP-G1-J1 | |
| TR-0N/3 6A | (Thermal Relay*) |
| VKN085A | |
| CR6L-20 | Super Rapid Fuse 600V 20A |
| WA2120-13 | Didital display |
| EW400RAG-4P250B | Circuit Breaker |
| NP4H-SEDBV3 | Program controller |
| AG23-L5AX2E | |
| SC-0/G DC24V 1B | Magnetic Contactor |
| SZ-A31 | Auxiliary Contact Block* |
| CS10F 250 | Fuse |
| BW50SAG-3P030 | Auto Breaker* |
| BW100EAG-3P075 | Circuit Breaker |
| 6MBP200KA060 | IGBT Module |
| AH16P-2P1BX | Selector Switch |
| AC09-RZ0/25L401/0007 | Rotary switch |

| Product | Description |
|--|--|
| NW0H-CA3 | |
| FRN0.75F1S-4E | Fuji Inverter* |
| MLU1135A-4 | Motor 3phase |
| DR30DOL-D4G | SIGNAL LAMP |
| AH-30-ZM3YD | SWITCH |
| FRN2.2G1E-4E | Inverter frenic |
| NP1X1606-W | Digital module |
| SZ-MC/SC-N10 | Main Contacts Kit* |
| SC-N10 400V | Magnetic Contactor* |
| 1DI480A-055 | Electric Power Transistor Module |
| PXR5 TCY1-PV000 | |
| 6MBI75UC-120-52 OEM (114190) | IGBT Module U-Series |
| AHX695-24R | Switch Access LED |
| PXR4 TAS1 1V000 | PT100 or Thermocouple |
| SC-03Y AC110V 1A | auxiliary contact |
| AR30V0R-01R | Pushbutton switch* |
| AR30V2R-01R | Pushbutton Switch |
| DR30D0L-E3Y | Pilot Lamp* |
| SW-N1 18A 220V | magnetic contactor with starter |
| DR30D0L-E3R | |
| 6MBI450U-120A-05 | |
| FRN0.1C2S-2J | Inverter |
| FRN0.2C2S-2J | Compact inverter FRENIC-Mini (C2) series |
| FRN0.4C2S-2J | Compact inverter FRENIC-Mini (C2) series |
| FRN0.75C2S-2J | Compact inverter FRENIC-Mini (C2) series |
| FRN1.5C2S-2J | Compact inverter FRENIC-Mini (C2) series |
| FRN2.2C2S-2J | Compact inverter FRENIC-Mini (C2) series |
| FRN3.7C2S-2J | Compact inverter FRENIC-Mini (C2) series |
| FRN0.1C2S-6J | Compact inverter FRENIC-Mini (C2) series |
| FRN0.2C2S-6J | Compact inverter FRENIC-Mini (C2) series |
| FRN0.4C2S-6J | Compact inverter FRENIC-Mini (C2) series |
| FRN0.75C2S-6J | Compact inverter FRENIC-Mini (C2) series |
| FRN0.1C2S-7J | Compact inverter FRENIC-Mini (C2) series |
| FRN0.2C2S-7J | Compact inverter FRENIC-Mini (C2) series |
| FRN0.4C2S-7J | Compact inverter FRENIC-Mini (C2) series |
| FRN0.75C2S-7J | Compact inverter FRENIC-Mini (C2) series |
| FRN1.5C2S-7J | Compact inverter FRENIC-Mini (C2) series |
| FRN2.2C2S-7J | Compact inverter FRENIC-Mini (C2) series |
| FRN0.4C2S-4J | |
| FRN0.75C2S-4J | Compact inverter FRENIC-Mini (C2) series |
| FRN1.5C2S-4J | Compact inverter FRENIC-Mini (C2) series |
| FRN2.2C2S-4J | Compact inverter FRENIC-Mini (C2) series |
| FRN3.7C2S-4J | Compact inverter FRENIC-Mini (C2) series |
| SW-03RM-AC100 | Electromagnetic Switch |
| SW-03RM | Electromagnetic Switch |

| Product | Description |
|------------------------------------|--|
| SW-0RM | electromagnetic switch |
| EW32AAG-2P005B | Circuit breaker |
| EW32AAG-2P010B | Circuit breaker |
| EW32AAG-2P015B | Earth Leakage Circuit Breaker |
| EW32AAG-2P020B | Circuit breaker |
| EW32AAG-2P030B | Circuit Breaker |
| EW32AAG-2P032B | Circuit breaker |
| EW32AAG-3P005B 4B | Circuit breaker |
| EW32AAG-3P010B 4B | Circuit breaker |
| EW32AAG-3P015B 4B | Circuit breaker |
| EW32AAG-3P020B 4B | Circuit breaker |
| EW32AAG-3P030B 4B | Circuit breaker |
| EW32AAG-3P032B 4B | Circuit breaker |
| EW50AAG-3P005B 4B | Circuit Breaker |
| EW50AAG-3P010B 4B | Circuit cutter |
| EW50AAG-3P015B 4B | Ground Leak Circuit Breaker for General Wiring |
| EW50AAG-3P020B 4B | Circuit cutter |
| EW50AAG-3P030B 4B | Current Circuit Breaker |
| EW50AAG-3P032B 4B | Ground leakage circuit breaker |
| EW50AAG-3P040B 4B | Circuit breaker |
| EW50AAG-3P050B 4B | Differential Circuit Breaker |
| EW63EAG-3P060B 4B | Disyuntor de corriente |
| EW63EAG-3P063B 4B | Disyuntor para cableado |
| EW100AAG-3P060B 4B | |
| EW100AAG-3P060K 4B | |
| EW100AAG-3P063B 4B | |
| EW100AAG-3P063K 4B | |
| EW100AAG-3P075B 4B | circuit breaker |
| EW100AAG-3P075K 4B | |
| EW100AAG-3P100B 4B | |
| EW100AAG-3P100K 4B | |
| EW125JAG-3P060B | |
| EW125JAG-3P075B | General-purpose earth leakage circuit breaker |
| EW125JAG-3P100B | |
| EW125JAG-3P125B | |
| EW125JAG-3P060K | |
| EW125JAG-3P075K | |
| EW125JAG-3P100K | |
| EW125JAG-3P125K | |
| EW250EAG-3P125B | |
| EW250EAG-3P150B | |
| EW250EAG-3P160B | |
| EW250EAG-3P175B | |
| EW250EAG-3P200B | |
| EW250EAG-3P225B | |

| Product | Description |
|---------------------------------------|---|
| EW250EAG-3P250B | |
| EW250EAG-3P125K | |
| EW250EAG-3P150K | |
| EW250EAG-3P160K | |
| EW250EAG-3P175K | |
| EW250EAG-3P200K | G-TWIN BREAKER |
| EW250EAG-3P225K | |
| EW250EAG-3P250K | Circuit Breaker |
| FRN0.2E1S-2J | |
| FRN0.4E1S-2J | |
| FRN0.75E1S-2J | |
| FRN1.5E1S-2J | |
| FRN2.2E1S-2J | |
| FRN3.7E1S-2J | |
| FRN5.5E1S-2J | |
| FRN7.5E1S-2J | |
| FRN0.1E1S-2J | |
| FRN11E1S-2J | FREQUENCY VERTOR |
| FRN0.4E1S-4J | DRIVER |
| FRN0.75E1S-4J | INVERTER |
| FRN1.5E1S-4J | |
| FRN2.2E1S-4J | |
| FRN3.7E1S-4J | |
| FRN5.5E1S-4J | |
| FRN7.5E1S-4J | |
| FRN11E1S-4J | |
| FRN0.1E1S-7J | |
| FRN0.2E1S-7J | |
| FRN0.4E1S-7J | |
| FRN0.75E1S-7J | |
| FRN1.5E1S-7J | |
| FRN2.2E1S-7J | |
| FRN0 . 4G1S-2J | |
| FRN0 . 75G1S-2J | |
| FRN1.5G1S-2J | motor, drive. INVERTER |
| FRN2 . 2G1S-2J | |
| FRN3 . 7G1S-2J | |
| FRN5 . 5G1S-2J | |
| FRN7.5G1S-2J | High-performance multifunction inverter |
| FRN11G1S-2J | |
| FRN18 . 5G1S-2J | |
| FKEW45VF-AKYYY-AA | |
| SZ-AS1V | |
| GYS401DC2-T2A-B | Fuji Servo Motor |
| AC09-RY0/20L2B02/0007 | |

| Product | Description |
|--------------------------------------|--|
| RYE2.2D | |
| AR30S2R-22B | Push Button |
| 1D600A-030 | |
| SC-03 AC110V 1B | MAGNETIC CONTACTOR |
| AH165-J2D11E | pushbutton switche*auxiliary 1A1B |
| WSZ-CBE | 1 port 10 Base T Ethernet communication board |
| HGVS8F8MPBV-FU-SS316 | 1-Valve Manifold - PN 414 / DN5 |
| HDS3M-FUSS316 | 3-Valve Manifold - PN 414 / DN5 |
| ST3PF-1S | SUPER TIMER |
| FRN7.5G1S-4J | Inverter |
| 2DI300A-050 | TRANSISTOR MODUL |
| SC-03 AC240V 1A | |
| SZ-Z35 | Coil Surge Supression Unit |
| SC25BAA-M22 | Contactur |
| SZ-AS1 | Contact Block |
| SC-N2-240V | MAG-CONTACTOR |
| AH164-ZYE3 | PUSHBUTTON 16MM |
| AH164-ZGE3 | |
| SRC50-2U/X (3a3b) | |
| SRC50-2UX-4A2B/1 | |
| PXR4TCS1-GV000 | micro controller |
| SC-N7 24V | |
| FNS-2 | needle scaler / Fuji DK |
| RC310-1M2205HB | |
| FSSD1YY1-YY | Flow detector |
| FSSC1YY1-YY | Flow detector |
| TR-0N/3 0.1A | Thermal Relay |
| PXR4TCY1-GV000 | Temperature Controller |
| TP411SBA | |
| GYG202CC2-T2E - | Servomotor discon |
| FRN0012E2E-4GA | Motor Driver |
| NR1TX-1606DT | module for Micrex-SX series |
| CS10F-100 | Fuse |
| MLH8065M | AM Motor |
| SC93BAA-222 / SCN5/2 | CONTACTOR |
| FRN0013C2S-4E | Inverter |
| AR22V2R-11R | Pushbutton Switch |
| TR-5-1N/3 16A | Thermal Relay |
| FRN18.5LM1S-4EA | Frequency converter |
| SS503H-1Z-D2 | FUJI SS CONTACTOR 50A 3 POLE 200-480VAC MAIN CIRCU |
| 2MBI300VH-170-50 | IGBT module |
| PHL21B12-E10RV-F | PHL PAPERLESS RECORDER |
| CJ-125F | |
| SH4-2A2B/1 | |
| SCN2/G/24 | |

| Product | Description |
|------------------------------------|--|
| SCN2/G/48 | Magnetic Contactors and Starters General information |
| SCN2/G/110 | Magnetic Contactors and Starters General information |
| SC-N2/G DC200V | Magnetic Contactors and Starters General information |
| BW100EAG-3P100 | Circuit Breaker |
| AH16P-TGLGXE | Pushbutton Switch |
| AH16P-TGFRX | pushbutton switch |
| TR-5-1N/3 12A | |
| SC-E05 AC220V | Magnetic Contactor |
| SC-E2SP | Magnetic contactor |
| PE-B4D | PROXIMITY SWITCH |
| AH165-2YJ3E22A | |
| AH165-ZTRE3-W | |
| AH165-ZTWE3-W | |
| PXR4NCY1-FVM00 | |
| AH164-TFG22W | |
| AH164-TFR22W | |
| AH164-TFB22W | |
| FRN4.0E1S-4E | Frequenzumrichter |
| NB2-P56R3-AC | PLC |
| SH04AA-K40 / SH-4 | industrial relay |
| EW50EAG-3P050K | Circuit Breaker |
| V9150IXLD | |
| MS4SA-CE | |
| AR22E0L-10E3G | |
| AR22E0R01R | |
| AR22E0L-10M3G | |
| FWM-2725FBD-S | Adjustable soft absorber |
| FRN18.5G1E-4E | |
| GYS751DC2-T2A | Servo Motor der abgekündigten Serie Faldic-W |
| BW100EAGU-3P063 | Circuit Breaker Molded Case |
| SC-N6 | Magnetic Contactor* |
| SC-4-1 AC220V 1A | Electromagnetic Contact |
| 2MBI400U2B-060-50 | |
| TS2060 | Programmable Display |
| NP1Y16R-08 | QC DIGITAL OUTPUT MODULE |
| SC03-1A/120 | |
| FUN02SC | Fine U Nut |
| FRD-6PH-7 | Drill |
| NP4H-CVU | PERSONAL COMPUTER LOADER CONVERTER |
| ZRZKRYC1-1 | FUJI ELECTRIC ZRZ CABLE |
| AH165-2P0B11 | switches |
| FKGT05V5-LXCBY-AV | |
| FKGT03V5-AACYA-AA | |
| AC09-RY | ROTARY SWITCH |
| ZKMAB212-3EY1Y-YRR | |

| Product | Description |
|---|------------------------------------|
| BW250RAGU-3P150 | switch thermal magnetic |
| V606EM20 | |
| FKCW36V5-5XCEN-CW | Differential pressure transmitter |
| FKCW35V5-5XCEN-CW | Differential pressure transmitter |
| FRC2C12A | Temperature transmitter |
| FRC0C10A | Temperature transmitter |
| FRC0C00A | Temperature transmitter |
| FRN0.75C1S-7E | Frequency converter |
| FRN0.4C1S-7E | Variator |
| FH1001T | |
| FH1002TA | |
| FD5003C | |
| SC-E02/G-24VDC | |
| LJ-80P | |
| BW250EAG-3P225 | Breaker |
| AH165-J2A11A | Switch Key Lock |
| PE-B7S | Sensor |
| CP30FM-1P020 | |
| 2MBI300U4H-120-50 | IGBT Module* |
| BZ0WIA | AUX CONTACT UNIT |
| AR22PL-220E3W | |
| AR22JAR-0A11A | |
| SZ-A20/T | Auxiliary Contact Block |
| SRC50-2U/X AC110V 3A3B | Contacteur |
| PXF9AEY2-FVM00Fuji | Temperature Controller |
| 6MBI180VB-120-50-M | IGBT Module |
| PEX00BL1-1000B | 180mm Chart Paper for PHA Recorder |
| PHZH1002 | Strip Chart Recorder Ink Head |
| 1MBI800UG-330 | IGBT MODULE |
| SC-N12 100V | Magnetic Contacteur |
| SC-N2 AC200V | contacteur |
| SC-N8 200V | Magnetic Contacteur |
| SC-N3 AC200V | Magnetic Contacteur |
| SC-03 AC100V 1A | Contacteur |
| SC-03 AC200V 1A | contacteur |
| SC-03RM | contacteur |
| SC-5-1 | Contacteur |
| SC-5-1RM | contacteur |
| SC-4-1 AC200V | contacteur |
| P/N: SC41-1A/100, Type: SC-4-1 AC100V | contacteur |
| SC-4-1RM | contacteur |
| SC-4-0 AC200V | contacteur |
| SC-4-0 AC100V | contacteur |
| SC-4-0RM | Contacteur |
| SC-5-1RMAC100V2A2B*2 | contacteur |

| Product | Description |
|--|------------------------------------|
| AR22JR-2A20A | switch |
| DR22E3L-E3G | PILOT LAMP |
| SC-N1 SCB25BAA | |
| BM3RHB-016 | manual motor starter |
| BM3RHB-013 | |
| BM3RHB-010 | |
| CS5F-600 | Fuse |
| TK-5-1N 12A | |
| TS2060L | |
| TK-0N 1.7A | |
| TK-0N 5A | |
| NR1TY-1605DT | |
| NR1TY-16T05DT | T-LINK/CABIN CONSOLE |
| AH165-TL5W11E3 | |
| AR22PCR-441CBZ078 oem | puschbutton |
| AH225-FL color 11E3 (LED Lamp) | |
| EW50AAG-3P030B | Circuit Breaker Hydraulic Magnetic |
| ATT-A4 | Test Terminal /Fijidk |
| AC09-RX | Rotary switch |
| AH165-2SFLG11E3 | Switch Push Button N.O./N.C. DPST |
| VAS355BS-42 | Outer rotor fan |
| AH225-FL color 22E3 (LED Lamp) | |
| AH225-FL color 33E3 (LED Lamp) | |
| AH225-FL color 11E (Incandescent Lamp) | |
| AH225-FL color 22E (Incandescent Lamp) | |
| AH225-FL color 33E (Incandescent Lamp) | |
| 1MBI400NA-120-02 | |
| NP1Y16T 09P6 | |
| NP1X1610-RI | |
| NP1X3206-W | DIGITAL INPUT MODULE |
| NP1PS-74R | |
| NP1L-TL1 | T-Link 1 Channel Module |
| AHX695-24A | Switch Access LED |
| SC-N5 AC100V | Magnetic Contactor |
| RS6N-DE | |
| PHU40011-E15EY | PHU Paperless Recorder |
| SC-5-1 AC220V 1A1B | CONTACTOR |
| SC-5-1 AC240V 1A1B | |
| SH-4 AC100V 2A2B | Contactora |
| AC09-GZ0/23L1B01 | Rotary switch |
| AH164-TX1BE | Buzzer |
| AH165-P2B11 | Switch |
| AH165-TGLG11E3 | Push button/Pilot lamp |
| AH165-ZTOE3 | Pilot lamp |
| AHX695-24O | Switch Access LED |

| Product | Description |
|---|---------------------------------------|
| AHX695-24Y | Switch Access LED |
| CP30FM-1P001 | Circuit Protector |
| CP30FM-1P002 | Circuit Protector |
| CP30FM-1P003 | Circuit Protection Device |
| DM22E3L-E3W | Pilot Trump |
| AM22E0L-10E3G | Illuminated push button |
| AM22JR-2B10A | Selector switch with key |
| EW50RAGU-3P030B | Leakage Breaker |
| AR30M3R-10G | |
| AR30M3R-10Y | |
| AR30M3R-10B | switch |
| YS308673-5E HS | Impeller |
| VKP065H | |
| VFZ501A-7W | Blower |
| SZ-ZM1 | |
| FKCP11V5-2AFYY-CU | |
| FKCT22V5-AACY-AA | |
| AH165-TLW11E3 | Illuminated pushbutton |
| AR22F0R-10B | |
| AR22PCR-551CB | |
| AR22F0R-10Y | |
| AR22PCR-441CB | |
| BHLC-3B3111-110H-Z-B | |
| BHL-1B1131-110H-W-Z-B | |
| B-KM-S1-1B1A-HR-B | |
| SC-0/G DV24V 1A | contactor |
| 7MBR50VB-120-50 | N-canal IGBT-Module |
| SW-0/G3H 2.8A DC24V 1A | |
| AR30V2R-02R | stop button |
| GYG102C5-RG2 | Servo Motor |
| BW32AAG-2P005 | Fast charging panel switch |
| FRN040G1S-4U | |
| FRN7.5AR1M-4E | Driver 7,5kW |
| PE-B30D | Proximity switch |
| MLH8075M | Electric Motor |
| PXF4AAY2-FV100 | DIGITAL CONTROLLER |
| PXF4AAY2-MV100 | DIGITAL CONTROLLER |
| 6DI150A-060 (Fanuc P/N: A50L-0001-0209) | Transistor Module |
| LLW Roll | Prescale Film Super low pressure roll |
| EW32AAG-2P020C | |
| 4NC0A-CK | KIT |
| CS5F-350 | fuse |
| BW400EAG-3P300 | Super twin breaker |
| AH165-J0A11A | KEY SWITCH |
| AH165-ZGE3 | PILOT LAMP |

| Product | Description |
|---|---|
| AH165-ZWH1 | PILOT LAMP |
| CP30FM-1P003WA | CIRCUIT PROTECTOR |
| HH54PU-L/24 | Relay |
| SC-3N-(4NC-2HO) | RELAY |
| RYT401D5-VV2 | Servo driver |
| SS402E-3Z-D3/F40A | Solid State Contactor |
| SS502E-3Z-D3/F50A | Solid State Contactor |
| FRN0012E2S-4GB | |
| AR30V0L-01L3RZC | E-stop Pushbutton |
| AR9B290 | Contact block |
| AHX720-5A | Legend plate |
| AR30F0R-10GZC | Pushbutton |
| AR30F0R-10RZC | Pushbutton |
| K244XP-2 | Limit switch |
| FRN0005C2S-4E | |
| FRN0007E2E-4GA | Driver |
| FRN2.2E1E-4E | Inverter |
| SH-4/G 2A2B | 24VDC IND RELAY 2N/O+ 2N/C CONTACTS |
| P/N: SZ1A22, Type: SZ-A22 | 2N/O+2N/C AUX CONTACT BLOCK FOR SC03-SCN3 AND SH4-SH5 |
| 7MBP150KB060 | |
| GYC751DC1-SA-Z88 | SERVO MOTOR |
| ZZPFCX5-A055 | |
| ZZPFCX5 -A060 | |
| TS1100Si | |
| CP31FM/1W | Circuit Protector |
| BW32SAG-3P005 | Circuit Breaker |
| FWM-1612XBD-C | Shock absorber |
| ATT-V4 | VOLTAGE TEST BLOCK |
| TR-0N/3 | THERMAL OVERLOAD RELAY |
| PXF5AEY2-1VY00 | Temperature Controller |
| BHL1B2-110H-W-Z-B | Toprak Bıçağı Ayırıcı Anahtarı |
| RPHE206A | |
| FA-20-1 N | |
| PE-G4D | Proximity Switch |
| BHL-3B3111-110H-W-Z- B-L54-Z000 | switch /fd |
| BW250EAG-3P150 | G-TWIN Breaker |
| FSVEYY12-SYYYB-N | Ultrasonic Flow Meter |
| FA02-2 | POWER UNIT |
| VFZ901A-7W | |
| NP1S-22 | POWER SUPPLY |
| PM1U-25BLF | Magnetically operated slot type reed switch |
| PM-2M | Magnetically operated reed switch |
| SC-N1 AC120V | Magnetic Contactor |
| PM-2S | Magnetically operated reed switch |
| SC-3NRM | CONTACTOR-REVERSIBLE MAGNETIC |

| Product | Description |
|--|--------------------------------------|
| SW-N3RM/3H-40A | REVERSIBLE MAGNETIC SWITCH |
| FRN0006C2S-7E | frequency inverter |
| ZZPFCX5-A055A | |
| 2AGTHA009100 | |
| BW50EAG-3P050FAC200 | -240V breaker with shunt trip* |
| NP1PH-16 | Standard CPU Module |
| NP1BS-13 | |
| NP1BS-08 | |
| NP1L-RT1 | Interface Module |
| opc-g1-ai0 | Analog I/O Interface Card |
| BM3VSB-040 | |
| CP30FM-1P001WA | |
| MGX1FS02A005AS | Geared motor |
| R34C015 | |
| BW9V0GA | Electric handle |
| AH165-JK3C22A | Selector key |
| 4NC0R0101 | CONTACTOR |
| FDT-70A-903 | |
| FRN37LM1S-4EA | LIFT DRIVE (FRN LM1) SERIES |
| A50L-0001-0299#N | transistor |
| 1MBI400NP-120 | transistor |
| FRN015F1S-4U | |
| FRN075F1S-4U | |
| FRN015F1S-4DY | Drive |
| FRN075F1S-4DY | Drive |
| PXF4ABY2-1V100 | TEMPERATURE CONTROL- |
| FRN060G1S-4U | AC Drive |
| GC-80 (20KG) | |
| ACO9-RY | Rotary switch |
| BHL-1B2238-110H-W-Z-B L54-Z000 | Switch FD |
| NP1PS-32 | Programmable Controllers |
| NP1L-RS4 | General-purpose communication module |
| SC-E02-440VAC | contactor |
| SC-E2S-440VAC | contactor |
| FA-2530GB-C | |
| FVR075AS1S-4E | Micro Drives |
| SS302H1-A1 | SOLID STATE CONTACTOR |
| FKGR04V5-1KCYN-AU | Pressure Transmitter |
| FKGR03V5-1KCYN-AU | Pressure Transmitter |
| FKGR02V5-1KCYN-AU | Pressure Transmitter |
| FKGR01V5-1KCYN-AU | Pressure Transmitter |
| FKGR05V5-1KCYN-AU | Pressure Transmitter |
| AFAC-3X | Fuse* |
| SC11AA-P10 | |
| AC 09-RY 0/20 L2 B00 | Switch Rotary |

| Product | Description |
|--|--------------------|
| SCN2S/2 (SC50BAA-M22) | CONTACTOR |
| FG-3HL-1A | Straight Grinder |
| FG-4HL-1A | Straight Grinder |
| FG-5HL-1A | Straight Grinder |
| FG-5HL-11A | Straight Grinder |
| FA-6C-6M | Angle Grinder |
| FA-7E-2V | Angle Grinder |
| FRN0008E2S-7GA | Inverter |
| NWOH-CNV | |
| AR22F0L-11E3A | |
| AR30F0R-11G | |
| AR30V5L-11E3R | |
| AR30JR-2A11B | |
| AR30G4L-10E3G | |
| BW9V0CA | |
| AC09-RY 0/23 L1 A01/0009 | Rotary switch |
| ZDL05001 | Converter |
| AR30G2L-10E3G | |
| AR30F0R-10B | |
| AR30F0R-10S | |
| AR30PR-210B | Switch selector |
| AR30JR-2A11A | |
| AR30JR-2D11C | |
| AR30JR-2A11D | |
| AR30JR-2A11E | switch |
| AR30JR-2A11F | |
| CP33E/15W | switch |
| FRN0.75E1S-4E | frequency inverter |
| BW32SAM-3P012 | Circuit Breaker |
| CP30FS-1P001 | |
| CP30FS-1P005 | |
| BW250EAG-3P125 | |
| SC-N4/SE 24V | Magnetic contactor |
| SC-N6 24V | Magnetic contactor |
| BW32AAG-3P015 | |
| BW50EAG-3P040 | |
| EW32SAG-3P030K | |
| CP30FM-2P003 | Circuit protector |
| SH04AG-E40 (SH4/G-4A/24VD) | |
| SZ-A40H | |
| AR22V0R-11R | Emergency Stop |
| AH165-JM2B11A | key switch |
| AH165-TGFG11 | Push Button |
| AR30G3L-10E3G | push button |
| 7MBP50JB060 | TRANSISTOR MODULE |

| Product | Description |
|---------------------------------------|--|
| 7MBP75JB060 | TRANSISTOR MODULE |
| SC-5-1-/UL | CONTACTOR |
| AH165-TLG11E2 | |
| AH165-TLR11E2 | |
| AH165-TLY11E2 | |
| BW32AAG-2P003 | 2PHASE 220VAC 3A SWITCH |
| CP30FM-1P005 | MICK SWITCH 250V |
| CP30FI-1P007 | MICK SWITCH 250V |
| BW50EAG-3P030 | MICK SWITCH 250V |
| AR22WY-222B | Selector Switch-2 Position |
| AR22F5M-10E3W | Push Button Switch White |
| DR22F4M-E3R | Pilot Light Red |
| DR22F4M-E3Y | Pilot Light Yellow |
| DR22F4M-E3G | Pilot Light Green |
| MLK1085P | motor |
| TR-5-1 NH/2 | Thermal Relay |
| ZBN1DL72 | CATALYST FOR ZDL3/4 |
| FV-7-1M | |
| FG-26-20BF | |
| FW-6PX-5 | |
| FW-14PH-1 | |
| BW63EAG-3P060 | circuit breaker |
| BW50RAGU-3P050 | CIRCUIT BREAKER |
| SZ-A11 | Auxiliary Contact |
| 1DI300G-100 | |
| AR30G2L-10E3W | |
| FA-45-6F | |
| FA-7C-3M | |
| SZ-AS1/T | Side mounting auxiliary contact block |
| FRH-6A-1 | Pneumatic Ham |
| FG-26H-10F 6 | grinder |
| TYPE RPHC 206 | |
| 4NC0A0210 | THERMAL OVERLOAD RELAY |
| 4NC0A0110 | |
| 4GC0A0M10 | |
| TR-0N/3 7-11 | |
| AC09-YX0 / 20L2B02 | |
| FVR1.5AS1S-4E | FVR-Micro AS1 series frequency inverters |
| AH165-J2D11A | KEY OPERATED SELECTOR |
| BHL-3B3118-110H-W-Y-B | Breaker Switch |
| NP1AXH4-MR | |
| SC0-1B/1 | magnetic contactor |
| BW50SAG -3P032 | Auto breaker |
| BW250EAG-3P250 | Breaker |
| FVR0.4AS1S-7E | |

| Product | Description |
|---|---|
| V9060ITD | 5.7" Panel 640x480 24V DC TFT |
| AH165-J2A22A | Selector key |
| OPC-G1-DEV | DEVICE NET COMMUNICATION CARD |
| FA-4C-1F | |
| BB-EE3MN | |
| AC09-RY0/20L2B02 | ROTARY SWITCH |
| AR30B2R-10G | Pushbutton Switches |
| BM-S2001-HR-B-54-000 | Switch |
| AR22JR-2B11A | |
| BW100AAG-3P075 | Circuit Breaker |
| FG-50H-1F | |
| FA-45-12F | |
| FRH-6A-2 | |
| FA-9C-2M | |
| FCH-25B | |
| FRN11F1S-4E | Fuji Inverter* |
| SCN3/2 | contactor |
| SCN5/G-24 | CONTACTOR |
| A-005221-00 | |
| A-005222-00 | |
| A-122301-00 | |
| A-122304-01 | |
| CS-410 | |
| FA-150K-20 | |
| FRD-5S-1 | |
| CN-1210 | |
| SA33B/5W | |
| BZ-N20C | |
| fw-5sxd-7 | Impact wrench straight type screwdriver |
| AR30F0R-10YZC | |
| DR30D0L-E3A | |
| AR30V5R-01Y | |
| AHX904A | |
| AHX9_03A | |
| AHX901A | |
| SW-4-1/3H | |
| AH16P-22 | Command switch operating unit |
| PHU30001-E12YY | |
| FW-6PH-1 | |
| EW32EAG-3P015B | |
| TR-0N/3-0.8-1.2 | |
| AR22JCR-3D044A | command switch |
| BHL-3B3-118-110H-W-Z-B (L54-Z11E) | Switch (Round Flange) |
| BHL-3B3-118-110H-W-Y-B(L54-Y11E) | Breaker Switch (Square Flange) |
| AR30PR-122B | Switch Selector |

| Product | Description |
|---|--|
| PE-B4Q3B | Switch |
| TR-5-1 NH/3 0.64-0.96A | |
| SC-03 | CONTACTOR |
| SW-5-1RM | SWITCH-REVERSIBLE MAGNETIC |
| SW-5-1/3H | MAGNETIC SWITCH |
| AH165-P3B22 | |
| PE-B4D3B | |
| BHL-3B4111-110 H-W-Z-B L54-Z01E | Switch |
| BHL-3B1131-110 H-W-Z-B L54-Z01E | Switch |
| E-10 110V2W | Panel Lamp |
| HF337E/3/10 | |
| CS5F-800 | |
| AF16F0N-C1E3W | |
| AF16F0N-C1E3S | |
| FA-20-1 | Angle grinder |
| MGX1MS04W050AZ-KS | |
| FA-2530GB-S | |
| FA-2530GD-S | |
| FWM-2530GBD-S | |
| SC-03/G/T DC24V 1B | Magnetic contactor |
| VKP085A | Coolant pump teral |
| SC-4-0/T 1B | |
| SC-03/T 1B | |
| SW-04-0/3H T1B | |
| SW-03RM/3H T 1BX2 | |
| SW-03/3H T 1B | |
| P/N: SCN3/2, Type: SC65BAA-M22 | contactor |
| AR30M3R-22G | |
| AR30M3R-22Y | |
| AR30M3R-22B | |
| AHX672 | Lamp Changer To Remove The Lamp |
| FWM-2530GBD-C | |
| SRC50-2UX-3A3B/1 | relay |
| CR2LS-50/UL | Fuse - 50A - 250V - 6W Loss - UL Recognized. |
| BW100EAGU-3P075 | Breaker |
| AR30B2R-11R | |
| SW-03/G2E DC24V (0.24-0.36A) | MAGNETIC CONTACTOR |
| SW-5-1/G2E | MAGNETIC CONTACTOR |
| DR30D0L-T3W | PILOT LAMP |
| AH165-JM2A11A | |
| SS303H-1Z-A1/E | |
| SX2-C8 | |
| SS503H-1Z-A1/E | |
| HH52PFL24 / RM2CPG-DE | |
| RPAE-2030 | Contactor |

| Product | Description |
|--|-----------------------------------|
| AR30F0R-10G | |
| AR30F0R-10Y | |
| AR30F0R-10R | Push button switch |
| AR30PL-311M3A | selector switch |
| SZ-Z2 | Varistor |
| AH165-TLG22E3 | push button switch |
| AH165-SLY11E3 | push button switch |
| AR9T511-M | EYE LIGHT WHITE |
| FK-2016M-C | soft absorber |
| FRN5.5LM1S-4EA | frenic lift |
| MS4SC-DL | TIMING DELAYS |
| MX48X2 / TP48X | |
| FRN0004C2S-7E | Mini Drive |
| A50L-0001-0295 PS | |
| A50L-0001-0295 NS | |
| RPVE4020-A-Z70/UL | Regulator |
| RPNE4020-A-Z70/UL | AC POWER REGULATOR |
| 3NC1Q0B22 | SOLENOID |
| PXF4ABU2-GVY00 | DIGITAL REGULATOR |
| APD3 | Setting Device |
| AH165-VR02 | button |
| AR22PL-311E4G | |
| ELECTRIC 6MBP80RTA-060 | |
| RA30YN20SB102J/RPN001 | |
| 44089360407 | |
| EVM31-060 A50L-0001-0201 | |
| C200 KB Film (5er Pack) | |
| SS082-1Z-A4 | |
| 7MBR100VX120-51 | |
| LVSH-203G-A1-TB | |
| SC-N3-65 | contractor |
| AP30F | MULTI-DISPLAY INTERFACE PANEL |
| AR30E0L-10E3A | |
| AR30PR-320B | |
| SC-05RM | contactor |
| TR-5-1NLH 12-18A | Thermal Relay |
| TR-5-1N/3 (16-22A) | |
| FRN0011C2S-4E | Compact inverter |
| AR30V1R-01R | Emergency Stop Push Button Switch |
| PV4 | Blower Relief Valve |
| AC09-GX0/7L1 | Rotary Switches |
| AC09-GY0/15L1 | Rotary Switches |
| ACX011-810 | Rotary Switches |
| ACX001 | Rotary Switches |
| SW-5-1RM 220VAC 0.24A 1A1Bx2 | |

| Product | Description |
|--|--------------------------------------|
| SZ-A22 | |
| 4NC0R0B10 | Contactator |
| BW250JAGU-3P125SB | Circuit Breaker |
| EW32EAG-3P020B | Circuit Breaker |
| CP30FM-2P005 | Circuit protector |
| SW-5-1RM /3H COIL 100-110VAC (7-11A) | |
| CR2L-260 | fuse |
| ST7P-2 DC24V 1S | Time Delay Relay |
| BW9N0GA | Molded Case Circuit Breakers Handles |
| BLA005 | Fuse |
| EW50AAG-3P050A | Circuit Breaker |
| EW50AAG-3P050B | Circuit Breaker |
| EW50AAG-3P050C | Circuit Breaker |
| 7MBR75U4B120-75 | |
| SCN22 / SC35BAA-M22 | contactor |
| AR30V0L-11E3R | Emergency stop push button switch |
| CR2L-150/UL | fuse |
| PE-B7SF | proximity switch |
| AC09-RX0/9L1/0007 | |
| RS4N-DE | |
| AC32-CY0/20L3 | Cord output type rotary switch AC |
| PE-B4DB | Square Oscillating Proximity Switch |
| BW400EAGU-3P400 | Circuit Breaker |
| SC-E02P/G-24VDC | Electromechanical Relay |
| AH164-J2B11A | selector switch |
| AH165-TLY11E3 | Illuminated pushbutton switch |
| AC09-GZ-0/25-L2/0007 | rotary switch |
| TK726890C | NO2/NO converter |
| FRN0037E2S-4E | Speed Controller |
| FKCX35V5-AKAYY-AA | DIFFERENTIAL PRESSURE SENSOR |
| RB105-DE DC24V | |
| SC51/G-1A1B/24 | contactor |
| AC09-RY1/20L2 | |
| MS4SF-AP/1N | timer |
| MS4SC-AP | timer |
| BW50SAG-3P050 | |
| GYS751D5-RC2 | servo motor |
| AR30PR-1 - obsolete | Reset Switch |
| SC-N5 100V | Magnetic contactor |
| BW9BTAA-L2 | Auto breaker optional item |
| CP30FM-2P010WA | CIRCUIT PROTECTOR 2P |
| CP30FM-2P007WA | CIRCUIT PROTECTOR 2P |
| CP30FM-2P005WA | CIRCUIT PROTECTOR 2P |
| CP30FM-2P003WA | CIRCUIT PROTECTOR 2P |
| CP30FM-2P001WA | CIRCUIT PROTECTOR 2P |

| Product | Description |
|--|---|
| CP30FM-1P005WA | CIRCUIT PROTECTOR 1P |
| DR22D0L-E3W | Indicator light |
| AR22F0R-11R | Push button |
| AR22F0L-11E3Y | pushbutton |
| AR22F0L-11E3R | pushbutton |
| AR22JR-2A11A | selector switch |
| AR22M0R-11Y | Pushbutton |
| EW32AAG-2P005BWA | Circuit Breaker |
| FRN0004E2E-4GA | Frenic Ace Drive |
| SC5-1/UL 1A1B / SC-5-1, 220V 1A1B | Contractor |
| MS4SA-AP | timer |
| AR30G4L-10E3A | pushbutton |
| AR30F0R-20Y | pushbutton |
| AR30G2L-11E3R | pushbutton |
| AR30G2L-11E3G | pushbutton |
| 2MBI900VXA-120P-50 | |
| PE-B10D | Square Oscillating Proximity Switch |
| BHL-1B2-110H-W-Z-B NP:L54-Z02E | Switch / Fuji Industries |
| SC-N5 200V | Magnetic contactor |
| SC-N5 400V | Magnetic contactor |
| TR13DW-K | thermal overload relay |
| AR22G1L-11E3S | BLUE SPY BUTTON AR22G1L 11E3S |
| AR30F0R-11R | |
| AC09-RX0/11L1EA01/0007 | rotary switch |
| FG-26HL-10F 6 | Grinder Tool |
| 6DI150AH-050 | IGBT 6X150A 500V |
| CR2LS-30S/UL | fuse |
| AR30B2R-22B | push button switch |
| AR30PL-311E4G | illuminated selector switch |
| SC-05Y Coil AC100V 1A1B | Electromagnetic contactor with quick terminal |
| CR6L-30S/UL | SUPER RAPID FUSE |
| SH4/G-4A4B/24 | relay |
| 1MBI300SA-120B-52 | |
| AH165-TGLW11E3 | Switch |
| AR30M0R-10B | BUTTON |
| 6MBI200FB-060 | TRANSISTOR MODULE |
| HH52P-F-DC24V | Relay |
| WM8NVM3-VLS28YY1Y | Wide angle meter |
| Coil Surge Absorption Unit for SC (SZ-Z35) | |
| SC-N1 AC200V | |
| EW100AAG-3P100K | Circuit breaker |
| FRN0002E2E-4GA | |
| EW50RAGU-3P050B | Breaker |
| BW32AAG-2P030 | Circuit Breaker |
| SPSL-30S-DC110-BB | |

| Product | Description |
|--|--|
| FVR 1.5AS1S-7E | |
| BM3RHB-001 | |
| SW-05RM | MAGNETIC SWITCH |
| SH-4 AC110V 2A2B | Relay |
| RPVE2020-C/UL | Power Regulator |
| FKCT33V6-2AKBY-5L | |
| AH165-TFO11 | Φ16 push button switch |
| SC-E4P | Standard type magnetic contactor/thermal relay |
| AR30V5R-11R | Pushbutton Switches |
| NP1PU-048E | CPU MODULE POWER INPUT DC24V |
| SC-E03/G DC24V | Magnetic contactor |
| AH165-TFR11 | Push button |
| 7MBR50SB120B | IGBT MODULE 50 AMPS 1200 VOL |
| SC-N3 220 VAC | Standard magnetic contactor (without case cover) |
| SC-N2S | Standard magnetic contactor (without case cover) |
| TR-N2/3 24A | Thermal Overload Relay |
| CP30FS-2P005WA | Circuit Protector |
| FKCX35V6-AKAYY-4L | Differential pressure transmitter |
| EW100AAG-3P100B | Circuit breaker |
| AFAC-5 | Low voltage current limiting fuse |
| FRN5.5E2S-2J | Inverter |
| AH164-TFR11 | Rectangular head red |
| AH164-TLG11E3 | Pushbutton flush rectangular head green |
| FSSC1YA1-YY | FSSC ultrasonic detector |
| SS101-3Z-D3 | contactor |
| SCHLC1D40008N7 | contactor |
| HH54PW-CRL AC220 | |
| HH54PW-FL DC24V | RELAY |
| HH54PW-FL/48 DC48V | RELAY |
| TP514X1 | RELAY |
| RC310-1M7403J2 | control sel switch |
| UG430H-SS1 | HMI Industrial Touch Screen |
| SH-4/G DC48V 2A2B | Relay |
| SH-4/G 4GH431 | Relay |
| SH-4/G DC48V 4A | Relay |
| SH-4/G DC48V 3A1B | Relais |
| AC09-CY | Electronic CNC Handwheel FA Rotary Switch |
| AR22JCR-3C044A | SW KEY OPERATED CONTROL |
| AR22S3R-22B | PUSHBUTTON WITH SELECTOR RING |
| SK12G-E10 | SK SERIES AUXILIARY RELAY 24VDC 1NO |
| ZFK8R235-0Y0YB- 1E2 WITH TEST REPORT | IN-SITU Zirconia Oxygen Analyzer, ZFK8 Detector |
| PXF4ABY2-FV1A1 | Temperature Controller |
| SA203B/175 | |
| DR22E3L-H7R | Pilot lights |
| PXR3-SEY2-4V0A1 | Controller |

| Product | Description |
|-------------------------------------|----------------------------|
| FRN45G1E-4E | Inverter FRN Mega |
| AH164-J2A11B | |
| AH164-TLW11E3 | Switch Push Button |
| AR22V0R-01R | emergency stop pushbutton |
| AR30S2R-20B | pushbutton |
| AH164-LG22E3 | |
| AR30E0L-11E3R | |
| FRN0030E2S-2GB | Inverter |
| FRN0040E2S-2GB | Inverter |
| AR30JAR-2A10A | |
| HH62P-L-DC24V | |
| FRN0013C2E-4E | Frenic Mini Drive |
| SZ1A40H / SZ-A40H | aux contact block |
| A50L-0001-0096/A | |
| BW50RAGU-3P030 | Circuit breaker |
| AR22JR-3G11A | Key |
| AH165-SLG11E3 | Pushbutton |
| EW50EAG-3P020B | Circuit breaker |
| EW50EAG-3P020K | Circuit breaker |
| AR22V0L-00E3R | emergency stop push button |
| AH164-TLR11E3 | |
| SC-E3P | |
| DR30D0L-E3G | Dome pilot light |
| AR30E0L-10E3R | pushbutton |
| AR30E0L-10E3G | pushbutton |
| FRS-45 | pneumatic air saw |
| BW400EAG-3P400 | |
| AK22-1M6301JA | Cam Switch |
| NP1L-DN1 | communication module |
| SZ-Z36 | ANTI-SURGE |
| SC-5-1, AC100V 1A1B | Contacteur |
| SRC50-2UX-5A1B/1 | |
| AR22JR-2A10B | Key switch |
| FRN0022E2S-4E | Inverter |
| FKCT33V6-AKAYY-4L | Transmitter |
| FRN7.5G1E-4E | Inverter |
| CR2LS-30/UL | Fuse |
| TR-5-1N 9/13A | |
| SC-E2SG-24VDC | Contacteur |
| AR30A5N-AAAABZC | selector switch |
| FRN2.2E2S-7J | inverter |
| 7MBi75N-060 | |
| SK32G-E10 | Electromagnetic Contactor |
| TK26E-006 | thermal overload relay |
| TK-E3-5000 | thermal overload relay |

| Product | Description |
|--|-------------------------------------|
| SC-E03P-220VAC | IEC contactor |
| AH165-JM2D11A | key switch |
| PXH9A111-1V000 | Electric PXH Temperature Controller |
| EW50EAG-3P050B | breaker |
| 2MBI450VE-120-50 | |
| FVR3.7AS1S-4E | FVR Micro Drive |
| AC09-RY0/23L1A02 | Rotary switch |
| PHL21B12-E10RV | PHL Paperless Recorder |
| KTT-AW6-B | Terminal |
| PXH9A101-1V000 | |
| AH16P-SLGXE3 | |
| SC14AA-H20 | |
| SZ1KA20 | Aux contact |
| AH165-TGFW11 | Pushbutton switches |
| GYB401D7-RC2 | |
| FSVEYY12-SYYYB-E | |
| FSSE1YY1-AY | |
| TK7N5813C4-F | |
| RTV348 | |
| FRN0024C2S-4E | Frenic Mini Drive |
| HH52P-L AC200V | Mini Control Relay |
| FK-2530L-R | SHOCK ABSORBER |
| PXF4AAAY2-MB100 | temperature controller |
| 4202-310-02 | |
| FRN0007C2S-4E | Mini Drive |
| BW9BTAA-L3 | Auto breaker optional item |
| BW9BTAA-S3 | Auto breaker optional item |
| DR30B6-EB | |
| AR30M0R-11B | Switch Push Button |
| FG-06-1 | Ultra-high speed pencil grinder |
| ETN36-030 | Module |
| 927566 | Module |
| DR22D0L-E3G | Indicator lamp |
| AH164-TL5R11E3 | Pushbutton Switch |
| AH164-TL5W11E3 | Illuminated push button switch |
| DR30DOL-E3G | Switch Indicators |
| BHL-NP-L54-Y01E | Switch |
| BHL-NP-L54-Z01E | Switch |
| BHL-3B4111-125L3-W-Z-B | Switch |
| BHL-3B4111-125L3-W-Y-B | Switch |
| SZ-A20 | Contact block |