



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онџл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Gelbau

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
B212.00	RESISTANCE EVALUATOR
252.00Z 3002.5200Z	Safety Edge Sensor
252.06Z (3002.5206Z)	resistance evaluator
250.06Z	DIODE EVALUATOR
3004.5246	resistance evaluator
3002.6206Z	WIDERSTANDSAUSWERTER 262.06Z
3020.1185	Connection Cable
3020.1303B	plug
3020.2450B	Spiral cable
3031.1306B	End plug
3045.1213	Mounting Rail
3045.1219	C-rail 112 / A7 aluminum 18x8,5mm
3050.0071N	CORNER CONNECTOR 007/1N, 90° (001.10 N)
3050.1302N	protection cap
3050.1318	end cap
3057.0050	CYANOACRYLATE ADHESIVE 112, 5g including pipettes
3090.0120	Plug-in connection
3099.0002	CUT profile
3099.0005	ZUSCHNITT C-Schiene
3100.0110 RED	CONTACT DUO PROFIL 001.10L (ROT)
3100.0110l (1 roll= 20m)	CONTACT-DUO-PROFIL 001.10l
P/N: 3100.0110N Type: 001.10N	CONTACT-DUO-PROFIL
3100.0118	Contact-duo-profil
3100.0310l (1 roll x 61,6 meters)	Contact-Duo-Profil 003.10l (ISO)
3100.0310l (1 roll x 109,76 meters)	CONTACT-DUO-PROFIL 003.10l (ISO)
3100.1111	Sensing Strip
3100.0130	CONTACT-DUO-PROFIL 001.30
3100.1610	Contact-duo-profil 016.10
3004.5246 (452.46 IP20)	widerstandsauswerter
3050.1302R	ABSHLUSSTECKER 130/6 ROT mit Umlaufrand
452.46 (3004.5246)	Widerstandsauswerter
3004.6246 Type 462.46	RESISTANCE EVALUATOR
3031.1309B	Terminator 130/9 turquoise wid.15k
3100.0110l (10,000 mm)	CONTACT-DUO-PROFIL 001.10l
P/N: 3004.6246 Type: 462.46	resistance evaluator
3050.1303B	end cap

Product	Description
3002.5000Z	Diode Evaluator
3100.0310I CONTACT-DUO-Profil 003.1DI	CONTACT-DUO-PROFILES
CONTACT-DUO-PROFIL 001.10I	Profil
212.06 (Art. No. 3002.1206)	RESISTANCE EVALUATOR
3100.0110I CONTACT-DUO-PROFIL 001.10I	CONTACT-DUO-PROFIL
3050.1303N	END CAPS WITH CIRCUMFERENTIAL EDGE
3100.1610N	CONTACT-DUO-PROFIL
130/2-2 (EPDM)	ABSCHLÜßKAPPE
130/6	ABSCHLÜßSTECKER
130/03	STECKER
KONFEKTIONIERUNG	Customization Services
452.46,Kat. 3	WIDERSTANDSAUSWERTER
P/N: 3004.5240 Type: 452.40	Switchgear
P/N: 30B4.1206, Type: B412.06	WIDERSTANDSAUSWERTER
Artikelcode: 3020.2450B	SPIRALKABEL SK 450, H05BQ-F 2 x 0,75 mm ²
212.06 (Article code: 3002.1206)	RESISTANCE EVALUATOR
3004.5248V (452.48V)	RESISTANCE EVALUATOR
3100.0110I	CONTACT-DUO-PROFIL 001.10I
3004.5246 (452.46 Kat. 3)	Resistance Evaluator
3020.1180	plugs
3050.1318-1	ABSCHLÜßKAPPE 130/18-1 (EPDM) mit Umlaufrand
3002.5206Z	Resistance Evaluator
3020.1306B	CONNECTOR 130/06, 10m connection cable 2x0.5mm ²
3050.1302B	End cap black
3090.1150	bump stop 115/111, 30 mm
3020.1305B - 2x0.5mm²	STECKER 130/05, 5m Anschlußkabel
RESISTANCE EVALUATOR 452.46, Cat 3	Resistance controller
3100.0310I CONTACT-DUO-Profil 003.10L (1pc= 1,74 m)	Safety Edge Profile
3050.1303B ABSCHLÜßKAPPE 130/3 (EPDM)	ABSCHLÜßKAPPE
3099.0001	assembly
3031.1305B	ABSCHLÜßSTECKER 130/5 schwarz mit Diode
3100.0310I - 1 pcs. = 4.515 m	Safety Edge Profile
3003.4046Z	DIODE EVALUATOR
3100.4053	CONTACT-OPTIMA-PROFILE
3100.4026	CONTACT-OPTIMA-PROFILE
3020.4000C	end cap
3100.0310I	CONTACT-DUO-Profil 003.10I
3050.1302-2	end cap
0100.3084	Rubber shriffer
P/N: 3002.5200Z Type: 252.00Z	RESISTANCE EVALUATOR
3002.5200Z	WIDERSTANDSAUSWERTER 252.00Z,
210.00	DIODE EVALUATOR
3050.1302N-2	End cap 130/2N-2 (NBR) with circumferential edge
B212.06, Ref:30.B2.1206	Safety Edge Profile
3100.0110I	Safety Edge Profile

Product	Description
ABSCHLUßKAPPE 130/2 (EPDM) mit Umlaufrand	End Cap for Safety Edge Profiles
ABSCHLUßSTECKER 130/6 rot mit Wid.8k2	Termination Plug with 8.2 kΩ Resistor
3020.1301B	plugs
3004.5246 (452.46)	RESISTANCE EVALUATOR
3100.0610	SAFETY EDGE
3004.5248V	resistance enhancer
3045.1112B	C-RAIL
3020.1307B	STECKER
3100.4043	Contact-Optima-Profile
1 Endleiste á 1.370 mm mit Wid. 8k2 Ohm + 5 m Kabel AOS	trailing edge assembly
P/N: 3004.6246U Type: 462.46U	resistance evaluator
Wid.8k2	Termination plug
P/N: 3004.5242 Type: 452.42	Resistance evaluator
3020.1183	plugs
3100.0110I (2,2 m)	CONTACT-DUO-PROFIL
73365	Bumper
75484A	BUMPER
73459	CONNECTOR
73460	CONNECTOR
3020.1305B	CONNECTION PIECE
3020.1303B (3 m)	PLUG 130/03, 3m connection cable
3045.1215	C-Rail Mounting Rail
30B4.1206	Module: control unit for protection rubber strip
3050.0071NA	CORNER CONNECTOR
3050.0071NB	CORNER CONNECTOR
3045.1214	C-Rail 112/A6 Aluminum Profile
3050.0072	VERTICAL CORNER CONNEC
3004.5246U 452.46U	Resistance Evaluator
3050.4026	End cap 402/6 (EPDM) with round edge
3031.4006C	FINISHING CAP 400/6C with WID.8k2
3020.4101C	End cap 410/01C, with 1m connection cable
3099.0000	Assembly
3100.0110I	Contact duo profile
3050.0071NC	NBR Corner Connection 150
B412.00 (30B4.1200)	resistance evaluator
3050.0071	Corner Connectors
3002.1200	RESISTANCE EVALUATOR
3004.5246U	resistance evaluator
3100.0310I (003.10I)	Contact-Duo Profile
3020.1304B	PLUG 130/04, 4m connection cable 2x0.5mm ²
3020.1300B	plug
3090.1151	bump stop
3050.1303B - END CAP 130/3 (EPDM) with circumferential edge	End Cap for Switching Strips
3004.6246	GELBAU SAFETY RELAY
3100.1610 (1.040mm)	Contact-Duo Profile

Product	Description
3050.1302Y	end cap
3057.0012	CYANACRYLAT-KLEBER 112, 20g inkl. Pipetten
250.00Z / 3002.5000Z	DIODE EVALUATOR
3100.1610 (1.230mm)	Contact-Duo Profile
250.00Z, Article code: 3002.5000Z	DIODE EVALUATOR
3020.1302B	STECKER 130/02
3045.1220	C-RAY
B412.06	resistance evaluator
3004.5249 / 452.49, IP20,	resistance evaluator
3100.1610NArti	Safety Edge
P/N: 3002.5206Z Type: 252.06Z	resistance evaluator
P/N: 3100.0110I Type: 001.10I	contact-duo-profil
462.46 / 3004.6246	RESISTANCE EVALUATOR
3100.1610 (4700mm)	Contact-Duo Profile
452.48V	resistance riser
3020.13000B	PLUGS
3004.5246UL	Resistance Evaluator
3100.0110Y	Contact-Duo Profile
3020.1181	PLUG
3100.1610	Contact-Duo Profile
3100.4026	Contact-Optima-Profil
3031.1186	Terminal plug
3100.1610 (2.800mm)	CONTACT-DUO-PROFIL 016.10
3045.1212	C-RAIL 112/A aluminum 25x10mm, 2m
3100.0310I /003.10L	Safety strip
3100.0310I (13,5 meters)	Contact duo profile
563859	Product Information Not Available
3045.1212 (2 m)	Mounting Rail for Protection Rubber Strip
CONTACT-DUO-Profil 003.10I (4 meters/pc)	Safety strip
3045.1213 / 2 meters	C-Rail 112/A6 Aluminum Profile
3100.0110Y / 2 meters	Contact-Duo Profile
3100.0110I	CONTACT-DUO-PROFIL
B412.06/30B4.1206	Resistance Evaluator
2050.1302N	End Cap for Safety Edge Profiles
3002.3206	ELECTRONIC CONTROL UNIT
452.40 / 3004.5240	relay
3045.1220 FE	C-Rail Mounting Profile
3100.0110I (2m)	Contact-Duo Profile
3100.0110I (1.4m)	Contact-Duo Profile
3100.161	CONTACT-DUO-PROFIL 016.10
3100.1610 - 1.950mm	Contact-Duo Profile
3100.1610 (1000mm)	Contact-Duo Profile
3100.1610 (1200mm)	Contact-Duo Profile
3099.0002 (CUTTING)	Cutting Service for Profiles
462.40	RESISTANCE EVALUATOR

Product	Description
3100.0110N	CONTACT DUO PROFILE 001.10N
452.46	RESISTANCE EVALUATOR
210.06	Diode Evaluator
3003.1206	Resistance Evaluator
3050.1318B-1A	end caps
3020.1186	connection cable
3050.1302YB	
3045.1214L	
3100.0310I (3031.1306B)	End plug
3100.0310I (3020.1302B)	plugs
3100.0310I (3050.1303B)	End cap
3090.1152	Stroke buffer