



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Ingun

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
24447 (ME-E-R2.0-12-060-K12V)	markup
KS-100 3	Contact hopper
KS-00235G	Kontaktsteckhülse A
KS-00335G	Kontaktsteckhülse A
GKS-100-0334	Gefederter Kontaktstift
GKS-112 305 100 A 0802	Gefederter Kontaktstift
E-100-0041	
GKS-100-0155	Spring-loaded test probe
KS-00130G (KS-001 30 G)	female contact
GKS-103-0077	Spring loaded contact pin
GKS-100-0114	Spring contact pin
HSS-150-0008 / HSS-150 306 400 A 5002 M	high current probe
GKS-503 306 400 R 5002	Spring contact pin
GKS-112-0295 . type GKS-112 303 200 A 5002	Gefederter Kontaktstift
GKS-113 306 230 A 3010	Gefederter Kontaktstift
GKS-113 306 300 A 3010	Gefederter Kontaktstift
GKS-113 303 230 A 1502	Gefederter Kontaktstift
GKS-113 306 230 R 1502	Gefederter Kontaktstift
HSS-120 303 300 A 1502	high-current probe
P/N: KS-10047G Type: KS-100 47 G KS	receptacle
GKS-005 206 396 A 3000 (GKS-005-0004)	Spring-loaded test probe
GKS-899 306 130 A 0702 M	Spring pin
GKS-899 306 180 A 0702 M	Spring pin
BIT-GKS-899M	Schraubwerkzeug
GKS-003 303 254 A 2000	Spring-loaded test probe
KS-003 30 G / KS-00330G	Receptacle
KS-07530E03	
GKS-112 204 130 R 3002	Gefederter Kontaktstift
GKS-112 204 130 R 1502	Gefederter Kontaktstift
SKS-429 005 500 A 6008	Schaltkontaktstift
KS-429 23	Kontaktsteckhülse
SKS-419 005 300 A 6508	Schaltkontaktstift
KS-419 23	Kontaktsteckhülse
KS-113 30	Contact socket
HSS-120 306 230 A 2202 M (HSS-120-0082)	High current pen
HSS-120 305 300 A 1502 M (HSS-120-0076)	Hochstromstift

Product	Description
HSS-120 303 300 A 1502 M (HSS-120-0014)	Hochstromstift
KS-113 30 M2 (KS-11330M2)	Contact sleeve A
GKS-103 206 400 A 1502 (GKS-103-0084)	Gefederter Kontaktstift
KS-10323	Receptacle
GKS-204-0070 , type GKS-204 303 180 A 3003	Gefederter Kontaktstift
GKS-100-0003	Spring-loaded Contact Pin
KS-20430	Kontaktsteckhülse
GKS-103 206 400 A 0802	Gefederter Kontaktstift
GKS-103-0084 (GKS-103 206 400 A 1502)	Gefederter Kontaktstift
GKS-103 206 400 A 3002	Spring-loaded test probe
GKS-103 206 400 A 5002	Gefederter Kontaktstift
GKS-005-0005	Spring-loaded contact pin
KS-100 47 93	
GKS-100-0240	Gefederter Kontaktstift
KS-11230M-R-S	Kontaktsteckhülse
GKS-100-0184	Kontaktstift
ME-E-R2.0-12-100-K12V	Marker unit
KS-11323	Contact socket
SKS-425 002 300 A 2502	
GKS-112-0295	Kontaktstift
BIT-GKS-112M	wrench
E-100 201 090 A 3000	Gefederter Kontaktstift
KS-899 30 M-R-T	Kontaktsteckhülse A
GKS-103 102 230 A 1502	Gefederter Kontaktstift
HSS120306 300 A15 02	Hochstromstift
HSS-120-0041	Hochstromstift
PIN E-100 214 050 A 3000 (E-100-0028)	
DS-113 02 (Distanzhülse A) 400 pieces	
DS-113 03 Distanzhülse A (150 pieces)	
GKS-103 102 400 A 3002 (GKS-103-0012)	Spring-loaded test probe
GKS-100 204 106 A 2000 (GKS-100-0040) * 100 pieces box	Gefederter Kontaktstift
ME-P-S2.0-16-054-QS4 (25241)	Marking unit
GKS-075-0026 / GKS-075 305 064 A 1000	Gefederter Kontaktstift
KS-150 M3	Contact socket
HSS-150 305 400 S 5002 Hochstromstift	
GKS-103-0063	Cushioned contact pin
KS-10330	Receptacle
GKS-103 204 230 A 1502	universal contact pin
HSS-827 306 130 A 1502 M	PIN
GKS-103-0047	Spring-loaded contact pin
GKS-100 214 080 A 1000	Gefederter Kontaktstift
HSS-118 306 160 A 1502	High-Current Probe
GKS-101 303 115 A 0800	Spring-loaded contact pin
SE-101	SE-101 Stecker A (für Kontaktsteckh.)
KS-10130	contact bushing

Product	Description
ME-P-F1.0-16-054-QS4 (29483)	Marking unit
HSS-150 303 400 A 3002 M	high current pin
KS-96750	KS-967 50 contact receptacle
GKS-967-0006	Spring-loaded contact pin
GKS-002 201 107 A 2800 (GKS-002-0016)	Gefederter Kontaktstift
KS-00230G / KS-002 30 G	Receptacle
HSS-118-0141 , type HSS-118 306 250 A 3002	Hochstromstift
VF4-0012 , type VF4-202 180 A 15	Verrastnadel
GKS-100 306 250 A 1500 (GKS-100-0235)	Spring loaded contact pin
GKS-100-0063 , type GKS-100 305 090 A 1500	Gefederter Kontaktstift
KS-1003025	Receptacle
Type: BIT-GKS-899 M-B	Schraubwerkzeug
GKS-899-0013	Gefederter Kontaktstift
HSS 120 306 400 A 15 02	Hochstromstift
GKS-913 306 230 R 1502 S	Gefederter Kontaktstift
GKS-913-0266	Test Probe
GKS-100-1395 / GKS-100 302 150 A 1500 C	Spring-loaded test probe
KS-1003005 / KS-100 30 05	Receptacles
GKS-004 201 152 A 2000	Spring-loaded contact pin
KS-004 30 G / KS-00430G	Receptacle
GKS 100 214 050 A 2000 LH	Spring-loaded contact pin
GKS-100 314 130 A 2200 LH	Gefederter Kontaktstift
GKS-003-0004	Spring pin
GKS-713 257 225 R 1507	Spring-loaded contact pin
KS-10135	KS-101 35 Kontaktsteckhülse
KS-11230E5 / KS-112 30 E5	Receptacle
GKS-101-0009	Spring-loaded test probe
GKS-112-0705	Gefederter Kontaktstift
KS-112 30 M-T	Contact bushing A
SKS-465 002 300 A 2002 M	Schaltkontaktstift
GKS-103 204 400 A 1502	Federated contact pin
GKS-103 201 180 A 1502	Gefederter Kontaktstift
GKS-100-0300	Spring pin
GKS-112 214 130 R 1502 M (GKS-112-0167)	
KS-001 30 G	contact socket
GKS-001 303 150 A 1000	spring-loaded contact pin
SKS-465 002 500 A 3502 MF	Schaltkontaktstift
HKF-617-0007 / HKF-617 06308 080 A 10002	High current terminal flat contact
KS-61735-R / KS-617 35-R	contact socket
KS-10047	Kontaktsteckhülse
HSS-150 306 300 A 3002 M	Hochstromstift
KS-150 30 M3-R	Receptacle
SKS-465 356 100 A 9002 MF	
GKS-112-2269	GKS-112 319 200 A 1502 M Gefederter Kontaktstift
KS-11230M	contact receptacle A

Product	Description
KT-254L3E02-30	
GKS-113 306 230 R 1502 M	Spring-loaded test probe
SKS-215 302 180 A 3002 M (SKS-215-0026)	Switching Probe
E-100 209 060 A 3000 (E-100-0052)	contact pin
E-100 201 090 A 3000 (E-100-0042)	contact pin
E-100 209 060 A 2000 (E-100-0047)	contact pin
GKS-100 306 130 A 1000 (GKS-100-0023)	Spring-loaded contact pin
GKS-422 305 130 A 1505	Spring-loaded contact pin
GKS-113 302 230 A 1510 (GKS-113-0125)	Spring-loaded contact pin
GKS-005 201 203 A 3000 (GKS-005-0006) QTY!	Contact pin
GKS-005 201 203 A 3000 (GKS-005-0006)	Contact pin
GKS-113 306 600 R 1002 (GKS-113-0736)	Test pin
GKS-113 306 600 R 1502 (GKS-113-0541)	Test pin
KS-11330 / KS-113 30	Test pin
GKS-412 204 130 R 1505 (GKS-412-0015)	Spring-loaded contact pin
KS-11247	Receptacle
KS-080	Receptacles
DS-113 05	Distance sleeve A
GKS-113 306 230 A 1502 (GKS-113-0199)	
GKS-427 306 200 A 1502 M (GKS-427-0001)	Spring-loaded test probe
HSS-120 306 230 A 1502 M (HSS-120-0033)	High-current pin
SE-RG316-50MCXMG070S	
HFS-840 303 150 A 5343 Y	High frequency pin
KS-810	Receptacle
SKS-215 302 180 A 3002 ME	Pin
GKS-113-0414 / GKS-113 306 230 A 3002 M	Spring-loaded test probe
GKS-113 306 300 A 1502 M	Spring-loaded contact pin
GKS-364 205 400 N 3001	Pin
GKS-103 102 230 A 3002 M	Gefederter Kontaktstift
GKS-103 102 230 A 5002 M	Gefederter Kontaktstift
MA 2013/D/H/HG (100720)	Complete chassis
FB-SIS-ZSO-MA2xxx (36210)	High Voltage Sensor
FB-BTV-ATSMA11/12/13/14 (36455)	Sup Key
FB-VER-G-ESO-MAxxxx (36065)	Complete locking system
GKS-113 305 230 A 1002 M (1 piece)	
GKS-113 305 230 A 1002 M (100 pieces)	Gefederter Kontaktstift
GKS-113 305 230 A 1002 M (250 pieces)	Gefederter Kontaktstift
GKS-912-0100, GKS-912 204 180 A 1502	Spring-loaded contact pin
KS-11346 / KS-113 46	Contact receptacle
GKS-113 313 180 A 1502 M	Spring-loaded contact pin
GKS-112-0310	Spring-loaded contact pin
HSS-827-0005 / HSS-827 306 200 A 2502 M	high current pin
GKS-002 305 064 A 1000 (GKS-002-0015)	spring-loaded contact pin
GKS-100-0019 / GKS 100 291 090 A 1000	Spring-loaded contact pin
GKS-100 306 150 A 2000 C (GKS-100-0879)	Gefederter Kontaktstift

Product	Description
GKS-103 202 650 A 5002	Gefederter Kontaktstift
GKS-103 202 650 A 3002	Gefederter Kontaktstift
HSS-150-0010	High current test probe
P/N: 25251, Type: ME-E-S2,0-12-060-K12V	Marking unit
GKS-002-0004	GKS-002 303 191 A 1000 Gefederter Kontaktstift
GKS-112 306 200 R 1506	GKS-112-0856
GKS-113 302 230 A 1502	Gefederter Kontaktstift
GKS-112 306 200 R 1506 (pack of 100)	Gefederter Kontaktstift
GKS-113 302 230 A 1502 (pack of 100)	Gefederter Kontaktstift
GKS-961-0001	GKS-961 305 050 A 0601 Gefederter Kontaktstift
KS-96770	KS-967 70 Kontaktsteckhülse
KS-96135	KS-961 35 Kontaktsteckhülse
GKS-100 302 150 A 1000	Spring-loaded contact pin
GKS-100 302 150 A 1000 (pack of 100 pcs.)	Spring-loaded contact pin
HSS-623-0006 / HSS-623 306 600 A 15002 M	High-current probe
GKS-113 204 230 R 1502	Test Probe
GKS-414 204 230 A 1502	Test Probe
GKS-112 305 064 A 0802 M	Gefederter Kontaktstift
GKS-112 306 200 A 0802 M	Cushioned contact pin
GKS-112 303 200 A 1502 M	Gefederter Kontaktstift
GKS-075 303 120 A 1502 M / GKS-075-0324	Spring-loaded contact pin
GKS-112 306 200 A 1502 M	Spring-loaded contact pin
GKS-075 303 120 A 1000	Spring-loaded contact pin
GKS-112 303 200 A 1502	Gefederter Kontaktstift
KS-112 46 M	Kontaktsteckhülse A
KS-07530G / KS-075 30 G	contact receptacle
GKS-001 201 075 A 1000	
GKS-113 201 180 R 3002 M	Spring-loaded contact pin
SKS-215 002 180 A 0802	Switching contact pin
KS-215	Contact plug sleeve
P/N: GKS-135-0111 Type: GKS-135 291 090 A 300	spring contact pin
KS-91335	Receptacle
GKS-913 306 180 A 1502 0	Spring-loaded contact pin
GKS-970 305 130 A 1001 K	Spring-loaded contact pin
SKS-115-0002	Switching Contact Pin
KS-115M3F-R	contact socket
GKS-100-0003 / GKS-100 291 090 A 2000	Test Probe
GKS-100-0038 / GKS-100 204 130 A 2000	Test Probe
GKS-002-0041	GKS-002 217 191 A 1000 Spring-loaded contact pin
HSS-150 302 400 A 3002 M	High current pin
GKS-912 303 200 A 1502	Spring-loaded contact pin
KS-112 30	Receptacle
E-100 201 090 A 2000	Contact pin INGUN E-Type
GKS-912 306 200 A 0802	Spring-loaded contact pin
GKS-075-0001	Spring-loaded contact pin

Product	Description
GKS-100-0002	GKS-100 291 090 A 3000 Spring loaded pin
GKS-100 306 150 A 1000	Spring-loaded contact pin
GKS-503 303 400 A 3002	Spring contact pin
VK-541 T0510 1410 M 3S05 A	Communication clamp dipole
GKS-100-0251 / GKS-100 306 300 A 2000	Spring-loaded contact pin
HSS-120 306 300 A 1502 M	High current pin
GKS-100 303 150 A 0600	
HSS-120 306 300 A 1502 M (pack of 100 pcs.)	High current pin
GKS-100 303 150 A 0600 (pack of 100 pcs.)	
GKS-113-0210	Spring-loaded contact pin
GKS-100-0062	
HSS-120-0050	Needles
SKS-415-0077	
HSS-120-0040	
GKS-112-0602	
GKS-112 306 180 R 1502	test apparatus
GKS-100-1082 / GKS-100 288 190 A 3000	Test Probe
GKS-100-0155 / GKS-100 306 250 A 3000	Cushioned contact pin
GKS-100 303 150 A 2000	
GKS-003 308 254 A 2000	
GKS-113 313 180 R 0302 M	Spring contact pin
107376 (ME-E S2.0-08-053-BL6V-42V)	Marking unit
38371 (ME-E-R2.0-12-080-S12V)	Marking unit
GKS-113-0368	GKS-113 306 400 A 1502 M Spring-loaded contact pin
GKS-113 306 400 A 1502 M	Spring-loaded contact pin
KS-113 30 M2-R-S	Contact receptacle
GKS-100 201 090 A 1500	Spring contact pin
HSS-120 317 300 A 2202	High current pin
GKS-100-0007	
HSS-552-0001	
GKS-913 305 230 A 5002 1	
GKS-913-0390	TEST PROBE
KS-150M3M3	Contact bushing A
GKS-113 303 230 A 1502 M	Spring loaded contact pin
BIT HSS 150 M	screwdriving tool
BIT HSS 621 M 500	screwdriving tool
KS 621 M4 M5 R	Silver-plated contact bushing
HSS 150 305 400 A 3002 M	high current pin
HSS-621 306 500 A 5002 M	high current pin
GKS-970-0001	Spring loaded contact pin
GKS-112-0818 / GKS-112 305 064 A 2202 M	Spring loaded contact pin
GKS-113-0004	
GKS-075-0328	
HSS-120-0302	tester high current pin
GKS-112-0321 / GKS-112 305 100 A 1502 M	tester spring-loaded contact pin

Product	Description
GKS-112-0404	tester spring contact pin
GKS-112-0863	tester spring contact pin
GKS-899-0005	tester spring contact pin
KS-899 30 M-R	Contact bushing A
BIT-GKS-899M-B	screwdriver
GKS-112 303 200 A 3010	Spring loaded contact pin
GKS-004-0029	Spring loaded contact pin
HSS-150 305 400 S 9902 M	high current pin
PKS-399-0055 / PKS-399 005 600 A 4202 1 TS	Pneumatic contact pin
KS-399	Receptacle
GKS-050-0002	Spring loaded contact pin
KS-05030E08	contact bushing
GKS-100-0077	Spring contact pin
P/N: KS-10030G, Type: KS-100 30 G	contact bushing
GKS-005-0004	Spring loaded contact pin
KS-00530G	contact bushing
BIT-GKS-075M	screwdriver
BIT-GKS-113M	screwdriver
BIT-GKS-113M-B / BIT-GKS-113 M-B	Insertion and Extraction Tool
GKS-101 305 115 A 1500	Spring loaded contact pin
GKS-100 306 150 A 3000	Spring contact pin
1075-c-cx-3-0n-au-4.0c + H1075/G-L	high current pin
PKS-300 205 130 R 1502 B	Pneumatic contact pin
PKS-300-0008	Pneumatic contact pin
PKS-300 206 130 A 1502 A	Pneumatic contact pin
PKS-399-0009	Pneumatic contact pin
PKS-399 305 130 A 4202 1	Pneumatic contact pin
RD-300-1-2	reducer
PKS-399 215 200 A 3702 2	Pneumatic contact pin
GKS-101-0065	Spring contact pin
GKS-913 305 230 A 1502 M	Spring-loaded contact pin
GKS-113-0232	spring-loaded contact pin
GKS-112 305 064 A 2205 M	Spring loaded contact pin
SKS-415-0075	switch contact pin
KS-465 M2.5	Receptacle
GKS-113-0334	Spring-loaded contact pin
SKS-215-0020 / SKS-215 002 180 A 1502	Switching Probe
GKS-075 303 120 A 1500	Test Probe
GKS-100 303 150 A 1500	Spring-loaded test probe
HSS-005-0004	high current pin
GKS-113 305 230 A 1502	Spring-loaded contact pin
GKS-912 306 350 R 5002	
GKS-113-0224	Spring-loaded contact pin
GKS-112 217 200 R 2202	Spring contact pin
HSS-120-0018 (HSS-120 303 300 A 3002 M)	high current pin

Product	Description
PKS-399-0006	Pneumatic contact pin
GKS-040-0002	Spring-loaded contact pin
P/N: KS-040E08V-30, Type: KS-040 E08 V-30	Pre-assembled contact receptacle.
GKS-112 302 150 A 1502 M	Test Probe
BIT-VKF-618 08 M	Insertion Tool
GKS-005-0002	Test Probe
GKS-003-0019	Test Probe
GKS-003-0003	Test Probe
KS-1003040 / KS-100 30 40	Receptacle
GKS-075-0376	Test Probe
KS-112 47 G8	Receptacle
HSS-623-0007	Probe
HSS-118-0117	high current pin
GKS-075-0779	Spring-loaded contact pin
GKS-912-1582	Spring-loaded contact pin
GKS-913-0006	Test Probe
KS-112 30 E2	Receptacle
GKS-112-0326	Spring-loaded contact pin
GKS-112-0393	Spring-loaded contact pin
HSS-120-0048 / HSS-120 306 300 A 3002 M	high current pin
BIT-GKS-112M-B	Insertion and Extraction Tool
DW-5-S	torque wrenches
GKS-100-1566	Test Probe
GKS-100-1598	Test Probe
GKS-100-0002 / GKS-100 291 090 A 3000	Spring-loaded contact pin
GKS-112-1549	Test Probe
GKS 112 305 064 A1502 M	
GKS-112 305 100 A 1502 M	
GKS-113 306 230 A 1002	spring-loaded contact pin
GKS 365-206 400 A-8001	
GKS-002-0040	Test Probe
GKS-100-0033	Test Probe
GKS-100-0047 / GKS-100 307 150 A 2000	Spring-loaded contact pin
HSS-120-0077 / HSS-120 306 300 A 3002	high current pin
HSS-150-0039 / HSS-150 306 400 A 3002 H	high current pin
HSS-150-0001 / HSS-150 306 400 A 3002	high current pin
HSS-150-0129	high current pin
P/N: GKS-100-0114 Type: GKS-100 204 130 A 150	spring-loaded contact pin
GKS-002-0005	Spring-loaded contact pin
HSS-150-0016	High-Current Probe
GKS-001-0053	Test Probe
KS-00130M1-R-Z	Receptacle
DS-10303	Spacer
GKS-112-0254	Test Probe
GKS-003-0006	Spring-loaded contact pin

Product	Description
GKS-113-0042	Spring-loaded contact pin
GKS-113-0044	Spring-loaded contact pin
GKS-113-1430	Spring-loaded contact pin
GKS-113-1521	Spring-loaded contact pin
KS-1004705	Sleeve for installation height
KS-11330M2-R / KS-113 30 M2-R	Receptacle
SE-415	Plug
SKS-215-0059 / SKS-215 302 180 A 1502 E	Switching Probe
GKS-710-0011	TEST PROBE
GKS-100-0323	PROBE
HSS-120-0130	high current pin
HSS-120-0111	
HSS-150-0060	high current pin
SKS-465-0174 / SKS-465 302 300 A 3502 SF	Switching Probe
GKS-113 306 230 A 0602	Spring-loaded test probe
HSS-150 306 400 A 5002	High current probe
HSS-150-0019 / HSS-150 306 300 A 5002	High current probe
GKS-002-0008 / GKS-002 206 191 A 1000	Spring-loaded test probe
33457 / MA 2112/D/H/S-7/HG/GR 2270/71	Manual interchangeable test fixture with tall housing
P/N: 45903, Type: ATS MA12/S-7	Exchangeable kit
27616 / SB-T-SI-170-4A	Interface blocks
13515 / SB-P-SI-170-4A-0.6	Signal blocks for DUT side SB-P-SI
GKS-080-0016	Spring-loaded test probe
GKS-204-0317	Test Probe
KS-20430M	Receptacle
KS-150 30 M3	Receptacle
KS-96713535	female contact A
GKS-365 206 400 A 3001	Spring-loaded test probe
GKS-713-0002	
SKS-465-0172 / SKS-465 002 300 A 2002 MF	
KS-388M-1	
PKS-388-0012	Pneumatic test probe
HSS-624-0011	
GKS-075-0048 / GKS-075 217 120 A 1000	Test Probe
GKS-100-0134	Test Probe
KS-1004725	
GKS-912-0490	Spring-loaded test probe
GKS-075-0415	
TKS-503-0002 / TKS-503 405 050 U 1502 K100S	Temperature contact pin
GKS-913 303 230 A 1502 M	Screw-in test probe
GKS-112-0067	
GKS-100-0135	
KS-112 30 M-R	contact sockets
GKS-112 305 064 A 1502 M-30	Spring-loaded test probe
GKS-113-0231 / GKS-113 306 300 R 1002	Spring-loaded test probe

Product	Description
KS-465 M2.5-F-R	
HSS-150 302 400 A 5002 H	High current probe
GKS 112 303 180 A 1502 M / GKS-112-0279	Test Probe
GKS-100 288 150 A 2000	Test Probe
HSS-150 306 400 A 3002 MH	High-Current Probe
GKS-112-0863 / GKS-112 306 200 A 3002 M	Screw contact pins
SKS-215 002 180 A 0802 E	Switch contact pin
KS-150 30	Contact socket
GKS-103-0183 / GKS-103 201 180 A 5002 M	screw contact pin
GKS-112 306 200 A 1505 M	Spring-loaded test probe
GKS-913 306 230 A 2502 0	Spring-loaded test probe
GKS-100-0429 / GKS-100 303 150 A 0600 E	Spring-loaded test probe
GKS-075-0010	Spring-loaded test probe
KT-375-HR-B-VK064	bushing
KT-375-HW-B	bushing
GKS-113 306 300 A 3002	Test Probe
GKS-113 303 230 A 3002	Test Probe
GKS-100 305 064 A 2000	test probe
GKS-075-0343 / GKS-075 306 120 A 1002 M	Spring-loaded test probe
HFS-840-0017 / HFS-840 308 080 A 5342 ZE3	high frequency pen
GKS-051 308 080 A 1300	Test Probe
GKS-075 305 064 A 1502 M	Test Probe
GKS-075 302 090 A 1502 M	Test Probe
GKS-913 306 230 R 1502 0	Test Probe
GKS-912-2089 / GKS-912 306 140 A 2203	Test Probe
KS-112 30 G8	Receptacle
GKS-002-0001	Test Probe
GKS-912 306 180 R 1502	
GKS-100 305 064 A 1000	Cushioned contact pin
E-075-0075 / E-075 270 026 E 2800	Test Probe
E-075-0079 / E-075 291 064 E 2800	Test Probe
E-100-0152 / E-100 238 090 E 3000	Test Probe
E-100-0154 / E-100 291 090 E 3000	Test Probe
E-135-0006 / E-135 291 090 E 2800	test probe
GKS-100-0182 / GKS-100 214 080 A 3000	Spring-loaded test probe
KS-10047G / KS-100 47 G	Receptacle
GKS-135-0111 / GKS-135 291 090 A 3000	Test Probe
KS-100 44 G	Receptacle
GKS-100 214 150 A 3000	Spring-loaded test probe
SKS-215 302 100 A 3002 M	Switching probe
KS-215 M1.6	Receptacle
HSS-118 306 200 A 2202 M	High-Current Probe
SE-215	Plug
KS-427 30 M-R	Receptacle
GKS-112-1857 / GKS-112 305 064 A 1510 M	Spring-loaded test probe

Product	Description
KS-415S	
GKS-100-0027 / GKS-100 303 150 A 1000	Spring-loaded test probe
GKS-100-0025 / GKS-100 306 150 A 1000	Spring-loaded test probe
GKS-075-0052 / GKS-075 303 120 A 2000	Spring-loaded test probe
GKS-100 306 150 A 2000	
HFS-810-0261 / HFS-810 358 080 A 9942 ZE3	high frequency pen
GKS-001 303 150 A 1500	contact pin
HSS-003 306 254 A 3000	High-current probe
GKS-100 291 130 A 2000	Cushioned contact pin
KS-672 D12 M12-R	Receptacle, silver-plated
GKS-050 305 050 A 1503 M	Cushioned contact pin
KS-050 35 M	Contact socket
GKS-899 306 130 A 1502 M	Cushioned contact pin
GKS-899 303 180 A 1502 M	Cushioned contact pin
BIT-GKS-112 M-B-FP	Insertion and Extraction Tool
DW-20-120	Torque wrench 20-120 Ncm
DW-5-40	Torque wrench 5-40 cNm
GKS-100-0007 / GKS-100 305 090 A 2000	Spring-loaded test probe
GKS-075 306 120 A 1502 M	Cushioned contact pin
KS-075 30 M-R	Contact socket A
GKS-967 306 130 A 2001 / GKS-967-0015	Spring loaded test tip
GKS-001-0003/ GKS-001 306 100 A 1000	Spring-loaded test probe
GKS-075 305 064 A 2000	
GKS-002 303 191 A 1000	Spring-loaded test probe
GKS-002 204 152 1000	
GKS-075-0084 / GKS-075 305 064 A 1500	Spring-loaded test probe
GKS-002-0009 / GKS-002 303 191 A 1800	Spring-loaded test probe
HSS-118 214 130 A 1510	High-current probe
GKS-970 305 130 A 2001	Spring-loaded test probe
34811 / ELA-06-FEASA-F-OH3	Electric LED analyzer
HSS-2516	High-current probe
GKS-113-0514 / GKS-113 306 230 A 3005	Spring-loaded test probe
GKS-422-0141 / GKS-422 306 200 A 1505	Spring-loaded test probe
GKS-100-0456 / GKS-100 277 090 A 2000	Spring-loaded test probe
GKS-075-0004 / GKS-075 291 064 A 2000	Spring-loaded test probe
GKS-112 306 180 R 1502 M	Spring-loaded test probe
KS-112 30 M-R-Z	Receptacle A
SW-ZW-GKS-112	Insertion and extraction tools
E-SW-ZW-GKS-112	Insertion and extraction tools GKS (insert)
GKS-035 291 064 A 1200	Pin
GKS-100 302 150 A 3000	
GKS-075 291 064 A 2800	
GKS-035-0034 / GKS-035 207 115 A 1200 LH	Spring-loaded test probe
GKS-112-0518 / GKS-112 303 200 A 3002 M	Spring-loaded test probe
GKS-075-0006 / GKS-075 207 064 A 2000	Spring-loaded test probe

Product	Description
GKS-899-0008 / GKS-899 306 180 A 3002 M	Spring-loaded test probe
GKS-912 291 130 N 3002	ISL Ingun test pin 912291130N3002
GKS-050 291 050 A 1500	RNS PROBE
SKS-215-0230 / SKS-215 303 180 A 3002 MF	Switching probe
GKS-416 002 300 A 5004	
GKS-912 306 200 R 3002	
GKS-204 291 130 N 3003	
GKS-113 306 400 A 2202	
GKS-899 305 075 A 3002 M	
GKS-112 306 200 A 3002 M	
HSS-827 306 200 A 1502 M	
T-912-0063 / T-912 305 140 350 250A1502M	Step probe
HSS-150 317 300 A 3002 M	High-current probe
HSS-118 306 250 A 1502 M	High-current probe
HSS-120 306 230 A 1502 / HSS-120-0032	high current pin
GKS-912 217 175 N 1504	Spring-loaded test probe
GKS-103-0086 / GKS-103 206 400 A 3002	Spring-loaded test tip
GKS-103-0058 / GKS-103 202 650 A 5002	Spring-loaded test tip
GKS-100-0100 / GKS-100 291 090 A 1500	Spring-loaded test probe
SKS-215-0002	Switch contact pin
HSS-118-0061	
GKS-100-0033 / GKS-100 217 170 A 2000	Standard stroke test probe
KS-550E08 / KS-550 E08	Receptacles
GKS-075-0016 / GKS-075 217 120 A 2000	Spring-loaded test probe
GKS-075 217 120 A 2000 C	Spring-loaded contact pin
GKS-075-0022 / GKS-075 201 064 A 2000	Spring-loaded test probe
GKS-100-0010 / GKS-100 201 090 A 2000	Spring-loaded test probe
GKS-075-0217 / GKS-075 204 115 A 2000	Spring-loaded test probe
GKS 112 305 080 A1502M	Spring-loaded test probe
SKS-215 302 180 A 1502 M	Switching probe
HSS-118 305 080 A 1502 M	High-current probe
GKS-427 306 200 A 1502 M	
SW ZW GKS-051	Seting/drawing tool GKS-051
GKS-100-0181 / GKS-100 214 080 A 1500	Spring-loaded test probe
22661 / NHS-ST-20.0-2.5-POM-M3	Push rod
GKS-100 306 130 A 2200	Spring-loaded test probe
GKS-113-0201 / GKS-113 306 230 A 1505	Spring-loaded test probe
GKS-854 306 400 A 3002	Spring-loaded test probe
GKS-100 302 150 A 3000 C	Spring-loaded test probe
GKS-002 206 191 A 1800	Spring-loaded test probe
GKS-050 306 090 A 1503 M	Spring-loaded test probe
KS-004 30 G	Receptacle
25241 (ME-P-S2.0-16-054-QS4)	
GKS961305050A0601	
PAS-05.8-03.0-FR4	

Product	Description
SKS215305100A3002EC	
HSS-118 306 130 A 1502	International standard HSS
HSS-118-0072 / HSS-118 306 350 A 1502	High-current probe
HSS-118 306 180 A 1502	International standard HSS
P/N: GKS-040-0006, Type: GKS-040 304 040 A 0800	Spring-loaded contact pin
E-075-0002 / E-075 291 064 A 2800	Ingun E-Type test probe
KS-07547G / KS-075 47 G	KS with a square post and press ring
GKS-075-0770 / GKS-075 214 064 A 2000 LH	Spring-loaded test probe
GKS-100 204 106 A 3000	Spring-loaded test probe
HFS-836 288 120 A 4588A31R50L	Radio-frequency probe
KS-075 47 G	KS with a square post and press ring
KS-100 47 G	KS with square and press ring
HSS-118-0306 (HSS-118 306 160 A 1504)	high current pin
GKS-550 307 050 A 1500	Spring-loaded test probe
GKS-100 288 150 A 2000 E	Spring-loaded test probe
GKS-100 288 150 A 2000 C	Spring-loaded test probe
GKS-100 288 150 A 2000 LH	Spring-loaded test probe
HSS-118-0163 / HSS-118 306 200 A 2210	High-current probe
PKS-399-0065	
HSS-118 305 065 A 1506 (HSS-118-0585)	high current pin
HSS-118 306 200 A 1506 (HSS-118-0053)	high current pin
HSS-118 302 100 A 1503 (HSS-118-0300)	high current pin
HFS-840-0586	High-Frequency Probe
HFS-810-0096	Radio-frequency probe
KS-215 M1.6-F	Receptacle
SKS-215-0023 / SKS-215 002 180 A 3002 M	Switching probe
KS-11330M2-T / KS-113 30 M2-T	Receptacle A
GKS-113-0327 / GKS-113 302 300 A 3002 M	Spring-loaded test probe
GKS-112-0550 / GKS-112 302 150 A 3002 M	Spring-loaded test probe
GKS-112-0551 / GKS-112 302 200 A 3002 M	Spring-loaded test probe
GKS-913 306 350 R 2502 Z	Test Probe
HSS-120-0073 / HSS-120 306 300 A 2202 M	High-current probe
GKS-970-0002 / GKS-970 305 130 A 2001 K	Spring-loaded test probe
GKS-079 301 050 A 1300	Spring-loaded contact pin
KS-079 35	contact socket
HSS-623 306 600 A 10002 M	high current pin
KS-623 M5 M5-R	Silver-plated contact sleeve
GKS-204 305 130 A 3005	Spring-loaded contact pin
GKS-001-0014/ GKS-001 306 100 A 1500	
HSS-118-0103 / HSS-118 306 160 A 1502 M	High-current probe
GKS-112 204 130 R 5002 M	screw contact pins
GKS-913-0033 / GKS-913 306 230 A 1502 S	Spring-loaded test probe
SE-HSAL2-12-M-G-000	plugs
GKS-100 306 250 A 2000	Spring-loaded test probe
KS-9676035M-R	Contact socket A

Product	Description
GKS-967 303 130 A 2001	Spring-loaded contact pin
HFS-819 319 090 A12743RV5-H3	PISTON
GKS-100-0835 / GKS-100 306 200 A 1500 E	Spring-loaded contact pin
GKS-100-1447 / GKS-100 306 200 A 1500 C	Spring-loaded contact pin
HFS-810-0468 / HFS-810 201 051 A 8006 S	Radio-frequency probe
GKS-941 305 050 A 0800 L / GKS-941-0018	Spring-loaded test probe
P/N: HFS-860-0003, Type: HFS-860 303 074 A 5343 Y6	high frequency pen
GKS-913 306 230 A 1502 0	
GKS-135 360 090 A 2000	Spring-loaded test probe
33678 / MA 2112/D/H/S-7/HG/PYLON-12	Manual test fixture
HSS-621 305 400 S 5002 M	high current pin
GKS-550 214 050 A 1500	Spring-loaded test probe
GKS-113-0450	Test Probes
SKS-465 302 400 A 3502 SF	needle
GKS-365-0054 / GKS-365 204 400 N 8001	Spring-loaded test probe
KS-36523	Receptacle, plated
HSS-118 306 250 A 1502	High-current probe
P/N: 48530, Type: MA 2012/D/H	Manual test adapter
P/N: 48620, Type: MA 2013/D/H	Manual test adapter
P/N: 32660, Type: MA 2112/D/H/S-7	Manual test adapter
P/N: 32500, Type: MA 2113/D/H/S-10	Manual test adapter
P/N: 46239, Type: ATS MA13/S-10/ESD	Exchangeable kit
P/N: 46254, Type: ATS MA13/ESD	Exchangeable kit
P/N: 45904, Type: ATS MA12	Exchangeable kit
P/N: 43612, Type: NHS-ST-60.0-2.5-KU-AL-ESD	Niederhalterstempel
P/N: 3161, Type: PAS-02.8-05.0	Test sample edition
38786 / GDF-185-60-100N-A6-A6-D	Gas spring
GKS-100 307 250 A 3000	TEST PROBE
KS-075 47 E03	RECEPTACLE
KS-100 47 G12-13	RECEPTACLE
GKS-100 307 150 A 1500	Probe pin
PKS-171 319 150 A 0302 A	Pneumatic test probe
KS-171	Receptacle
HSS-120 303 300 A 1510	
HSS-118 302 100 A 1502	high current pin
HSS-118 303 200 A 1502	high current pin
HSS-552 306 400 A 2003 M	high current pin
KS10130E13	KS for GKS-101: inst height 14.0mm
HSS-120 306 230 A 1510	High-current probe
GKS-101 307 130 A 0800	Spring-loaded test probe
GKS-100 302 150 A 2000	Test Probe
KS-550 WL	Receptacle
GKS-912 201 130 A 3002 C	Spring-loaded test probe
SKS-115 306 100 A 1502 M	Switching probe (NO)
KS-115-M3-F1	

Product	Description
GKS-075 303 120 A 2800	Test needle
GKS-112 303 180 A 3002	Spring-loaded test probe
GKS-103 102 400 A 3002 M	
GKS-313 306 300 A 1502 M	
KS-103 30 M2.5	
KS-313 30 M2	
AW-KS-SET-CABLE	Extraction tool
GKS-100-0162 / GKS-100 306 229 A 2000	Spring-loaded test probe
E-100-0032 / E-100 307 150 A 3000	Ingun E-Type test probe
GKS-945-0005 / GKS-945 357 106 A 1100	Spring-loaded test probe
KS-050 47 E08	Receptacle
SW-ZW-WP-100 A	Insertion tool
SW-ZW-WP-075 A	Insertion tool
AW-KS-Set-ICT	Extraction tool
SW-KS-100	Insertion tool
45000 / PP-INGUN-F	Personality pin
SW-KS-075 G	Insertion tool
E-100-0001 / E-100 291 090 A 3000	Ingun E-Type test probe
GKS-912 306 140 A 1502 C	Spring-loaded test probe
GKS-103-0156 / GKS-103 105 400 A 1502 M	Spring-loaded test probe
KS-103 30 M2.5-S	Spring-loaded test probe
GKS-100 307 250 A 3000 C	Spring-loaded test probe
GKS-913 303 230 A 1502 0	spring-loaded test probe
GKS-003 206 254 A 120	Spring-loaded contact pin
GKS-100-0338 / GKS-100 306 150 A 0600	Spring-loaded test probe
GKS-004 206 396 A 2000	Spring-loaded test probe
KT-120 L3 E02-30	Contact terminal
KT-150 L3 E03 M3	Contact terminal
HSS-150-0118 / HSS-150 319 400 A 3002	High-current probe
BIT-HSS-150 M-300	screwdriving tool
GKS-100 214 050 A 2000	Test needle
GKS-100 291 090 A 2200	Spring-loaded contact pin
GKS-075 277 064 A 2000 LH	Test needle
GKS-050 214 050 A 2000	Test needle
GKS-050 297 050 A 2000	Test needle
SW-KS-050 G	Setting tool
SW-KS-100 G	tool
GKS-100 214 106 A 2000 C	Spring-loaded contact pin
GKS-100 291 090 A 2000 C	Spring-loaded contact pin
HSS-120 302 230 A 3002 M	PINK POGO
HSS-120 317 300 A 3002 M	PINK POGO
GKS-412-0330 / GKS-412 206 200 R 3002	Spring-loaded test probe
HSS-623-0001 / HSS-623 306 600 A 7002 M	High-current probe
SKS-415 306 230 A 2302 2	Switching probe (NO)
GKS-113 217 300 A 3002 / GKS-113-0848	Measure pin

Product	Description
GKS-051-0059 / GKS-051 201 051 A 1000 K1	Spring-loaded test probe
HSS-120 306 400 A 3002/ HSS-120-0066	contact pins