



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Lapp Kabel

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

| Product | Description |
|---|---|
| 0027505 | ÖLFLEX CRANE 2S 20 G 1,5_ |
| 1125010 | Steuerleitung |
| 11304-50 | 140 Control lead 4 G 1 mm ² Grey |
| 21700540 | connector |
| 2170261 | UNITRONIC BUS CAN 2X2X0,22 |
| 61806620 / SILVYN SPLIT PA6 10 / 8,8X13,5 BK 50M | Cable protector |
| 61806630 / SILVYN SPLIT PA6 14 / 13,2X18,7 BK 50M | cable protector |
| 61806650 / SILVYN SPLIT PA6 23 / 23,9X31,3 BK 50M | CABLE PROTECTOR |
| 70002641 | CABLE SPIRALE 5X0,75 SPIREX |
| 70002635 | ÖLFLEX SPIRAL 400 P 4G0,75/1000 |
| 73000028 | EPIC LS1 D6 5 + K KURZ 8.5 to 11 |
| 76003000 | LS1 A1 5 + PE K (5) EINBAUDOSE |
| 00350173 (300 m) | |
| 0026105 | Schleppkettenleitung |
| P/N: LAPP0027504, Type: ÖLFLEX® CRANE 2ST, 12G1,5 | Cable |
| ÖLFLEX CLASSIC 400 P 10G1 | 50 M |
| 0034310 (roll x50 meters) | KUMANDA KABLOSU - 10x0,14 |
| 0034408 | KUMANDA KABLOSU - 8x0,25 |
| 0034703 LIYCY 3X0,75 300 M | |
| 0034702 LIYCY 2X0,75 300 M | |
| 0034704 UNITRONIC LIYCY 4X0,75 200 M | |
| 0034703 LiYCY 3x0,75 100 M | |
| 0034702 UNITRONIC LiYCY 2x0,75 100 M | |
| 0034702 UNITRONIC LiYCY 2x0,75 50 M | |
| 2170264 | |
| LAPP2170267 | UNITRONIC BUS CAN UL/CSA 2X cable |
| AB-C4- 2,0PUR-M12FS LAPP22260322 | cable connector |
| 70002643 | Cable |
| 1135404 | |
| 350193 | |
| 350223 | |
| 350233 | |
| 124753 | |
| 13631 | |
| 4160211 | |
| 4160311 | |

| Product | Description |
|--|-------------------------|
| 4160501 / ÖLFLEX® WIRE MS 2.1 | |
| 4160504 | |
| 4160601 | |
| 4160604 | |
| 4180501 | |
| 4180504 | |
| LAPP0027564 | flexible cable |
| Code: 1312334 | cable |
| LAPP0034503 | cable |
| LAPP1119604 | cable |
| LAPP1119303 | cable |
| 1119012 (roll x100 meters) | cable |
| LAPP1119312 | cable |
| LAPP1119104 | cable |
| LAPP1119204 | cable |
| LAPP1119304 | cable |
| LAPP1119404 | cable |
| LAPP0035802 | cable |
| LAPP1119212 | cable |
| LAPP1119003 | cable |
| LAPP1119103 | cable |
| LAPP1119225 | cable |
| 1119804 1 x 100 M Ring | |
| 1119802 1 x 500 M | |
| 4510142K | |
| 4510032K | |
| LAPP0034704 | Flexible shielded cable |
| LAPP1136312 | Flexible shielded cable |
| LAPP1119614 | Flexible cable |
| CLASSIC 110 2X0.75 | Cable |
| CLASSIC 110 3X0.75 | Cable |
| 1135852 | Steuerleitung |
| 2170127 | |
| 0034120 | Datenleitung |
| 1135853 | Steuerleitung |
| 1135854 | Steuerleitung |
| 1135207 | Steuerleitung |
| 1119852 | |
| 1119853 | Steuerleitung |
| P/N: 1119854/50, Type: ÖLFLEX® CLASSIC 110 | control line |
| 1119303 | Control cable |
| 1119304 | Control cable |
| 1119404 | Steuerleitung |
| 1119604 | Control cable |
| 1119614 | |

| Product | Description |
|---|----------------------------|
| 1135604 | |
| 1135614 | |
| 1591501 | Telefonkabel |
| 0039060 | |
| 0010027 | |
| 0010029 | |
| 2170474 (1000 m) | |
| 61806190 | SILVYN SPLIT |
| 00350183 (120 m) | |
| 52103070 (pack of 25) | Gegenmutter |
| 53112070 (pack of 5) | |
| 4571103 | ESUY COPPER EARTHING CABLE |
| 1027604 | |
| 1119912 | Cable |
| 1119150 | Cable |
| 70492400 (pack of 5) | TUELLENGEHAEUSE |
| 70474000 (pack of 5) | ANBAUGEHAEUSE |
| 10530000 (pack of 5) | |
| 10531000 (pack of 5) | |
| 53119010 (pack of 100) | |
| 53111010 (pack of 100) | |
| 0035132 (100m) | |
| 0028405 (100m) | |
| 53119100 (pack of 100) | |
| 0028202 (100 m) | |
| 0036920 (50m) | |
| 0028404 (100m) | |
| 53111200 (pack x100) | |
| 0028302 (50m) | |
| P/N: 21700600 Type: EPIC DATA ED-IE-AX-6A-A-20-FC | |
| 180 SIHF 4G4 (100 m) | Kabel |
| 0027505, Crane 2S | PVC Leitung |
| 26610108 | |
| 26610208 | |
| 21700544 | Connector, Profibus |
| 22260653 | Connector |
| 22260646 | Connector |
| 21700536 / ED-CAN-90-PG | Connector, Profibus |
| 21700547 / ED-PB-90-LED-FC | Connector, Profibus |
| U601841 | |
| U601804 | |
| U601804CY | |
| olflex classic 110 4x0.5 | Kabel |
| olflex classic 115CY 3x0.75 | Kabel |
| P/N: 1136404 Type: ÖLFLEX CLASSIC 115 CY 4G2.5 (50 m) | Kabel |

| Product | Description |
|--|--|
| OLFLEX CLASSIC 110 4G0.75 | kabel |
| P/N: 0034071 Type: Li2YCY PiMF 3x2x1 (1 pc - 600 m) | |
| P/N: 0027582 Type: ÖLFLEX FD 855 P 25G1,5 (roll 50 meters) | |
| 1119405 / ÖLFLEX® CLASSIC 110 5G2,5 | |
| 2170222 (roll x100 meters) | |
| 00101254 / ÖLFLEX CLASSIC 100 300/500V 3X0.75 | Colour-coded PVC control cable |
| P/N: 00101254 | |
| 1026784 / ÖLFLEX® CHAIN 809 CY 4G2,5 | control line |
| Art. Nr. 1119109 , type 9G0,75 (50 mtr.) | elastic cable OLFLEX CLASSIC 110 |
| Art. Nr. 1119208 , type 8G1,0 (50 mtr.) | flexible rubber cable |
| Art. Nr. 16001043, type: H07RN-F 5G1,5 NCC (50 mtr.) | Flexible rubber cable |
| Art. Nr. 1233002, type 1X0.75 BU (100 mtr.) | OLFLEX HEAT 125 SC |
| Art. Nr. 1233105, type 1X0.75 WH (100 mtr.) | OLFLEX HEAT 125 SC |
| Art. Nr. 1233106, type 1X0.75 GY (100 mtr.) | OLFLEX HEAT 125 SC |
| Art. Nr. 1234002, type 1X1 BU (100 mtr.) | OLFLEX HEAT 125 SC |
| Art. Nr. 1233104, type 1X0.75 RD (100 mtr.) | OLFLEX HEAT 125 SC |
| Art. Nr. 1234001, type 1X1 BK (100 mtr.) | OLFLEX HEAT 125 SC |
| Art. Nr. 1235001, type 1X1.5 BK (100 mtr.) | OLFLEX HEAT 125 SC |
| Art. Nr. 4520002 , Type H07V-K 1X2,5 GNYE | |
| Art. Nr. 1119304 , type 4G1,5 (50 mtr.) | OLFLEX CLASSIC 110 |
| 1119807 / ÖLFLEX® CLASSIC 110 7X0.75 | control line |
| Art. Nr. 1119802 , type 2X0.75 wi (100 mtr.) | OLFLEX CLASSIC 110 |
| 4510002 (roll x100 meters) | elastic cable |
| Art. Nr. 1119804 , type 4X0.75 wi (50 mtr.) | OLFLEX CLASSIC 110 |
| Li2YCY 3x2x1.00 (without PiMF) , pack of 600 metres | |
| P/N: 0027568 | |
| 0027582 / ÖLFLEX FD 855 P 25G1,5 | control cable |
| 0030937 | Кабель UNITRONIC-FD CP (TP) plus 2X2X0,5 |
| 0030958 | Кабель UNITRONIC-FD CP (TP) plus 4x2x1 |
| 10035040 | |
| 10035042 | |
| 10035044 | |
| 10035386 | |
| 10035380 | |
| 10019911 | |
| 10019931 | |
| 10019945 | |
| 10019913 | |
| 10019851 | |
| 10019854 | |
| 10019947 | control line |
| 10019918 | |
| 10019917 | |
| 00350273 | |
| 15500773 | |

| Product | Description |
|--|---------------------------------|
| 30017652 | |
| 1112944 | |
| 1550213 | |
| 1550035 | |
| 4160800 | |
| 4161000 | |
| 4161200 | |
| 1119755 | ÖLFLEX CLASSIC 110 5X0,5 |
| P/N: 22260508 Type: AB-C3-M12Y-2,0PUR-M12FA-B | |
| P/N: 22260307 Type: AB-C4-M12MA-2,0PUR-M12FS | |
| P/N: 22260705 Type: AB-C4-M12MS-5,0PVC-M12FA | |
| MS-SC-M 20 x 1,5 XL | Skintop |
| ST-M 16X1,5 RAL 7001 | SKINTOP |
| ST-M 20X1,5 RAL 7001 | SKINTOP |
| OLFLEX CLASSIC 110 CY 4G1,5 (200 m.) | Flexible shielded cable |
| OLFLEX CLASSIC 110 25G1,5 (100 m.) | Flexible cable |
| OLFLEX CLASSIC 110 18G1,5 (65 m.) | Flexible cabel |
| OLFLEX CLASSIC 110 14G1,5 (150 m.) | Flexible cable |
| OLFLEX-FD CLASSIC 810 34G1,5 (15 m.) | Flexible cable |
| OLFLEX-FD CLASSIC 810 25G (15 m.) | Flexible cable |
| OLFLEX SERVO FD 798CP 3x(2x0,14)+2x(0,5) (30 m.) | |
| OLFLEX CLASSIC 110 CY 4G2,5 (200 m.) | Flexible shielded cable |
| 1119241 | Control cable |
| P/N: 0026667 Type: ÖLFLEX FD 90 CY 1X150 (100 m) | |
| 2170203 | bus line |
| 0029593 | |
| LAPP0029654 | OLFLEX® ROBOT F1 UL/CSA 25x0,25 |
| LAPP0029609 | OLFLEX® ROBOT F1 UL/CSA 25G0,5 |
| P/N: 1119203 Type: ÖLFLEX CLASSIC 110 3G1 (720 m) | |
| P/N: 1119903 Type: ÖLFLEX CLASSIC 110 3X1,5 (1795 m) | |
| P/N: 1119205 Type: ÖLFLEX CLASSIC 110 5G1 (730 m) | |
| P/N: 0036427 Type: ÖLFLEX SERVO 2YSLCY-JB 4G4 (820 m) | |
| P/N: 1136452 Type: ÖLFLEX SERVO 2YSLCY-JB BK 4G4 (820 m) | |
| P/N: 0036428 Type: ÖLFLEX SERVO 2YSLCY-JB 4G6 (210 m) | |
| P/N: 1136453 Type: ÖLFLEX SERVO 2YSLCY-JB BK 4G6 (210 m) | |
| 53111610 (pack 1x100) | |
| LAPP52000950 | SKINDICHT SHZ PG 16 |
| LAPP52000960 | SKINDICHT SHZ PG 21 |
| LAPP52000970 | SKINDICHT SHZ PG 29 |
| LAPP52000980 | SKINDICHT SHZ PG 36 |
| P/N: 0027504 Type: ÖLFLEX CRANE 2S 12G1,5 (5 m) | |
| 2170222 (50 m) | |
| 0053001 | |
| 0062001 | |
| 3020782 | |

| Product | Description |
|---|-------------|
| P/N: 10432000 Type: H-A 4 BS (pack x10) | |
| 53112050 | |
| 52104320 | |
| 52103060 | |
| 52104321 | |
| 52103070 | |
| 52103130 | |
| 52103030 | |
| 52103120 | |
| 52103020 | |
| 52103110 | |
| 52103010 (pack x100) | |
| 52103072 | |
| 52103160 | |
| 52103150 | |
| 52103040 | |
| 53112030 | |
| 53112020 | |
| 53112510 | |
| 52015766 | |
| 52015765 | |
| 52015750 | |
| 52003430 | |
| 52003460 (pack 1x5) | |
| 52103071 | |
| 52003570 | |
| 52003560 | |
| 52003540 | |
| 52103050 | |
| 52103140 | |
| 4520012 / H07V-K 1X2.5 BK | |
| 4520022 | cable |
| 4520032 (pack 1x1000 m) | |
| 4520062 (pack 1x200 m) | |
| 4520002 (pack 1x1100 m) | |
| 4520023 | |
| 4520033 | |
| 4520003 (pack 1x1100 m) | |
| 4520024 | single wire |
| 4520034 | single wire |
| 4520004 (pack 1x200 m) | |
| 4520016 (roll x30 meters) | |
| 4521016 (pack 1x3 m) | |
| 30017659 (pack 1x37 m) | |
| 1600305 (pack 1x38 m) | |

| Product | Description |
|--|--|
| 1600308 (pack 1x12 m) | |
| 53015030 (pack 1x100) | |
| 30017701 (pack 1x60 m) | |
| 30017702 (pack 1x152 m) | |
| LAPP7038880 , type Li9Y11Y 3x0,75+4x0,34 (10 km) | Cable |
| LAPP7038880 , type Li9Y11Y 3x0,75+4x0,34 (30 km) | cable |
| 0027637 (20 m) | |
| 0060001 | |
| P/N: 1136852 Type: ÖLFLEX CLASSIC 115 CY 2X1 (50 m) | Cable |
| P/N: 1136853 Type: ÖLFLEX CLASSIC 115 CY 3X1 (50 m) | Cable |
| P/N: 1136854 Type: ÖLFLEX CLASSIC 115 CY 4X1 (50 m) | Cable |
| P/N: 1136855 Type: ÖLFLEX CLASSIC 115 CY 5x1 (50 m) | Cable |
| P/N: 1136875 Type: ÖLFLEX CLASSIC 115 CY 7x1 (50 m) | Cable |
| P/N: 1136212 Type: ÖLFLEX CLASSIC 115 CY 12G1 (50 m) | Cable |
| P/N: 1119852 Type: ÖLFLEX CLASSIC 110 2x1 (100 m) | Cable |
| P/N: 1119853 Type: ÖLFLEX CLASSIC 110 3x1 (100 m) | Cable |
| P/N: 1119855 Type: ÖLFLEX CLASSIC 110 5x1 (50 m) | Cable |
| P/N: 1119857 Type: ÖLFLEX CLASSIC 110 7x1 (50 m) | Cable |
| P/N: 1119862 Type: ÖLFLEX CLASSIC 110 12x1 (50 m) | Cable |
| 73000029 | |
| LAPP0041051 | flexible plane cable |
| LAPP0041055 | flexible plane cable |
| 0041046 | flexible flat cable |
| 10399000 / EPIC MCS 4 CM (pack x10) | |
| 0164012 (roll 417m) | |
| 0027961 (10 m) | |
| 0026125 (6 meter) | |
| 1119203/ OLFLEX(R) CLASSIC 110 | Control cable |
| LAPP0041044 | flexible plane cable |
| 0038304 (roll x100m) | Cable, LINCH (TP) 4X2X0.14mm2 |
| 10381600 | |
| 10381700 | |
| 10344100 | |
| 10345100 | |
| 0042020 (roll x100 meters) | |
| 1032068 | Flexible oil-resistant codor -data cable |
| 1032069 (roll x100 meters) | Cable |
| P/N: 61803300 Type: KRF 150/12 (pack x25) | cable shoe |
| 61805420 (roll x50 meters) | Kabelschutzschlauch LTP 16 |
| 55510230 (pack x10) | Schlauchverschraubung |
| 0028164 (roll x50 meters) | Cable |
| 0012843 (roll x50 meters) | |
| 1119018 | Cable souple |
| 1119018 | CABLE 18G0,5 OLFLEX CLASSIC |
| 1119207 (roll x50 meters) | Control cable 7X1 OLFLEX CLASSIC 110 |

| Product | Description |
|--|---|
| 70002735 | Spiral cable 18G0,75 OLFLEX SPIRAL 400 P |
| 2170886 (roll x100 meters) | Cable |
| 00420083 (roll x 500 meters) | Cable |
| 0027564 (roll x50 meters) | Cable |
| 1119105 (roll x50 meters) | Cable 5G0,75 OLFLEX CLASSIC 110 |
| 73220113 | TERMO KILIFLI SPIRAL KABLO 1M. 3X0,75 |
| 64400030 (roll x100 meters) | |
| 64400060 (roll x100 meters) | |
| 0034310 (roll x50 meters) | |
| 0028318 (roll x100 meters) | |
| 0034415 (roll x100 meters) | |
| 4510022 / H05V-K 1X0,75 BU | wiring cable |
| 4520042 | Single Core Cable |
| 0022760 (roll x50 meters) | control cable |
| 1119644 | cable |
| 61805410 (roll x50 meters) | LIQUID TIGHT SPIRAL |
| 61805400 (roll x50 meters) | LIQUID TIGHT SPIRAL |
| 61813737 | PEW 8.186 Crimping Tool |
| 0034525 | DATA CABLE 25X0,34 UNITRONIC |
| 1119754 | Control cable |
| 1135305 (roll x50 meters) | Cabel |
| 1135405 (roll x50 meters) | Cable |
| 1119005/ OLFLEX(R) CLASSIC 110 | Control cable |
| 1119007 (roll x100 meters) | Cable |
| 0028176 (roll x 50 meters) | ROBOT CABLE 12G1.0 OLFLEX ROBOT 900 P |
| 1313207 (roll x 50 meters) | CABLE 7G1.0 OLFLEX CLASSIC 400 CP |
| 0028172 (roll x50 meters) | ROBOT CABLE 4G1.0 OLFLEX ROBOT 900 P |
| 53111020 (pack x100) | WATER SUPPLY CABLE GLAND (METRIC) |
| 0026127 (roll x50 meters) | CABLE 25G0,75 OLFLEX CLASSIC FD 810 |
| 0060001 (roll x100 meters) | CABLE HEAT RESISTANT -SIYAH-1x70-180ŠC |
| 0041078 (roll x100 meters) | FLAT CABLE 4G2,5 OLFLEX CRANE CF (BLEN |
| P/N: 0091316 Type: ÖLFLEX HEAT 260 MC 4G1,5 (roll x100 meters) | Cable, PTFE, Flame-Retardant |
| 61713560 (pack x100) | |
| FD 855 P (1x100 meter) | GREY CABLE |
| 61805410 | |
| 61805400 | |
| 55510200 (pack x10) | REKOR |
| 55510210 (pack x10) | REKOR |
| 75007810 (pack x20) | |
| 52104520 (pack x100) | Cable gland reducer M20 -> M12 x 1.5mm |
| 4160500 (roll x100 meters) | Single core cable green/yellow 2.5mm ² - 300mm |
| 10530000 / EPIC H-A 16 SS DR PH1 | |
| 10631900 / EPIC H-A 48 TG 29 | |
| 5200 1880 | Cable Gland |
| 4510142 (roll x100 meters) | |

| Product | Description |
|---|---|
| 4510012 | Connection and control cable |
| 4521011 (roll x20 meters) | |
| 4520014 (roll x50 meters) | |
| 53015020 (pack x100) | |
| 53019020 (pack x100) | |
| 53015050 (pack x50) | |
| 53019050 (pack x50) | |
| 53112640 (pack x25) | |
| 1136125 | |
| P/N: 0034525, Type: LiYCY 25 x 0.34 | Shielded data line |
| 4510141S (roll x250 meters) | |
| 4510141 (roll x100 meters) | |
| 4510141X (roll x600 meters) | |
| 52021385 | Fiberproof Cable Protection Conduit |
| 302408S | CBL UNITRON 300 S 24/8C 1=100FT |
| 1312852 | control cable |
| 1135403 (roll x50 meters) | Power cable 3x2.5mm ² Ø 10.3mm |
| 0038602 / UNITRONIC LiHCH(TP) 2X2X0,5 | |
| 2170214 / UNITRONIC BUS LD FD P 2X2X0,25 | KABEL STUTTGART UNITRUNC |
| 7038865 | SENSOR CABLE |
| 00100893 | Cable |
| 2170332 | PROFIBUS CABLE |
| 61742404 | PROTECT shrink tube |
| 61742403 | PROTECT shrink tube |
| 61742405 | Macaron / SHRINK TUBE PROTECT |
| 0026667 | Signal cable orange |
| 61721940 / AHI N 6/12 BK | Insulated cable lug (cable ferrule) |
| 2170186 / UNITRONIC LAN 250 U/UTP CAT.6 | network cable |
| 2170222 / UNITRONIC BUS PB FD P 1X2X0,64 | Bus cable |
| 0026271 / ÖLFLEX® CLASSIC FD 810 CY | Control cable |
| 2170488 / ETHERLINE FD P CAT.6 4X2XAWG26 | ETHERNET CABLE |
| 1119305 / ÖLFLEX CLASSIC 110 5G1,5 | Control line |
| 2027504 | Cable |
| 1600516 / NSSHÖU-J 3G1,5 | (3x1,5mm) Cable |
| 760204 | |
| 221612 | |
| 221618 | |
| S2112 | |
| 911371 | |
| S2234 | |
| 911372 | |
| S2134 | |
| P/N: 0027952, Type: ÖLFLEX® SERVO FD 796 CP | Servo cable |
| 1119208 | control line |
| 0026171 | control line |

| Product | Description |
|--|-----------------|
| 61742430 | Shrink hose |
| 0032821 | Cable |
| 1119407 | Cable |
| 1119907 / ÖLFLEX® CLASSIC 110 | CABLE |
| 0026525 | control line |
| 0026524 | control line |
| 0026156 | Cable |
| P/N: 0026157. type: ÖLFLEX® CLASSIC FD 810 | cable |
| 0012650 / ÖLFLEX® EB CY | Cable |
| P/N: 2170220. Type: UNITRONIC® BUS PB | cable |
| 0026281 | |
| 00100654 | Control line |
| 19082000 / H-B 16 TS M25 (pack x5) | |
| 10072000 / H-B 16 AG (pack x5) | |
| 10195000 / H-BE 16 BS (pack x5) | |
| 10194000 / H-BE 16 SS (pack x5) | |
| 10171000 / H-BS 6 BS (pack x5) | |
| 10170000 / H-BS 6 SS (pack x5) | |
| 10072900 / EPIC H-B 16 AG-LB (pack x5) | |
| 10082900 / EPIC H-B 16 TS-RO 21 ZW (pack x5) | |
| 10381400 / EPIC MCR 16 S A-E (pack x5) | |
| 10399100 / EPIC MCB 4 CM (pack x10) | |
| 10383400 / 20EPIC MCS 10 CG (pack x10) | |
| 10383500 / EPIC MCB 10 CG (pack x10) | |
| 19082000 / EPIC H-B 16 TS M25 ZW (pack x5) | |
| 10072000 / EPIC H-B 16 AG (pack x5) | |
| 10195100 / EPIC H-BE 16 BS (pack x5) | |
| 10194100 / EPIC H-BE 16 SS (pack x5) | |
| 10171000 / EPIC H-BS 6 BS DR (pack x5) | |
| 10170000 / EPIC H-BS 6 SS DR (pack x5) | |
| 10381500 / EPIC MCR 16 B A-E | |
| 10382500 / EPIC MCB 10 CM (pack x10) | |
| 10399900 / EPIC MCB 3 CM-HV (pack x10) | |
| 10399800 / EPIC MCS 3 CM-HV (pack x10) | |
| 1125304 (roll of 50 meters) | Control cable |
| 1119014 | Control cable |
| 1119021 / ÖLFLEX CLASSIC 110 21G0.5 | control line |
| 1119752 | Control cable |
| 1119035 | Control cable |
| 1119007 | Control cable |
| 2170216 (roll x300 meters) | Cable |
| 4510042 | cable |
| 4510023 (H05V-K 1X1 BU) | |
| 61806631 | Cable Protector |
| 61806621 | Cable Protector |

| Product | Description |
|--|--|
| 1119403 / ÖLFLEX® CLASSIC 110 | control line |
| 28901 | |
| 4533113 (roll x100 meters) | H07 RNF 12G1,5MM2 FLEXIBLE CABLE |
| 1119325 (reel x100 meters) | OLFLEX-25G1.5 FLEXIBLE CABLE |
| 00100644 | |
| 00100664 | |
| 2170891 | |
| 0034604 | |
| 1119404 / OLFLEX CLASSIC 100, 4G2,5 | Control cable |
| 1020010 | |
| 0035800 | |
| 1235104 | |
| 1235001 \ HEAT 125 SC | |
| 4510141S / H05V-K 1X0,5 DBU | Wire H05V-K dark blue 0,5MM |
| 53019030 | |
| 0033218 | data line |
| p/n: 21700501, Type: ED-PB-90-PG-FC | connector |
| 00101153 | PVC power and control cable (FLEXIBLE CABLE) |
| 10196000 | |
| 4510013 | Cable H05V-K 1X1MM, |
| 53112000 | |
| 11139608 | |
| 2170206 | PROFIBUS CABLE |
| 1600198 / H07RN-F | Cable |
| 0026661 | |
| 1026549 | |
| 1135502 | |
| 1135602 | |
| 1135605 | |
| 1135402 | |
| EPIC H-DD 24 SCM \ 11285000 | plug |
| EPIC H-DD 24 BCM \ 11286000 | contact |
| Art.No. 7038907 | Flexible cable for sensor/actuator wiring |
| 0027969 / ÖLFLEX® SERVO FD 796 CP | Servo cable 4G1.5+2X (2X0,75) OLFLEX |
| P/N: 1119804 Type: ÖLFLEX CLASSIC 110 4X0,75 | Cable |
| 0015112 | |
| 0015405 | |
| 0015107 | |
| 0015105 | |
| 0046013 | silicone cable |
| P/N: 53112100, Type: MSR-M | Brass cable gland |
| 24441340 | cable |
| 24441343 | cable |
| 24441341 | cable |

| Product | Description |
|---|--|
| 00430283 / 4 G 70.0 | cable |
| 0035822 | cable |
| 1600103 | wires |
| 75009710 | connector |
| 0036911 | |
| 0026338 | |
| 0026339 | |
| REI1062917 | Chain |
| 16001233 / H07RN-F-4G1.5 | Wire |
| H07V-K 1.50 | coil |
| 2170824 | cable |
| 4160314 | Cabel |
| 53112040 | Cable gland |
| 52104313 | Reduction of threads for glands |
| 0091330 / heat260 C MC 3G0.75 | |
| 0091334 / heat260 C MC 3G1.5 | |
| 1119225 / CLASSIC 110 25Gx1.0 | Wire |
| 1119214 / CLASSIC 110 14Gx1.0 | |
| 0031363 | cable UNITRONIC LI2YCYV (TP) 8X2X0,5 |
| 2170464 | ethernet cable |
| 1119625 | PVC control cable |
| 0034060 / Li2YCY PiMF | data cable |
| 4160309 | pilotage |
| P/N: 61721710 , Type: FPS 13X17 GREY | |
| ÖLFLEX 440 CP / 0012904 | |
| 0034506 | Wire |
| 0035821 | cable |
| 44423073 | circular connectors |
| 4160102 | pilotage |
| 4160114 | pilotage |
| 0046506 | Silicone cable with increased mechanical characteristics |
| 4160344 | pilotage |
| P/N: 2170143, Type: LAN500 S/FTP CAT 6A | wires |
| 4160310 | Connection and control line |
| 61751750 | |
| 55502469 | Conduit fitting |
| 21700124 | Switch Ethernet |
| 21700647 | connectors |
| 1026725 | PVC connection and control cable |
| 0027925 | Wire |
| 52107010 | cable gland |
| 0026617 | Electrical Cable |
| 75009706 | connector |
| 73000000 | connector |

| Product | Description |
|---|---------------------------------|
| 0027950 | Servo cable |
| 7038900 / UNITRONIC SENSOR LifYY 3x0,34 BK | PVC sensor cable |
| P/N: 1135303, Type: ÖLFLEX® CLASSIC 110 CY | |
| 0028307 | pilotage |
| 0028310 | pilotage |
| 0028325 | pilotage |
| 0028332 | pilotage |
| 0034404 | pilotage |
| 0034407 | pilotage |
| 61806660 | Hose |
| 15331066 | Railway cable |
| 52107000 | cable screw connection |
| 1136304 / ÖLFLEX® CLASSIC 115 CY 4 G 1.5 | control line |
| 1020042 | Servo cable |
| 72400000 | MALE RESOLVER |
| 4160114K | 2.1M standard single-pole cable |
| 4160214K | 2.1M standard single-pole cable |
| 4160314K | 2.1M standard single-pole cable |
| 61713007 | |
| 61713005 | |
| 61713000 | |
| 61713016 | |
| 61713021 | |
| 61713022 | |
| 10194000 / H-BE 16 SS DR | Connector |
| 15331052 | railway line |
| 15331001 | railway line |
| 52107010 / SKINDICHT SHVE-M 25X1.5/21/16/13 | metric brass cable gland |
| 1020022 | |
| 0041047 | flat cable |
| 0041052 | flat cable |
| 0037012 | Motor connection cable |
| 1119316 | control line |
| 0027615 / ÖLFLEX® FD 855 CP | Cable |
| 52106950 | Cable gland |
| 52107000 | Cable gland |
| H05V-K 0,5 | |
| 302003STP | Low frequency data line |
| 54115240 | Cable gland |
| 0035812 | Low frequency data line |
| 0028603 | pilotage |
| 0027641 / ÖLFLEX FD 855 CP 18G1 | wires |
| 0027610 / ÖLFLEX FD 855 CP 12G0,5 | wires |
| 0027641 ÖLFLEX FD 855 P 18*1 MM | wires |
| 1020121 | Encoder line |

| Product | Description |
|---|---|
| 1026516 | Single core line |
| 19111000 | grommet housing |
| 19123000 | grommet housing |
| 53112116 | cable screw connection |
| 0037704 | data cable |
| 10019933 | control line |
| 10019971 | low voltage cable |
| 70002702 | pilotage |
| 1591150 | cable |
| 0031321 / Li2YCY | |
| 130 H 5G0,75 (1000m) | |
| 130 H 12G0,75 | |
| 130 H 7G0,75 | |
| ASI LD (G) YE 2x2.5 | |
| ASI LD (G) BK 2x2.5 | |
| 130 H 5G0,75 (600m) | |
| 6180 6640 | parallel-corrugated slotted protective hose |
| 2170270 / UNITRONIC(R) BUS CAN (2X2X0,75) | bus line |
| 52020523 | aperture |
| 7038895 | |
| UNITRONIC BUS PB 1X2X0.64 /50m | Fieldbus cable |
| Öfflex Classic 110CY 3G x 1 | control line |
| 61724510 | retainer |
| 61716700 | HOTY shrink tube |
| P/N: 53112681, Type: SKINTOP® MS-M BRUSH / SKINTOP® MS-M BRUSH XL | cable screw |
| P/N: 53112500, Type: SKINTOP® MS-M BRUSH / SKINTOP® MS-M BRUSH XL | cable screw |
| P/N: 61803360, Type: KRF tubular cable lugs | cable shoe |
| P/N: 61803330, Type: KRF tubular cable lugs | cable shoe |
| P/N: 52101979, Type: SKINDICHT® MR-M hex. | Reducing |
| 0041042 | Cable |
| 0042003 | Medium/high voltage cable Low voltage cable |
| P/N: 1119304, Type: ÖLFLEX® CLASSIC 110 | control line |
| 0034405 | data cable |
| 0026324 | Control cable |
| 1119318 | Control cable |
| 0028662 | data cable |
| 00124823 | Connection cable |
| P/N: 1313241, Type: ÖLFLEX® CLASSIC 400 CP | control line |
| 0127062 | Öfflex Classic 110 CY 2x1 sold by the metre |
| 0122318 | Öfflex FD 855 CP 4G1.5 sold by the metre |
| 0127105 | Öfflex Classic 110 3x0.5 100 meters |
| 7500022 | H07V-K 1x16 GNYE 100 meters |
| 10344100 / MCS-HC 2 | high-power module |

| Product | Description |
|---|--------------------------|
| 10345100 / MCB-HC 2 | high-power module |
| 1119605 | Wire |
| 53111530 | Cable gland |
| 53019050 | Nut |
| 53119050 | Nut |
| 29430089 | |
| P/N: 10439000, Type: EPIC® H-A 10 TBF-LB | Cable coupler hood |
| 52032520 | CHROME CABLE GLAND |
| 52032540 | CHROME PLATED TOW GLAND |
| 0034508 | Low frequency data line |
| 4510011 | cable |
| 53111020 | cable gland |
| 53119023 | locknuts |
| 16001313 / H07RN-F-5G6 | wires |
| 0022408 | pilotage |
| 27960 / FD796 CP 4G2.5+(2x1.5)mm2 | |
| 44429311 EPIC LS 1.5D6 | CABLE CONNECTOR |
| 0027553 | OLFLEX CABLE |
| 4150500 | wires |
| 4150605 | wires |
| 4150901 | wires |
| 4151301 | wires |
| 4510041 | low voltage cable |
| P/N: 1121235, Type: ÖLFLEX® CLASSIC 110 CY BLACK 0,6/1 kV | Cable |
| P/N: 1121397, Type: ÖLFLEX® CLASSIC 110 CY BLACK 0,6/1 kV | wires |
| 1123140 - ÖLFLEX® CLASSIC 130 H 3G2,5 | wires |
| 1119118 | wires |
| EPIC MH 4/ 44423216 | industrial socket |
| 0091311 | pilotage |
| 0026351 / ÖLFLEX FD CLASSIC 810 P 4G1,5 | |
| 0027872 / UNITRONIC FD 4x0,34 | Low-frequency data cable |
| 0027856 / UNITRONIC FD 3x0,25 | Low-frequency data cable |
| 2170894 | Cable |
| Unitronic Li2YCY(TP)2x2x0,5 | Cable |
| 1027922 | control cable |
| 1121391 / OLFLEX CLASSIC 110 CY BK 0,6/1KV 4G70 | Cable |
| 0034402 | Wire |
| 1125303 | control line |
| 0027970 | Servo cable |
| LIF2Y11Y / 73220351 | |
| 4515052/ H05V2-K | |
| 4519012/ H07V2-K | |
| 4519042/ H07V2-K | |
| 0028663/ UNITRONIC® FD P plus A | |
| 0044732/ UNITRONIC® LIYCY A | |

| Product | Description |
|---|--|
| 0028406/ UNITRONIC® LiYY | |
| 0028667/ UNITRONIC® FD P plus A | |
| 53112534 | Cable gland |
| 53015150/ SKINTOP® ST / SKINTOP® STR | Cable gland |
| 61713040 | tape |
| 720224FX | Power entry connector |
| 0029625 | PUR ROBOT CABLE |
| 0028654 | DATA CABLE (CONTROL CABLE) |
| 4510021 | CABLE |
| 0034804 / LIYCY 4X1 | data line |
| 52006130 | blind plug |
| 53111030 | cable fitting |
| 00460093 / ÖLFLEX® HEAT 180 SiHF | |
| 0046014 / ÖLFLEX® HEAT 180 SiHF | |
| 00460153 / ÖLFLEX® HEAT 180 SiHF | |
| 1119902 | control line |
| 1120342 | control line |
| 10035067 | control line |
| 1135804 / ÖLFLEX® CLASSIC 110 CY 4X0.75 | PVC control cable, shielded, with transparent external coating |
| 4160700 / ÖLFLEX® WIRE MS 2.1 | Cable |
| 4160402 / ÖLFLEX® WIRE MS 2.1 | |
| 4160406 / ÖLFLEX® WIRE MS 2.1 | |
| 4160403 / ÖLFLEX® WIRE MS 2.1 | ÖLFLEX LAPP cable |
| 4520014 / H07V-K 1X6 BK | ÖLFLEX LAPP cable |
| 4521018 / H07V-K 1X185 BK | single core |
| 4161006 / ÖLFLEX® WIRE MS 2.1 | Power cable |
| 4160600 / ÖLFLEX® WIRE MS 2.1 | control cable |
| 2170893 | Ethernet line |
| 1600198 / HO7RN-F | connection line |
| 52103320 / SKINDICHT® SM-PE-M | Nut |
| 0035832 / UNITRONIC® LiYCY (TP) | |
| 4725043 | Cable |
| 4725091K | Cable |
| 4725111K | Cable |
| 4725141K | Cable |
| 4725121 | Cable |
| 4725031 | Cable |
| 4726042 | Cable |
| 4726043 | Cable |
| 4726003 | Cable |
| 4725003 | Cable |
| 4725001K | Cable |
| 4126006S | CONTROL CABLE (DATA CABLE) |
| 4126001S | CONTROL CABLE (DATA CABLE) |

| Product | Description |
|---|---|
| 4126003S | CONTROL CABLE (DATA CABLE) |
| 1119205/ OLFLEX(R) CLASSIC 110 | Control cable |
| 0158507 NiCr/Ni | |
| H05VVC4V5-K | |
| H05VV5-F (3x1.5) | |
| H05VV5-F (5x 1.5 mm) | |
| 61711710/ SILVYN(R) FPS 16X21 25M.GY | |
| 61711670/ SILVYN(R) FPS 15X19 25M.GY | |
| ÖLFLEX CLASSIC 110 CY 7G0.5 | multicore cable |
| ÖLFLEX CLASSIC 110 CY BK 0.6/1KV 4G1.5 | multicore cable |
| 2170272 | |
| 2170270 | |
| 1119512 | Control cable |
| 0045225 | |
| 1119403 | wires |
| 2170222 | |
| 0026235 | Control cable |
| 0028145 | Robotic cable |
| 0091315 | connection line |
| 700540 / TOPGEBER(R) 512 PUR - Siemens green 3x(2x0,14)+4x0,14+4x0,25+2x0,5 mm² | Cable |
| 2027505 | POWER AND CONTROL CABLE |
| 1123232 | Cable |
| 0027547 | Cable |
| ÖLFLEX® CLASSIC 110 / 1119210 | Control cable |
| ÖLFLEX® CLASSIC 110 / 1119303 | Control cable |
| ÖLFLEX® CLASSIC 110 / 1119236 | Control cable |
| ÖLFLEX® CLASSIC 110 / 1119212 | Control cable |
| 53015010 // PG9 | cable fitting |
| 53015020 // PG11 | cable fitting |
| 53015030 // PG13.5 | cable fitting |
| 53015040 // PG16 | cable fitting |
| 53015050 // PG21 | cable fitting |
| 53015060 // PG29 | cable fitting |
| 53015070 // PG36 | cable fitting |
| 4512423S | pilotage |
| 0047000/ OLFLEX(R) HEAT 180 SiF | |
| 52103125 | |
| 70002634 | Cables: spiral; ÖLFLEX® SPIRAL 400 P; 4G0.75mm²; PUR |
| 10090000 / H-B 16 TG 29 | |
| 1135205 / OLFLEX CLASSIC 110 CY 5G1 | Control cable |
| 1135203 / OLFLEX CLASSIC 110 CY 3G1 | Control cable |
| 1135207 / OLFLEX CLASSIC 110 CY 7G1 | Control cable |
| 0026152/ OLFLEX(R) CLASSIC FD 810 | Control cable |

| Product | Description |
|--|----------------|
| 1119209/OLFLEX(R) CLASSIC 110 | Control cable |
| 21700605 / ED-IE-AX-5-PN-20-FC | data connector |
| 1600120 / H07RN-F-3G6 | cable |
| 61735820 | stripper |