



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Serto

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
2X70955 / 018.2700.120 / SO 42721-12	Brass M, angle bulkhead (5mm)
128.3000.060 / SO 23021-6	PVDF, T-Verschraubung
168.2600.060 / SO 32621-6-A6	Adjustable elbow fitting
P/N: 056.0031.140 Type: SO 50003-8-6	056.0031.140, stainless steel (1.4404), support sleeve
SO 51121-10-1/4 NPT (058.1102.270)	screw-in fitting
SO 53021-10 / 058.3000.100	Ring compression fitting
431.0405.000	PTFE tube, natural
128.1000.100	PVDF, straight fitting
018.1101.400 / SO 41121-12-1/2	
168.1101.110	PA, Gerade Einschraubverschraubung
128.1102.100	PVDF, Gerade Einschraubverschraubung
128.2402.100	PVDF, Winkel-Einschraubverschraubung
128.3701.100	PVDF, T-Einschraubverschraubung
126.0010.060 / SO 20001-6	PVDF, clamp ring
126.0100.060	PVDF, Raendelmutter
128.1101.110	PVDF, Gerade Einschraubverschraubung
128.3000.060	PVDF, T-Verschraubung
166.0100.060	PA, Raendelmutter
126.0010.080 / SO 20001-8	PVDF, clamping ring
126.0010.100 / SO 20001-10	Compression ferrule
128.1500.060 / SO 21521-6	PVDF, straight bulkhead fitting
P/N: 128.2401.110 Type: SO 22421-6-1/4	Elbow screw-in fitting
128.1101.110 / SO 21121-6-1/4	screw-in fitting
P/N: 128.1161.110 Type: SO 21124-6-1/4	Straight screw-in fitting
p/n: 128.1101.100; Type: SO 21121-6-1/8	Straight screw connection
SO 40001-12 (016.0010.120)	Klemmring
016.0014.110 / SO 40001-6-4	Klemmring
016.0030.140 / SO 40003-8-6	Klemmring
SO 40003-10-8 (016.0030.190)	Stiffener sleeve
016.0030.030 / SO 40003-4-2	support sleeve
016.0030.110 / SO 40003-6-4	Stiffener sleeve
SO 40003-8-6 (016.0030.140)	Stützhülse
016.0030.190 / SO 40003-10-8	support sleeve
SO 40003-12-10 (016.0030.240)	Stützhülse
SO 40003-18-16 (016.0030.620)	Stützhülse
SO 40001-4 (016.0010.040)	Klemmring

Product	Description
SO 40001-6* (016.0010.060)	ferrule
SO 40001-8* (016.0010.080)	Compression ferrule
SO 40001-10* (016.0010.100)	ferrule
SO 40001-12 * Art.-Nr.: 016.0010.120	Klemmring
SO 40001-18 (016.0010.180)	Klemmring
SO 81121-15-1/2 (038.1101.534)	
016.0030.020 / SO 40003-3-2	Stiffener sleeve
SO 40003-3-2,4 (016.0030.024)	Stiffener sleeve
128.1102.100 / SO 21121-6-1/8 NPT	NPT straight screw-in fitting
p/n: 126.0010.060; Type: SO 20001-6	ferrule
P/N: 126.0100.060, Type: SO20020-6	Knurled connection nut
148.1010.060	control valve
42625-18-A18	elbow fitting
SO 41221-15-3/4	
SO 40005-15-3/4 (1x20)	
SO 41124-15-1/2 OR	
SO 40002-15	
SO 40020-15	
068.1010.060	Nadelventil
496.5100.166	
078.1141.280	
068.3010.100	
451.1006.350.15	
018.1101.110	
018.1101.170	
018.1101.180	
018.1101.280	
018.1101.390	
018.1101.400	
016.0010.060	
016.0010.080	
016.0010.100	
016.0010.120	
016.0210.060	
016.0210.080	
016.0210.100	
016.0210.120 / SO 40021-12	Nut connection
016.0030.110	
016.0030.140	
016.0030.190	
016.0030.240	
P/N: 028.1600.110 Type: SO NV 41A21EB-6-1/4	regulator angle valve
P/N: 028.0500.100 Type: SO NV 41C21-10	
P/N: 028.0500.120 Type: SO NV 41C21-12	
P/N: 028.0000.100 Type: SO NV 41A21-10	valves

Product	Description
P/N: 028.0000.120 Type: SO NV 41A21-12	
P/N: 068.0020.100 Type: SO NV 51A21E-10	
421.1300.105	Polyamide tube (PA)
421.1555.103	
036.0010.080	
036.0010.150	
036.0030.140	
036.0030.430	
036.0200.080	
036.0200.150	
038.1101.170	
038.1171.170	
038.1020.080	
246.0200.170	Anschlussmutter
246.0010.080	Compression ferrule
P/N: 128.1101.280, Type: SO 21121-10-3/8	Straight screw-in fitting
P/N: 258.7200.060 Type: SO NV 01C21-6	
P/N: 258.7100.060 Type: SO NV 01A21-6	
P/N: 068.0023.084 Type: SO NV 51A40E-5-1/4	
P/N: 053.0301.100 Type: SO 50030-6-1/8	
P/N: 056.0301.170 Type: SO 50030-8-1/4	
P/N: 248.2401.060 Type: SO 02421-4-1/8	
P/N: 016.0030.030 Type: SO 40003-4-2	
P/N: 016.0030.110 Type: SO 40003-6-4	
P/N: 016.0030.140 Type: SO 40003-8-6	
P/N: 016.0030.190 Type: SO 40003-10-8	
P/N: 016.0030.240 Type: SO 40003-12-10	
P/N: 016.0030.620 Type: SO 40003-18-16	
016.0010.040 / SO 40001-4	
016.0010.060 / SO 40001-6	ferrule
P/N: 016.0010.080 Type: SO 40001-8	
016.0010.100 / SO 40001-10	
P/N: 016.0010.120 Type: SO 40001-12	
P/N: 016.0010.180 Type: SO 40001-18	
128.2401.100 / SO 22421-6-1/8	Elbow screw-in fitting
P/N: 058.1101.400, Type: SO 51121-12-1/2	Male adaptor union
P/N: 058.3201.380, Type: SO 53221-12-1/4-12	Tee union with female adaptor
P/N: 058.1020.120, Type: SO 51021-12	Straight union
P/N: 068.8000.120, Type: SO BV 58D21-12	Ball valve
P/N: 058.2000.120, Type: SO 52021-12	Elbow union
056.1601.390 / SO 51600-A12-3/8	Adjustable male adaptor
P/N: 058.3201.390, Type: SO 53221-12-3/8-12	Tee union with female adaptor
P/N: 058.2101.380, Type: SO 52121-12-1/4	Elbow union with male adaptor
P/N: 058.3201.400, Type: SO 53221-12-1/2-12	Tee union with female adaptor
P/N: 058.2600.120, Type: SO 52621-12-A12	Adjustable elbow union

Product	Description
P/N: 058.2102.380, Type: SO 52121-12-1/4 NPT	Elbow union with male adaptor NPT
P/N: 058.1101.380, Type: SO 51121-12-1/4	Male adaptor union
SO 80002-6	gudgeon
036.0210.060 / SO 80021-6	Valve attachment
SO 81021-6	Straight screw connection
SO 81121-6-1/8	Straight screwed connection
SO 81121-6-1/4	Straight screwed connection
SO 81221-6-1/8	Straight screwed connection
SO 81221-6-1/4	Straight screwed connection
SO 81600-A6-1/8	adjustable nipple
SO 81600-A6-1/4	adjustable nipple
SO 82021-6	elbow
SO 82621-6-A6	Setting angle
SO 83021-6	T-fitting
SO 83621-6-A6-6	Adjustable T-fitting
SO 83621-A6-6-6	Adjustable L-fitting
SO 84021-6	cross fitting
450.1006.200.15	precision tubes
P/N: YBD.0H99.0040 Type: PDCP-4 (1/4)	
P/N: YBD.0H53.2040 Type: S-PHN4-1/4 NPSi	
P/N: S-PHN4-G1/4 i Type: YBD.0H53.1040	
056.0031.240 / SO 50003-12-10	Stiffener sleeve to reinforce tubes
P/N: 058.1024.755 Type: SO 51021-22-18	Straight reduction union
P/N: 058.1800.580 Type: SO 51821-A18-12	Reduced union
018.0520.154 / SO 40526-A8-8	Hose nozzle pre-assembled
P/N: 018.0520.140 Type: SO 40526-A8-6	Hose nozzle pre-assembled
P/N: 248.2101.160 Type: S002121-8-1/8	
P/N: 038.2401.170 Type: S082421-8-1/4	
P/N: 038.2401.160 Type: S082421-8-1/8	
TAC.850.0000	
SO 21124-8-3/8 OR (128.1171.180)	Gerade Einschraubverschraubung
SO 21124-8-1/4 OR (128.1171.170)	Gerade Einschraubverschraubung
148.1010.060 / SO NV 22A21-6	Regulating valve
P/N: 028.0500.080 Type: SO NV 41C21-8	
450.1006.300.15	
P/N: 128.1161.120 Type: SO 21124-6-3/8	
P/N: 128.1161.390 Type: SO 21124-12-3/8	
P/N: 128.1161.125 Type: SO 21124-6-1/2	
P/N: 128.1161.185 Type: SO 21124-8-1/2	
P/N: 128.1161.400 Type: SO 21124-12-1/2	
P/N: 168.3600.060 Type: SO 33621-6-A6-6	
P/N: 056.0010.080 Type: SO 50001-8	compression ferrule
P/N: 056.0014.190, Type: SO 50001-10-8	reduction compression redulle
028.2100.270	
126.0010.120 / SO 20001-12	Compression ferrule

Product	Description
016.0010.080 / SO 40001-8	
128.2401.270 / SO 22421-10-1/4	
P/N: 128.1101.270, Type: SO 21121-10-1/4	straight screw-in fitting
P/N: 016.0010.150 Type: SO 40001-15	
016.0210.150 / SO 40021-15	Valve connection
018.1101.270 / SO 41121-10-1/4	Straight screw-in fitting
068.0014.400	Valve
068.0014.110	Valve
056.0031.230 / SO 50003-12-9	Stiffener sleeve to reinforce tubes
SO 50021-12	
P/N: 168.1000.060, Type: SO 31021-6	Straight screw connection
P/N: 166.0010.060, Type: SO 30001-6	ferrule
166.0010.080 / SO 30001-8	ferrule
166.0010.100 / SO 30001-10	ferrule
166.0020.060 / SO 30002-6	
168.1101.110 / SO 31121-6-1/4	Straight male stud fitting
168.1101.160 / SO 31121-8-1/8	Straight screw-in fitting
168.1101.270 / SO 31121-10-1/4	Straight screw-in fitting
168.2401.100 / SO 32421-6-1/8	Angle screw-in fitting
P/N: 168.2401.110, Type: SO 32421-6-1/4	Elbow screw-in fitting
168.3000.060 / SO 33021-6	
168.3000.080 / SO 33021-8	
168.3000.100 / SO 33021-10	
168.3000.120 / SO 33021-12	
SO 21021-8	bulkhead
P/N: 128.1101.160, Type: SO 21121-8-1/8	Male adaptor union
P/N: 128.1101.170, Type: SO 21121-8-1/4	Male adaptor union
P/N: 128.2401.170, Type: SO 22421-8-1/4	Elbow screw-in fitting
128.3000.080 / SO 23021-8	
018.1020.060 / SO 41021-6	Straight screw connection
018.1020.080 / SO 41021-8	Straight screw connection
018.1020.100 / SO 41021-10	
018.1020.040 / SO 41021-4	
018.1101.100 / SO 41121-6-1/8	
018.1101.110 / SO 41121-6-1/4	Straight screw-in fitting
018.1101.160 / SO 41121-8-1/8	Straight screw-in fitting
018.1101.170 / SO 41121-8-1/4	Straight screw-in fitting
018.2000.060 / SO 42021-6	elbow fitting
018.2000.080 / SO 42021-8	Elbow screw connection
018.2000.100 / SO 42021-10	
018.2000.040 / SO 42021-4	
018.2401.100 / SO 42421-6-1/8	
018.2401.110 / SO 42421-6-1/4	
P/N: 018.2401.160, Type: SO 42421-8-1/8	screw-in elbow
018.2401.170 / SO 42421-8-1/4	

Product	Description
018.2401.270 / SO 42421-10-1/4	Elbow screw-in fitting
018.2401.060 / SO 42421-4-1/8	
138.1500.060 / SO NV 31A21E-6	Control angle valve
028.0000.080 / SO NV 41A21-8	ball valve
028.2100.390 / SO NV 41C21EB-12-3/8	fine adjustment angle valve
058.1500.060 / SO 51521-6	
056.0500.110 / SO 50503-A6-4	
016.0020.120 / SO 40002-12	Locking pin
2X40642 / SO 42421-12-1/4	Elbow screw connection
018.1020.120 / SO 41021-12	Straight screw connection
018.1320.120 / SO 41325-A12	Adjustable screw connection
128.1201.125 / SO 21221-6-1/2	female adaptor union
40002-12	Plug
42421-12-1/4	Male adaptor elbow union
41021-12	Straight screw connection
41325-A12	Adjustable screw connection
056.0015.190	Compression ferrule with integrated stiffener sleeve
128.1102.110 \ SO 21121-6-1/4 NPT	ferrule
018.1143.020 / SO 41124-2-M5	
058.2401.110	
056.1300.120	
056.1310.120 / SO 51304-A12	Tube stub
056.0014.420	
058.3000.150	
056.0201.400	
056.0010.100	
056.0031.180	
p/n: 168.1800.175, Type: SO 31821-A10-6	reduction-adjusting fitting
SO 40003-12-9 Art.-Nr.: 016.0030.230	support sleeve
TAD.5134.044	transition nipple
TAD.5124.104	Male adaptor
TAD.5135.044	Male adaptor
TAD.5125.104	transition nipple
246.0200.534	connecting nut
056.0012.140 / SO 50001-8-6 D	ferrule
016.0014.140 / SO 40001-8-6*	Reduced clamping ring
246.0010.080 / SO 00001-8	Compression ferrule
016.0200.080 / SO 40020-8	Union nut
SO 51300-A8 / 056.1300.080	connecting nipple
SO 50001-15-12/ 056.0014.420	Reduced clamping ring
SO 50001-12/ 056.0010.120	ferrule
018.3000.150 / SO 43021-15	Connector T
128.1101.100 / SO 21121-6-1/8	Straight screw-in fitting
SO 21521-8	bulkhead
SO 21221-8-1/2	

Product	Description
SO 21221-8-1/4	
P/N: 128.1101.185, Type: SO 21121-8-1/2	Straight screw-in fitting
258.7100.080 \ SO NV 01A21-8	regulating valve
068.0011.100 / SO NV 51A21-10	regulating valve
431.0300.010	
P/N: 058.1141.160, Type: SO 51124-8-1/8	
128.1000.080 / SO 21021-8	Straight fitting
018.1171.646 / SO 41124-18-1/2 OR	
016.0014.240 / SO 40001-12-10	Reduction compression ferrule
246.0210.110	clutch
3.1 certificate	
P/N: 128.1171.170, Type: SO 21124-8-1/4 OR	Straight male stud fitting
128.1171.180 / SO 21124-8-3/8 OR	Straight male stud fitting
P/N: 128.1171.380 Type: SO 21124-12-1/4 OR	Straight male stud fitting
P/N: 128.1171.110 Type: SO 21124-6-1/4 OR	Straight male stud fitting
P/N: 128.1171.120 Type: SO 21124-6-3/8 OR	Straight male stud fitting
P/N: 128.3000.060, Type: SO 23021-6	T-fitting
058.1151.125 / SO 51124-6-1/2 D	thermocouple screw connection
058.1102.534 / SO 51121-15-1/2 NPT	screw-in fitting
SO 42824-6-1/8	swivel fitting
248.1201.185 / SO 01221-8-1/2	straight screw-on fitting
248.1020.080 / SO 01021-8	straight screw connection
248.1201.400 / SO 01221-12-1/2	straight screw-on fitting
248.1020.120 / SO 01021-12	straight screw connection
P/N: 248.2401.160, Type: SO 02421-1-1/8	screw-in elbow
P/N: 018.1141.160, Type: SO 41124-8-1/8	straight screw-in fitting
P/N: 248.1101.160, Type: SO 01121-8-1/8	straight screw-in fitting
056.0210.060 / SO 50021-6	faucet connection
028.0000.040 / SO NV 41A21-4	regulating valve
P/N: 148.3010.100, Type: SO CV 23B21-10	cone check valve
P/N: 126.0301.270, Type: SO 20030-10-1/4	transition sleeve
P/N: 128.3201.270, Type: SO 23221-10-1/4-10	T-fitting
018.2000.150 / SO 42021-15	Elbow fitting
018.2000.220 / SO 42021-22	Elbow fitting
018.3000.350 / SO 43021-35	T-fitting
018.2600.150 / SO 42621-15-A15	Adjustable elbow fitting
018.3000.220 / SO 43021-22	T-fitting
016.0020.220 / SO 40002-22	Terminals
018.2501.768 / SO 42521-22-3/4	Angle screw-on fitting
018.1201.534 / SO 41221-15-1/2	Straight screw connection
018.1101.768 / SO 41121-22-3/4	Straight screw-in fitting
016.0500.430 / SO 40503-A15-13	hose nozzle
016.0500.760 / SO 40503-A22-19	hose nozzle
018.2600.350 / SO 42621-35-A35	Adjustable elbow fitting
018.2600.220 / SO 42621-22-A22	Adjustable elbow fitting

Product	Description
056.0020.100 / SO 50002-10	End pin
058.1143.155 / SO 51124-6-M5	screw-in fitting
058.1101.280 / SO 51121-10-3/8	Male adaptor union
058.1500.100 / SO 51521-10	Straight bulkhead fitting
058.1500.080 \ SO 51521-8	
058.1504.175 / SO 51521-10-6	bulkhead fitting
058.1400.080 / SO 51429-8	welding fitting
058.2600.080 / SO 52621-8-A8	Adjustable elbow fitting
128.3000.100 / SO 23021-10	T-connector
058.1153.068	Thermo sensor screw connection
016.0210.100 / SO 40021-10	Valve connection
P/N: 126.1601.110, Type: SO 21600-A6-1/4	adjustment nipple
246.0010.120 / SO 00001-12	ferrule
246.0010.095 / SO 00001-9,52	ferrule
016.0010.079 / SO 40001-7,94 *	ferrule
016.0010.063 / SO 40001-6,35 *	ferrule
P/N: TAD.5111.228, Type: AD HN 50-1/2 NPT-1/2 NPT	double nipple
P/N: 128.2402.280, Type: SO 22421-10-3/8 NPT	NPT angle screw-in fitting
P/N: TAD.5070.020, Type: AD HSP 50-1/8	Screw plug G
P/N: 128.1171.060, Type: SO 21124-4-1/8 OR	Straight screw-in screw
P/N: 128.1171.270, Type: SO 21124-10-1/4 OR	Straight screw-in fitting
P/N: 126.0411.102, Type: SO 20041-1/4-1/8	G-R transition nipple
P/N: 128.2600.100, Type: SO 22621-10-A10	Adjustable elbow fitting
028.1500.150 / SO NV 41A21E-15	Regulating angle valve
018.1320.220	Adjustable screw connection
431.0300.000 / PTFE 8/6x1, 50m	polytetrafluoroethylene tube (PTFE)
431.0350.000 / PTFE 10/8x1, 50m	polytetrafluoroethylene tube (PTFE)
TFP.311.0612 / FP 31150-6-1/4	screw-in connection
TFP.311.0613 / FP 31150-6-3/8	screw-in connection
TFP.311.0812 / FP 31150-8-1/4	screw-in connection
TFP.311.0813 / FP 31150-8-3/8	screw-in connection
TFP.311.1012 / FP 31150-10-1/4	screw-in connection
168.1101.100 / SO 31121-6-1/8	Straight screw-in fitting
016.0214.140 / SO 40021-8-6	Valve connection
016.0210.060 / SO 40021-6	Valve connection
SO 31121-6-1/8 NPT	male connector
SO 41821-18-12	
SO BV 48A05 / TKH.478.5111	mini ball valve
168.1102.270 / SO 31121-10-1/4 NPT	Straight screw-in fitting
056.1601.285 / SO 51600-A10-1/2	adjustable male adaptor
028.1500.080 / SO NV 41A21E-8	elbow regulating valve
016.0210.080 / SO 40021-8	Valve connection
148.3010.080 / SO CV 23B21-8	cone check valve
148.8110.080 / SO BV 28A21-8	shut-off valve
148.1010.080 / SO NV 22A21-8	control valve

Product	Description
SO NV 41A21-6/ 028.0000.060	control valve
148.1500.080	
SO500015	ferrule
018.2620.195	Adjustable elbow fitting pre-assembled
016.0210.220	valve connection
058.1101.270 / SO 51121-10-1/4	Male adaptor union
058.1141.400	
P/N: 018.2620.220, Type: SO 42421-17-1/2	Adjustable elbow fitting pre-assembled
P/N: 018.2401.596, Type: SO 41221-17-1/2	Straight screw-on fitting
SO 52621-8-A8 / 058.2600.080	
SO 50021-8-6 / 056.0214.140	
SO 50003-8-6 / 056.0031.140	
SO 50001-8-6 FIX / 056.0015.140	ferrule
SO 52021-12-6 / 058.2004.215	
SO 50003-10-8 / 056.0031.190	
P/N: 018.1201.596, Type: SO 41221-17-1/2	Straight screw-on fitting
SO 52021-12-10 / 058.2004.240	
SO 50021-8-6.35 / 056.0214.143	
SO 30020-6 / 166.0100.060	Knurled connection nut
SO 31300-6-A6 / 166.1300.060	
SO 80503-A6-8 / 036.0500.121	
SO 80503-A8-8 / 036.0500.154	
SO 80503-A6-6 / 036.0500.122	
SO 80503-A8-6 / 036.0500.140	
SO 80021-8 036.0210.080	
SO 80021-6 036.0210.106	
SO 80021-10 036.0210.100	
SO 80020-8 036.0200.080	
SO 81121-8-1/8 038.1101.160	
SO 80503-A10-8 0.360500.190	
SO 80021-10-8 036.0214.190	
SO 40020-6 (016.0200.060)	Connection Nut
420.0350.405	
420.0300.505	
420.0200.505	
018.2101.170 / SO 42121-8-1/4	Elbow fitting
018.2101.270 / SO 42121-10-1/4	Elbow fitting
016.0012.060 / SO 40001-6 D	Compression ring
016.0012.080 / SO 40001-8 D	Compression ring
420.0100.205 / LDPE 4/2x1 S. 100m	Tubing
420.0200.205 / LDPE 6/4x1 S. 100m	Tube
420.0300.205 / LDPE 8/6x1 S. 100m	Tube
420.0350.205 / LDPE 10/8x1 S. 50m	Tube
016.0711.020 / AD SP 40-1/8	Screw plug R
SO 42424-3-M5 / 018.2443.050	angle screw-in fitting

Product	Description
016.1001.060 / SO 41001-4-1/8	Nipple connection
P/N: 016.0015.110, Type: SO 40001-6-4 FIX	Clamping ring with integrated support sleeve
058.2841.170 / SO 52824-8-1/4	Single banjo
018.0520.122 / SO 40526-A6-6	Pre-assembled hose grommet
TAD.4000.020 / AD HCP 40-1/8	Pipe cap G
TAD.4000.040 / AD HCP 40-1/4	Pipe cap G
TAD.4020.020 / AD HP 40-1/8	Locking screw R
TAD.4020.040 / AD HP 40-1/4	Locking screw R
016.0711.040 / AD SP 40-1/4	Locking screw R
TAD.5124.166	G-NPT transition nipple
P/N: 058.2401.160, Type: SO 52421-8-1/8	Elbow screw-in fitting
P/N: 248.2402.160, Type: SO 02421-8-1/8 NPT	NPT angle screw-in fitting
P/N: 036.0411.042, Type: AD A 80-1/8-1/8	G-R adapter
P/N: 148.3010.080, Type: SO CV 23B21-8	cone check valve
SO CV 23B21 08	
126.0100.080 / SO 20020-8	Union nut knurled
P/N: 056.0031.110, Type: SO 50003-6-4	support sleeve
P/N: 128.2401.330, Type: SO 22421-10/7-3/8	Elbow screw-in fitting
058.2600.063 / SO 52621-6-A8	Adjustable elbow fitting
016.0210.220 / SO 40021-22	faucet connection
016.0030.775 / SO 40003-22-20	support sleeve
SO 31121-12-3/8/ 168.1101.390	Straight screw-in fitting
SO 31121-10-3/8/ 168.1101.280	Straight screw-in fitting
058.1101.390 / SO 51121-12-3/8	Straight screw-in fitting
058.2700.120 / SO 52721-12	Angled bulkhead fitting
058.3000.120 / SO 53021-12	T-fitting
056.0063.345	Hexagon nut METR
168.1102.170 / SO 31121-8-1/4NPT	Male adaptor union NPT
128.1171.185 / SO 21124-8-1/2 OR	Straight screw-in fitting
128.1500.080 / SO 21521-8	Straight bulkhead fitting
128.1171.160 / SO 21124-8-1/8 OR	Straight bulkhead fitting
TAD.5124.224	Transitional nipple
TAD.5120.224	
018.1141.170 / SO 41124-8-1/4	Straight screw-in fitting
018.1141.270 / SO 41124-10-1/4	Straight screw-in fitting
SO 42824-6.0-1/8	Coupling
SO 42824-3.2-1/8	Coupling
168.1000.102 / SO 31021-10/7	Straight fitting
058.1020.030 (SO 51021-3)	
018.1540.220 / 41524-22	straight bulkhead fitting
018.3000.100 / SO 43021-10	T-fitting
P/N: 126.0010.160, Type: SO 20001-16	ferrule
P/N: 126.0100.100, Type: SO 20020-10	Union Nut Knurled
P/N: 126.0100.120, Type: SO 20020-12	Union Nut Knurled
P/N: 126.0100.160, Type: SO 20020-16	Union Nut Knurled

Product	Description
P/N: 128.1101.390, Type: SO 21121-12-3/8	Straight screw-in fitting
P/N: 128.1101.568, Type: SO 21121-16/13-3/4	Straight screw-in fitting
YBD.0H54.1062 / S-VHN6-G3/8 i-FKM	Nipple with female thread
P/N: 056.0200.080 Type: SO-50020-8	connector nut
058.1201.270 / SO 51221-10-1/4	Adapter
258.7420.060 / SO NV 01A21E-6	Regulating angle valve
SO 50503-A8-6	
056.0015.110 / SO 50001-6-4 FIX	ferrule
P/N: 058.1141.100, Type: SO 51124-6-1/8	Straight screw-in fitting
168.1101.170 / SO 31121-8-1/4	Straight screw-in fitting
988.8350.000 / AC 835	Tube-Cutty
166.0100.100 / SO 30020-10	Knurled connector nut
166.0100.080 / SO 30020-8	connector nut
P/N: 168.3701.110, Type: SO 33721-6-1/4-6	T-screw-in fitting
430.0300.004 / PVDF 8/6x1, 50m	Polyvinylide fluoride tube (PVDF)
430.0350.004 / PVDF 10/8x1, 50m	Polyvinylide fluoride tube (PVDF)
SO 31124-6-1/4 OR/ 168.1171.110	
12097400	
P/N: 036.0030.110, Type: SO 80003-6-4	Support sleeve for pipe reinforcement
P/N: 036.0010.060, Type: SO 80001-6	ferrule
12072230	
11016700	
11003200	
12013880	
P/N: 128.1101.120, Type: SO 21121-6-3/8	compression fittings
P/N: 128.1000.060, Type: SO 21021-6	Straight fitting Union double straight union
431.0050.000 / PTFE 3/2x0,5, 50m	Polytetrafluoroethylene tube (PTFE)
016.0210.030 / SO 40021-3	NUT CONNECTION
016.0214.060 / SO 40021-5-3	Reduction nut connection
P/N: 128.1101.285, Type: SO 21121-10-1/2	Straight screw-in fitting
SO 51429-12	
P/N: 128.1101.180, Type: SO 21121-8-3/8	male adapter union
056.0512.676 / SO 50511-19-1/2 NPT	NPT screw-in grommet
056.0512.678 / SO 50511-19-3/4 NPT	NPT screw-in grommet
246.0210.170 / SO 00021-8-1/4	Nut Connection
TKH.478.5112	mini ball valve
168.1102.280 / SO 31121-10-3/8 NPT	NPT straight screw connection
016.1300.220	
P/N: 058.2000.080, Type: SO 52021-8	Elbow fitting
P/N: 058.2401.170, Type: SO 52421-8-1/4	Elbow screw-in fitting
P/N: 058.1101.170, Type: SO 51121-8-1/4	Straight screw-in fitting
P/N: 016.0412.224, Type: AD A 40-1/2-1/4 NPT	G-NPT transition nipple
SO 31124-8-1/4 OR // 168.1171.170	Male adaptor union
056.0020.060 / SO 50002-6	Stainless Steel Plug
056.0020.080 / SO 50002-8	Stainless Steel Plug

Product	Description
056.0020.120 / SO 50002-12	Stainless Steel Plug
056.0020.150 / SO 50002-15	Stainless Steel Plug
056.0020.180 / SO 50002-18	Stainless Steel Plug
126.0641.106	Male threaded adaptor R
358.1208.001	Coupler with SERTO connection angled
358.6114.001	Nipple with female thread
148.1410.080	Elbow regulating valve
058.1101.180 / SO 51121-8-3/8	Male adaptor union
SO 41124-6-M5	Male adaptor union METR
128.3000.120 / SO 23021-12	
type SO 21021-10, Art. no.: 128.3000.100	Tee union
P/N: 128.1000.120, Type: SO 21021-12	Straight union
P/N: 128.1101.125, Type: SO 21121-6-1/2	Male adaptor union
P/N: 128.1101.380, Type: SO 21121-12-1/4	Male adaptor union
P/N: 128.1101.400, Type: SO 21121-12-1/2	Male adaptor union
116.0030.140	Stiffener sleeve
YBD.SPE.0001 / AC SPE-6	clamp