



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Trido

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

ncBRAND'Sc APOUD

SCoutde	AsidCp epo
P/N:218584T,C	xisc spring
36 1R4R/2	O ring
P 0T : 4R,2:N,C	O ring
36 1R4T15	O ring
P 0T : 5/ :5	O ring
P 0T : C0 :5	O ring
P 0T : T5 :5	O ring
A2R4C:T185C8NR	6ombined cycle counter
R1TC41	6ombined cycle count
R1T///	-niversal counter
V2121 :4CHC2H1,52	zpaltfilter
P 124:N/	9ocating unit
P 1R : NR:N1H N2	zquare guide bar
P 1T2:R2H5T:N	01 B 9O6Z zMzSE7
P 4102 :4NH C4: 1,R	lilter cartridge
P4411:C/85N	9inear ball bearing
P 4R : NR:N1	Duide retainer
NR0C1C	VeavyLduty lubricant
2T1T45	EUector pin
1/5221 PC1:5HC1	EUector pin
NRRT/1	7ultiple shutLoff coupling with valve
NRRT/	7ultiple shutLoff nipple with valve
P 0CN:4/ 3art.üo N5NC5N	zeal 3lug L metric
P 0C2:4	7ontage zet
P 0R2 : 5 H 4/1	item code 4TTC1N
P144:NC H 4/1	Duide column, with two fit diameters
N1C0TRT	9ocating unit
N1C0TR0	9ocating unit
N1C0TT1	9ocating unit
P41:5/:51	zoulder leader pin bushing
12RNN5	ä9ocating guide bush headed 4 setX5(4)
12RN54	ä9ocating guide bush headed 4 setX5(4)
4C50TR	7aterial filter
P4N4N	Füz-9ASFÜD zVEES
P42N1:N18/5:9:411	Velical üt, GightLVand Shread
P4/5 :41H4/1	3ressure sleeve

Product	Description
OGL 1000W 120	
28002238	
20880891	ballast
Art.N: 24138831	PC4-13 electronic ballast
87500507 / PC 1/36 TCL PRO	Electronic Ballast
28002300	constant current converter
22185148 \ PC 2x14-35 T5 PRO Ip	High Frequency Ballast
28001911 / LCA 100W 350-1050mA 2xDT8 Ip PRE	PRE LED DRIVER
28000673 / LCA 10W 150-400mA one4all SC PRE	LED-driver
87500225 \ LCI 35W 700mA	LED converter
28001953	
87500747	
28000672 / LCA 45W 500-1400mA one4all SR PRE	
87500781 LC 38/700/54 fixC Ip SNC2	
87500089 / ZRM 12-ES/CT	igniter
28001847 / DALI Interface RS232 PS/S	
PCA 2/26 TCD ECO/22084752	
LC 25W 350-600mA	Netzteil: Impuls; LED; 25W; 27÷44VDC; 350÷600mA; 198÷264VAC; IP20
28001920	35W 24V Constant Voltage LED Driver
89603341	
87500717 / LCO 90/200-1050/165 o4a NF C EXC3	led driver
28000876 / DALI PS2	power supply
87500744 / LC 40/900/45 FIXC SC SNC2	
28000882 / DSI-V/T	LUX CONTROL
22185100 / PCA 2x28/54 T5 ECO Ip Y II	
28002103 / LLE FLEX G1	LED module
28000022 \ DALI Touchpanel 02	
24166012	mains adapter x-touchPANEL
P/N: 28002774, Type: Accu-NiCd 5A 55	cell
89800564/21346035	EM converter
22185217 – PC236T8PRO-TR	
87500716	LED Driver
87500274	LED-Treiber
87500283	
87500578 / LC 10W 500mA fixC C SNC	constant current driver for luminaire installation
87500509 / PC 1/55 TCL PRO	
87500447 / LC50W 700mA fixC Ip SNC	
P/N: 28001250, Type: LCA 75W 250-550mA	LED driver
89800563	Emergency LED driver EM converter
P/N: 87500083, Type: ZRM 6-ES/C	
89800649	converterLED
87500995	LED drivers
89800650	EM converter

Product	Description
87500921 / LC 20W 100-1050mA 44V o4a NF SR EXC3	LED-Driver
PC 124T5PRO LP (22 087 891)	
PC154T5PRO LP (22 176 140)	
28000683	led driver
28002487 / LC 40W 900mA fixC SC ADV	
PCA236T8ECO-TR	
87500797	Driver
87500728	
89800574	
28003431 SLE G7	
28002087	
28002306	Power supply
87500726 / LC 50/250-400/140 o4a lp ADV	
20569782 / OMBIS 35 B103W 230-250/50 035A097T	ballast
PC 1x18W T8 TEC / 87500255	
28000674 / LCA 17W 250-700mA one4all SC PRE	Driver
87500994	Linear drivers
87500994 LC 50/200-350/170 flexC lp SNC4	
P/N:87500766 , Type: LC 50/1200/42 fixC SC SNC2	driver
28002465 / LC 38W 250-350mA flexC lp ADV	Ballast
28002269 / DALI-PCD 1-300 one4all G2	Phase and section dimmers
HF118-24L TRI	
28002214	lighting management
28002496 / LC 20W 350/500/700mA flexC SR ADV	driver
89800645 / EM converterLED PRO 305 MH/LiFePO4 250V	Self-contained emergency
89800574 / EM converterLED BASIC 203 NiCd/NiMH 250V	Emergency lighting LED driver for manual testing
87500782 / LC 57/1050/54 FIXC LP SNC2	
87500095 / ZRM 12-ES/C 400	Standard ignitor
28000510	LED Driver
28000508	Led driver
87500467 / LC 65W 700mA fixC lp SNC	Led luminaire ballast
28002053 / LCI 150W 325-1050mA 300V o4a sl PRE	Driver
28002467 / LC 71W 250-350mA flexC lp ADV	Driver
22088937 PC 2/18 TCD PRO	
87500258 PC 1x36 T8 TEC	
4014001	ballast
87500757	power supply
87500087 / ZRM 4.5-ES/CT	Digital overlay ignitor with timer
89800558	EM convert emergency lighting control unit
LC50W100	LED Driver
P/N: 28004411, Type: LC 55/350-1050/54 flexC NF h16 EXC4	Driver

Product	Description
P/N: 87500607, Type: LC 75W 350MA FIXC LP SNC	power supply
DFX 530-18 (7727.)	Power Supply electr.
24166332 / LCU 150/12 E020 120-240V	LED Driver
LC 25/350/71 fixC SC SNC2 (87500732)	
28002474 / LC 57W 800-1050mA flexC Ip ADV	LED Constant current LED driver for luminaire installation
28000681	power supply
87500292	Top Low Profile
TBS 4SCH1-5T4-SP34 / 89899692	Battery Pack
OGLI 2000W 160	
28002475	
87500665	
87500666	
137946HTC	
89805272	
913713028266	
913713028366	
1x21/39 T5 ECO IP 22185101	
P/N: 87500851, Type: LC 85/1200	LED-Treiber
89800385	Emergency lighting battery
LC 60W 24V SC SNC	
28000201 / LCI 65w 150mA-400mA TOP Ip	
28003375 / LC 25/200-350/70 flexCC Ip SNC3	Power supply
28000660 / LCA 75W 900-1800mA one4all Ip PRE	LED driver
P/N: 22176211, Type: PCA 3X14/24 T5 Eco Ip	electronic ballast
87500668	
BCS49.1FX-11/220-240	
Accu NiCd 4A 50	
28001808	
89603037	
87501098	
28002924	
22185216 / PC 2x18 T8 PRO Ip	
87500831	
89800092	
28002416	LED driver
87500752	Power supply
28001983	
87500783, Type: LC 75/1400/54 fixC Ip SNC2	LED switching power supply
28004038 / LCI 150W 250-1050mA pD NF h28 PRE4	Industry linear dimming
AD822 28003557	
LC 35W 24V SC SNC2	
28000039 / PCA 2X36W T8 ECO IP	Ballast
HF-P 249 TL5 HO III 220-240V 50/60Hz IDC	
913713034166	

Product	Description
89800432 / EM powerLED ST FX 103 SR NiCd 45W 50V	Combined emergency lighting LED driver
PACK-NiCd 4D	Battery pack
4350000	
4345000	
87500726 / LC 50W 250-400mA 140V o4a Ip ADV	power supply
AD148 28003377 LC 50/200-350/170 flexCC Ip SNC3	
28004618/ LED-Driver LC 40W 75-400mA 230V bDW NFC h16 PRE4	LED driver
DALI XC G3 CWM 30 DA2	Control module
AB516 28005113 LC 75/350-550/216 flexCC Ip SNC4e	LED driver
PC 1x38 - 34 HO DD COMBO / 89899933	
28000705	LED ballast
LC 25/500/43 fixC SR SNC2 / 87500751	
LLE G2 (28002916)	
LLE G2 (28002913)	
28004119 / LC 10/200-350/29 flexC Ip SNC4	Linear driver
89805277	Test switch
87500832 / LCO 90/200-1050/165 pD+ NF C PRE3	LED-Driver
AD820 28003555 LCO 75W 200-1400mA flexC 0-10V NF L SNC3	
ELTR04625	
28002472	LED-Driver LC 19W 250-350mA flexC Ip ADV
22 176 169	Ballast
23568729/Elpro ELB DALI T8 2X36W (QTIDAL - 20009012	