



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Utilcell

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

| Product | Description |
|---------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| 35913 | Mounting Accessories for Mod. 350 |
| Mod.190i | digital load cell |
| 46030 | |
| 190i 75kg | load cell |
| 460 30t | Load cell |
| 350i (Nominal capacities: 300-500-750-1000-1500-2000-3000-5000) | |
| M460 LN 5000kg | |
| Mod. 300 - 75kg | Load cell |
| M750a LN 25000kg | |
| M350a LN 500kg | |
| M350n LN 500kg | |
| M420 LN 2500kg | |
| M750i LN 25000kg | |
| 140 | Platform cell Model 140 |
| 740 40t | Compression load cell |
| 740 - 20 TN | Compression load cell |
| 350i 3t | Flexion and shear beams |
| 740 60t | load cell |
| 740 - 100 t | Compression load cell |
| Modell 300 (200 kg) | Load Cell M.300 i 200 KG |
| 300 (5kg) | Bending beam loadcell |
| 120 (10 kg) | Bending beam loadcell |
| 35916i | Load foot self-centering in stainless steel |
| 350 Ta 2.000kg ATEX Z22 | Load cell |
| 340 15kg | Load cell |
| 42901 | Lift-off prevention mounting kit, zinc-plated alloy steel (2,5t... 10t) |
| 89053 | Terminal box for load cells |
| 89009 | |
| M300 (30020) | Load cell Mod.300 |
| 30905 | |
| 30150 (Model 300 150kg) | load cell |
| Modello 300 150 kg | load cell |
| 30020 | Timer Delay on Operate |
| Mod. 190a - 200kg | Load cell |

| Product | Description |
|------------------------------------------------------------|--------------------------------------|
| Mod. 300 (Nominal capacities: 5kg...500kg) | Load Cell |
| 350i | Load cell |
| P/N: 89079, Type: DAT 500 | DIGITAL/ANALOG LOAD CELL TRANSMITTER |
| 89079P | |
| P/N: 89079D, Type: DAT 500 DEVICENET | DIGITAL/ANALOG LOAD CELL TRANSMITTER |
| Mod. 420. - 2.5t ... 10t | Load cell |
| 350i 500kg | load cell |
| 350i 750kg | Load Cell |
| 740 30 TN | |
| 104 | load cell |
| 190i 50kg | |
| 270 | |
| 530 | |
| 650 2000kg | LOAD CELL |
| 350n | Load cell |
| 610 50kg | Load Cell |
| 620 50kg | |
| 190a 400kg | |
| 190i 400kg | |
| 350a 3t | |
| 610 1t | |
| 620 5t | |
| RO12x1.75 | |
| RO20x1.5 | |
| 89450 | transmitter |
| 300 30 kg | Load cell |
| P/N: 89076, Type: DAT 400 | load cell |
| 89463 | Weight indicator |
| Mod. 200 (10-15 kg) | |
| Mod. 260 (10-15 kg) | |
| 120 7.5kg | Load cell |
| M260 | |
| 300 200kg | Load cell |
| 300 | cell |
| 190 i 15kg | LOAD CELL |
| 190 a 50kg | Loadcell |
| 740 30t | Load cell |
| 740 30t ATEX | Load cell |
| 89400 | WEIGHT INDICATOR |
| 260 35 kg | LOADCELL |
| Mod. 300 - 20kg | Load cell |
| Mod. 420 (30T) | Load Cells |
| 740 25t ATEX | |
| 740 25t | Loadcell |
| 260 7.5kg | |

| Product | Description |
|-----------------------------------------------|-----------------------------------|
| 260 10kg | load cell |
| 350n - 2000kg | Shear load cell |
| 350i 5000 kg | Loadcell |
| 89460 | Weighing Indicator |
| 89068 | Aluminum junction box |
| 37002 | LOAD CELLS |
| 35902 | BRACKETS |
| 350a 500kg | load cell |
| 350a 300kg | load cell |
| 120 (7.5 kg...50 kg) | Load cell |
| 340 50kg | |
| 340 50kg ATEX | |
| 140 100kg | |
| MODEL 460 | |
| 46901 I | |
| 300, Capacity 50 kg | strain sensor |
| 300, Capacity 100 kg | strain sensor |
| 190i - 20kg | Load cell |
| 350 A | Load cell |
| Model 300 100Kg | Load Cell |
| 650 5000 kg | Load cell |
| 650 5000 kg ATEX | |
| 190a 350 kg | load cell |
| Model 610 (Capacities 100 kg) | Load Cell |
| Model 610 (Capacities 50 kg) | Load Cell |
| RO10x1.5 | Mounting Accessories for Mod. 610 |
| TE10x1.5 | Mounting Accessories |
| 740 40t ATEX | |
| 740 50t ATEX | |
| Mod: 190/ SNo:1123748 | loadcel load cell |
| MODEL 420 (2.5-5-10 t) | |
| MODEL 420 (20-30 t) | |
| 340-300 kg | LOAD CELL |
| 30050 | load cell |
| 460 20t | load cell |
| 300 - 150Kg | |
| 300 150 kg ATEX | |
| 460 30t ATEX | |
| 89128 | |
| 460 50t | load cell |
| 460 50t ATEX | Load Cell |
| model 200 (10 kg) | weight sensor |
| 35500 | Load cell |
| 190i 75kg ATEX | load cell |
| 740 50 t | Compression load cell |

| Product | Description |
|-------------------------------------------------------|-------------------------------------|
| 74901 | Pendulum support in stainless steel |
| 46902 | loadcell |
| 350i 300kg | Load cell |
| 89453 | swift rail profinet |
| 650 2t | 2 ton Loadcell |
| 300 ATEX 50kg | |
| 350i 1000kg | load cell |
| 340500 / Mod. 340 - 500kg | load cell |
| 34903 | Base plate |
| 350i 1500kg | load cell |
| 350i 1500kg ATEX | load cell |
| 350i 1000kg ATEX | load cell |
| 35901 | load feet for the load cell |
| 46902 50T ATEX | Lift-off prevention mounting kit |
| 89093 50T ATEX | |
| 140 - 3 Kg | |
| 650 500kg | load cell |
| 650 250kg | load cell |
| 650 250kg ATEX | load cell |
| 650 500kg ATEX | load cell |
| 34906 | Silent-block |
| 460 100t | Load cell |
| 46903 | |
| 460 100t ATEX | load cell |
| Mod.300 20 kg ATEX | load cell |
| 350 / OIML E-97.02.C06/NTEP CC 17-009 | load cell |
| 460 (10t) | load cell |
| 230 36kg | load cell |
| 740 / 15t | load cell |
| FT12i | Load cell |
| 190i 350 kg | load cell |
| 350n 300kg | load cell |
| 350n 500kg | load cell |
| Model 300 300kg | |
| 350i 5000 kg ATEX | load cell |
| 420 5t | load cell |
| 420 ATEX 5t | load cell |
| 350 i (2000 kg) | |
| 350i 3000kg | Load cell |
| 350 a (2000 kg) | |
| 350a 3000kg | Shear beam |
| 250 50kg | load cell |
| 460 75t | load cell |
| 460 75t ATEX | |
| 30904 | Silent-block bearing |

| Product | Description |
|----------------------------------------------|--------------------------------------------------------------------------------|
| 340 15kg ATEX | Load cell |
| 420 10t | load cell |
| 420 10t ATEX | load cell |
| 740 60t ATEX | load cell |
| 19075 | |
| 42020 | load cell |
| 42902i | INOX support kit |
| 420 Emax:5t | Compression. Stainless steel |
| 340 200kg | load cell |
| 42020 ATEX | Load cell |
| 650 I 500 kgs. | |
| Model 460, 30 tons | Double shear beam. Stainless steel |
| mounting kit 46902 | Lift-off prevention mounting kit for silo, zinc-plated alloy steel (30t...50t) |
| Mod. 350i - 500kg | Load cell |
| 750 A (10 t.) | load cell |
| Mod. 350 i / SN/ 1470533(16) | Load cell |
| Mod. 740 - 30t | Load cell |
| 74060 | |
| Mod: 620 | |
| 740 40D | LOAD CELL |
| 35I-4K-US | |
| 350 Ti 2000KG | Load cell |
| 120 15 kg | |
| 340 100kg | |
| 42902 | |
| 460 5t | load cell |
| 460 5t ATEX | load cell |
| 350i 3000kg ATEX | load cell |
| 75020 | load cell |
| 759006 | |
| 89093 | Climbox |
| 78020 | |
| 540 | Load cell |
| load cell 650, 1.000 kg | load cell |
| 190i ATEX 400kg | Load cell |
| 740 20t ATEX | Compressor load cell |
| 340 200kg ATEX | Load cell |
| Mod. 300 / 200kg | LOAD CELL |
| Model 190i | load inverter |