



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

## Crowcon

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### BRAND'S PRODUCTS

| Product   | Description                               |
|---|---|
| <a href="#">S01749/A</a>  | 96HD/FL DETECTING HEAD (POISON RESISTANT) |
| <a href="#">C03005</a>  | Gas Test Kit Calibration Adaptor          |
| <a href="#">E01231</a>  |   |
| <a href="#">G1-CH4-2.2-A-34</a>                                       |   |
| <a href="#">G1-CH4-2.5-A-34</a>                                       |   |
| <a href="#">S011242/2</a>   | Amplifier PCB                             |
| <a href="#">S011371</a>   | TRP/DTV SENSOR MODULE -                   |
| <a href="#">S011423/M</a>   | Mini I-Module                             |
| <a href="#">S01326/3</a>  | DETECTIVE MAIN BOARD                      |
| <a href="#">S01749/A/VQ21</a>   | Pellistor                                 |
| <a href="#">Xgard Type 1 Oxygen sensor assemblies</a>                 | XGARD OXYGEN SENSOR ASSY                  |
| <a href="#">XG1-05 O2 0-25% Vol, nylon JB, M20, ATEX/IECEX</a>        | XGARD Type 1                              |
| <a href="#">XG2-04 O2 0-25% Vol, ALLY JB, M20, ATEX/IECEX</a>         | XGARD Type 2                              |
| <a href="#">S011951</a>   | DETECTIVE + STANDARD BATTERY ASSEMBLY     |
| <a href="#">XGARD Type 5 CH4 0-100% LEL, ALLY JB, M20, ATEX/IECEX</a> |   |
| <a href="#">S011298/E</a>   | main board                                |
| <a href="#">S011375/AA</a>  | Portable Monitor                          |
| <a href="#">S011240/2</a>   |   |
| <a href="#">IRMAX-01</a>  |   |
| <a href="#">XGARD2-0011</a>   |   |
| <a href="#">XGARD TYPE 2-CO (XGARD2-0041)</a>                         |   |
| <a href="#">XGARD Type 5 CH4 (XG5-01)</a>                             | Gas detector                              |
| <a href="#">SHARPEYE 40/40LB (C03443)</a>                             | UV/IR FLAME DETECTOR WITH BIT ATEX        |
| <a href="#">SHARPEYE 40/40 (C03445)</a>                               | FLAME DETECTOR TILT MOUNTING BRACKET      |
| <a href="#">S011265/S</a>   |   |
| <a href="#">XG5-01</a>  | Flameproof Flammable Gas Detector         |
| <a href="#">Tetra CO2</a>   | Gas dedector                              |
| <a href="#">E011095</a>   | Multi-regional charger (UK, US, EU, AU)   |
| <a href="#">GPPE1AAC-ZZZZIAZZZZ</a>                                   | GasPro Pumped, CO2, with charger          |
| <a href="#">AC0203</a>  | 3M STANDARD TUBING (INCLUDES TUBE INSERT) |
| <a href="#">C03052</a>  | REGULATOR FOR 57/103L CANS                |
| <a href="#">GMS-1-10-EUR-Z</a>  | GMS-1 CHANNEL                             |
| <a href="#">GMS-4-40-EUR-Z</a>  |   |
| <a href="#">C011102</a>   |   |
| <a href="#">S012207/S</a>   |   |

| Product                       | Description                                      |
|-------------------------------|--|
| <a href="#">S01935</a>        | SIGMA QUAD CHANNEL ASSY                          |
| <a href="#">Xgard Type 5</a>  | Flameproof Flammable Gas Detector                |
| <a href="#">XG1-05</a>        | XGARD Type 1                                     |
| <a href="#">S01169</a>        | SENSOR ASSEMBLY OXYGEN                           |
| <a href="#">S01149/A</a>      | Power supply board                               |
| <a href="#">XG4-A1-01-FD</a>  | High Temperature Flammable Gas Detector          |
| <a href="#">TXP-0056</a>      |  |
| <a href="#">XIR-01</a>        |  |
| <a href="#">S011469/2</a>     | XGARD FLAM AMP STRAIGHT THRO MAIN PCB CON ASSY   |
| <a href="#">GS-AJ-B-001-G</a> | Personal single gas monitor                      |
| <a href="#">GS-AJ-A-001-G</a> |  |
| <a href="#">C011318</a>       |  |
| <a href="#">C01832</a>        | PORTABLES PC SOFTWARE                            |
| <a href="#">C01327</a>        |  |
| <a href="#">S011975</a>       |  |
| <a href="#">E01446</a>        |  |
| <a href="#">C01006</a>        |  |
| <a href="#">S01170</a>        | RGD90 SENSOR                                     |
| <a href="#">T4 4</a>          |  |
| <a href="#">IRMAX</a>         | Gas Detector                                     |
| <a href="#">S01176</a>        | Transmitter for measuring the Hydrogen in Oxygen |
| <a href="#">TXP/A/H2S</a>     |  |
| <a href="#">TXP/R/H2S</a>     |  |
| <a href="#">S01718/3</a>      | GASMONITOR INPUT MODULE                          |
| <a href="#">S01637/A/M</a>    | 96HD/FL REPLACEMENT SENSOR (POISON RESISTANT)    |
| <a href="#">C011211</a>       | Pellistor Module Balancing Lead                  |
| <a href="#">C01339</a>        | RGD90 FLOW ADAPTOR                               |
| <a href="#">S01637/A/M/V</a>  | FL sensor Element 300P Pallister                 |
| <a href="#">S01846/3</a>      |  |
| <a href="#">S01865</a>        | FLAMGARD-PLUS FL AMPLIFIER                       |
| <a href="#">S01753</a>        | Oxygen probe                                     |
| <a href="#">XG5-05</a>        | explosion proof infrared gas detector            |
| <a href="#">XG5-02</a>        | explosion proof infrared gas detector            |
| <a href="#">XGARD5-0183</a>   |  |
| <a href="#">SS0501</a>        |  |
| <a href="#">SS0303</a>        |  |
| <a href="#">SS0301</a>        |  |
| <a href="#">M040166</a>       |  |
| <a href="#">XG5-03</a>        |  |
| <a href="#">S011513/S</a>     | XGARD HYDROGEN SENSOR                            |
| <a href="#">T4-SCR-20</a>     |  |
| <a href="#">CL-C-30</a>       | Gas detector                                     |
| <a href="#">CL-H-5</a>        |  |
| <a href="#">CL-O-19</a>       |  |

| Product                              | Description                         |
|--------------------------------------|-------------------------------------|
| <a href="#">T4-HOCA</a>              |                                     |
| <a href="#">T4-CRD-v2</a>            | Charger                             |
| <a href="#">S011614/S</a>            | Sensor                              |
| <a href="#">C01052</a>               | Spray Deflector                     |
| <a href="#">C01438</a>               | Charger/Interface II                |
| <a href="#">C01546</a>               | Charger                             |
| <a href="#">C011321</a>              |                                     |
| <a href="#">XG1-N1-01-AC</a>         | H2S Gas detector                    |
| <a href="#">S011368</a>              | TRP SENSR MODULE-CO                 |
| <a href="#">G1-CH4-25-A-112</a>      | FOR GAS DETECTION SYSTEM            |
| <a href="#">G1-H2S-25-N-60</a>       |                                     |
| <a href="#">C01442</a>               | WEATHERPROOF CAP                    |
| <a href="#">S011238/2</a>            | AMPLIFIER PCB                       |
| <a href="#">S011242</a>              | AMPLIFIER                           |
| <a href="#">S012133/S</a>            | Sensor                              |
| <a href="#">C01051</a>               | Detector Collector Cone             |
| <a href="#">S01241</a>               | TRP SENSOR MODULE                   |
| <a href="#">S011301/3</a>            | Safety PCB Assembly                 |
| <a href="#">E011050</a>              | SENSOR CARBON MONOXIDE CO-BF (KB)   |
| <a href="#">S011517/S</a>            | SENSOR ASSY SPARE                   |
| <a href="#">XGSBJ</a>                | Spare Sensor Module                 |
| <a href="#">XG1-N1-01-OA</a>         | GAS DETECTOR                        |
| <a href="#">T4-HOCA-D</a>            | portable gas detector               |
| <a href="#">IRMX-AA-AC-011-AF-01</a> |                                     |
| <a href="#">XG1-N2-01-OA</a>         | Gas detector                        |
| <a href="#">P/N: S011567/S</a>       | AMMONIA SENSOR                      |
| <a href="#">T4-HOCA-DE</a>           | Portable gas detector               |
| <a href="#">C011305</a>              | Charger interface kit               |
| <a href="#">S01240</a>               | Sensor                              |
| <a href="#">XG5-A1-01-FD</a>         | Complete Detector Head              |
| <a href="#">E01875</a>               | Battery                             |
| <a href="#">XGSHG</a>                | Specific sensor                     |
| <a href="#">S011582 / S</a>          | Specific sensor                     |
| <a href="#">S011899</a>              |                                     |
| <a href="#">IRMX-AA-AC-011-AB-01</a> |                                     |
| <a href="#">XGB-A1-01-A-ZA-R-AC</a>  |                                     |
| <a href="#">VXR</a>                  |                                     |
| <a href="#">S01939</a>               | SIGMA RELAY MODULE PCB ASSEMBLY     |
| <a href="#">XGB-A1-01-A-ZA-R-FA</a>  |                                     |
| <a href="#">XGB-A1-01-A-ZA-R-OA</a>  | XGARD BRIGHT - fixed point detector |
| <a href="#">M041007</a>              | IRES GASSING COVER                  |
| <a href="#">S012827</a>              | IRMAX PC COMMUNICATIONS KIT         |
| <a href="#">S011616/S</a>            |                                     |
| <a href="#">XG1-S1-01-AC</a>         |                                     |
| <a href="#">G1-NH3-50-A-60</a>       |                                     |

| Product   | Description  |
|---|--|
| <a href="#">C03129</a>  | Fixed flow regulator                               |
| <a href="#">S012130</a>                                       | IRES WALL MOUNTING KIT                             |
| <a href="#">S01941</a>  | Vortex power module                                |
| <a href="#">447/1</a>   | 15U WALL MOUNTING CABINET - 515MM DEEP             |
| <a href="#">S011604S</a>                                      |  |
| <a href="#">C01961</a>  |  |
| <a href="#">S011509/S</a>                                     | Spare Sensor                                       |
| <a href="#">E01488/A</a>                                      | (oxygen sensor 7OX)                                |
| <a href="#">XG5-A1-01-FA XG5 Alu M20 ATEX/IECEX H2-100LEL</a> | Explosion-proof hydrogen gas detector              |
| <a href="#">SS0709</a>  |  |
| <a href="#">SS0720</a>  |  |
| <a href="#">M02362</a>  | grip clip - stainless steel                        |
| <a href="#">SO1637 A/M/V</a>                                  | gas sensor   |
| <a href="#">CH0102</a>  | CHARGING LEAD                                      |
| <a href="#">S01716</a>  | GASMONITOR POWER MODULE (KB)                       |
| <a href="#">SO1401</a>  | GASMONITOR DISPLAY MODULE-ENG*USE /3*              |
| <a href="#">SS0717</a>  | display  |
| <a href="#">S011969</a>                                       | DETECTIVE + PUMP ASSEMBLY                          |
| <a href="#">S01423</a>  | TRP SENSOR MODULE                                  |
| <a href="#">S01401/5</a>                                      | Gasmonitor Display Module - English (Lock Up Vers) |
| <a href="#">S011523/S XGARD PROPANE 0</a>                     |  |
| <a href="#">CH0100</a>  |  |
| <a href="#">CH0101</a>  |  |
| <a href="#">CH0103</a>  | USB Communications Lead                            |
| <a href="#">CH0104</a>  | USB communication and Power Lead                   |
| <a href="#">CH0105</a>  | Gas-Pro Charger                                    |
| <a href="#">CH0106</a>  | Vehicle Charging Adaptor                           |
| <a href="#">CH0107</a>  |  |
| <a href="#">AC0506</a>  |  |
| <a href="#">AC0507</a>  |  |
| <a href="#">AC0508</a>  | Single Strap                                       |
| <a href="#">GMS-4-20-EUR-Z</a>                                |  |
| <a href="#">IRMX-AB-AC-011-AC-00</a>                          | Gas Detector                                       |
| <a href="#">C011206</a>                                       | Mirror Replacement Kit                             |
| <a href="#">C011210</a>                                       | Mirror Cleaning Kit                                |
| <a href="#">SS0701</a>  | Clamp  |
| <a href="#">XG1-N1-01-OA</a>                                  |  |
| <a href="#">G1-NH3-25-N-60</a>                                |  |
| <a href="#">G1-H2-2-A-34</a>                                  |  |
| <a href="#">G1-CH4-22-A-60</a>                                | 60L 2.2% METHANE IN AIR (ATEX AREA = 50% LEL)      |
| <a href="#">G1-CO2-0.5-N- 60</a>                              |  |
| <a href="#">S011843</a>                                       | Sampling Unit for Xgard                            |
| <a href="#">Gasman O2</a>                                     | Portable Gas Detector                              |
| <a href="#">ATEX/IECEX CO-1000ppm</a>                         |  |
| <a href="#">G1-C5H12-7-A-34</a>                               |  |

| Product  | Description                                  |
|--|--|
| <a href="#">SS0710</a>                             | spare battery                                |
| <a href="#">SS0712/B</a>                           |  |
| <a href="#">SS0730</a>                             | Insulator                                    |
| <a href="#">SS0732</a>                             | Ribbon Cable                                 |
| <a href="#">SS0719</a>                             |  |
| <a href="#">SS0718</a>                             |  |
| <a href="#">GS-AG-A-001-G</a>                      |  |
| <a href="#">T3-CPAAIAH-A-008-Z</a>                 | gas detector                                 |
| <a href="#">XIR-A1-01-BJ</a>                       |  |
| <a href="#">IRMX-AA-AC-011-AB-00</a>               |  |
| <a href="#">IRMAX-AA-AC-011-AF-01</a>              | Methane Gas Detector (IR)                    |
| <a href="#">S012304</a>                            | GASMASTER III PSU ASSEMBLY                   |
| <a href="#">S012180</a>                            | 2" Pipe Mounting Bracket                     |
| <a href="#">XIQ-ZZ-S1-011-H-Z-A Sensor: XIQ-AF</a> | Hydrogen Gas Detector                        |
| <a href="#">C01001</a>                             | 2" Pipe Mounting Bracket                     |
| <a href="#">S012322</a>                            | Splash Guard                                 |
| <a href="#">XIQ-ZZ-S1-011-Z-R-A Sensor: XIQ-AG</a> | Oxygen Gas Detector                          |
| <a href="#">GPZ-E-1-G-A-A- AA-AL-IA-ZZ-ZZ</a>      |  |
| <a href="#">T4-HOCA-IT</a>                         |  |
| <a href="#">T4-HOCA-IT-CRD</a>                     | Gas Detector                                 |
| <a href="#">T4-FRC-O</a>                           | T4 Orange Front Case w/ Crowcon Bubble Label |
| <a href="#">S012342</a>                            |  |
| <a href="#">T4-PCB-S</a>                           |  |
| <a href="#">T4-BKC-OC-X</a>                        | Case   |
| <a href="#">Baseefa03ATEX0074</a>                  | DETECTOR TRANSMITTER                         |
| <a href="#">E011034</a>                            | Sensor Hydrogen Sulphide H2S-BH(KB)          |
| <a href="#">C011019</a>                            |  |
| <a href="#">CL-O-19.5</a>                          | SINGLE GAS DETECTOR                          |
| <a href="#">TP-AAAGCNAHA-001-A</a>                 |  |
| <a href="#">C01685</a>                             |  |
| <a href="#">C01097</a>                             |  |
| <a href="#">Gas-Pro Pumped H2S/CO/SO2/CO2</a>      |  |
| <a href="#">Gasman NO2</a>                         |  |
| <a href="#">T4-EXT-F</a>                           |  |
| <a href="#">S011511/S</a>                          |  |
| <a href="#">SS0205</a>                             |  |
| <a href="#">SS0206</a>                             |  |
| <a href="#">S011257/S</a>                          | H2S spare sensor Xgard 0-25ppm               |
| <a href="#">M04995</a>                             | BATTERY SUPPORT TRAY                         |
| <a href="#">IRMX-BW-AC-011-AB-00</a>               |  |
| <a href="#">M041129</a>                            |  |
| <a href="#">S01726</a>                             |  |
| <a href="#">XG5-A1-01-FA</a>                       | HYDROGEN GAS DETECTOR                        |
| <a href="#">IT-GP-11Z-ZB-3</a>                     | Gas Detector                                 |
| <a href="#">XG1-N1-01-HA</a>                       | complete detector head                       |

| <b>Product</b>                          | <b>Description</b>                      |
|---|---|
| <a href="#">T4-HOCA-CRD</a>             | Portable Multi Gas Metering Instrument  |
| <a href="#">XGB-A1-01-A-HB-R-CP</a>     | H2 Gas Detector Xgard Bright            |
| <a href="#">S015101/S</a>               | Gas detector                            |
| <a href="#">XG5-A2-02-FA</a>            |   |
| <a href="#">XG5-A1-02-FA</a>            | Gas detector                            |
| <a href="#">XG2-A1-02-AB</a>            | Gas detector                            |
| <a href="#">IRMX-AA-AE- 011-AF-01</a>   | Gas Detector                            |
| <a href="#">CH4 X-Gard S011509/S</a>    |   |
| <a href="#">XIQ-BJ</a>                  | Sensor                                  |
| <a href="#">S011918</a>                 |   |
| <a href="#">S01159/ GMS/1</a>           | DISPLAY GMS/1 GMS-1003                  |
| <a href="#">part no:S01153</a>          | FLAMMABLE I/P CARD                      |
| <a href="#">XIQ-IL</a>                  | H2S SENSOR MODULE, TYPE TOXIC, 0-50 PPM |
| <a href="#">S011265/5</a>               |   |
| <a href="#">XG1-N1-01-AA</a>            |   |
| <a href="#">TXISP/H2S/50</a>            |   |
| <a href="#">Tetra 4 O2/CH4</a>          |   |
| <a href="#">XGB-S2-01-A-HB-R-CP</a>     | Flammable Gas Detector                  |
| <a href="#">S011756/S</a>               | Sensor                                  |
| <a href="#">S011029</a>                 |   |
| <a href="#">M04561</a>                  |   |
| <a href="#">C01800</a>                  |   |
| <a href="#">XIQ-ZZ-S1-011-ZZ-A</a>      | Xgard-iq transmitter                    |
| <a href="#">Irmx-Ki-Ac-011-Ab-01</a>    | Ethane Gas Detector                     |
| <a href="#">XSB-A1-03-A-HA-R-SQ</a>     | gas detector                            |
| <a href="#">XGARD TYPE:2 /S011265/S</a> |   |
| <a href="#">GPZU1ABAAFAGZZZZZZ</a>      |   |
| <a href="#">S011580/S</a>               |   |
| <a href="#">XGARD/5/A/M20/ATEX/H2</a>   | H2 Gas Detectors (in Battery room) Exd  |