



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

## Wieland Electric

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### BRAND'S PRODUCTS

Product	Description
<a href="#">05.544.1029.0 package (200 pcs)</a>	Male contact
<a href="#">99.716.1104.4 (172 706 002)</a>	STEUERST.ST.TEIL
<a href="#">172 707 001 (99.715.1104.4)</a>	24-pin control plug
<a href="#">70.310.0640.0</a>	connector insert
<a href="#">70.310.1640.0</a>	connectors
<a href="#">70.310.2440.0</a>	
<a href="#">70.320.2428.0</a>	housings
<a href="#">70.350.1035.1</a>	
<a href="#">70.500.0653.0</a>	socket insert
<a href="#">70.500.1053.0</a>	
<a href="#">70.500.2453.0</a>	lower part of housing
<a href="#">70.510.0653.0</a>	plug insert
<a href="#">70.510.1053.0</a>	
<a href="#">70.510.2453.0</a>	plug insert
<a href="#">72.208.0453.0</a>	female insert
<a href="#">72.218.0453.0</a>	plug insert
<a href="#">72.310.1653.0</a>	
<a href="#">81.030.0110.0</a>	FLARE CONTROL
<a href="#">P/N: 83.214.1006.2 Type: FA C 3I/RS485 (SEW) 10</a>	
<a href="#">92.032.9758.0 / GST1813F S2 R V GR01</a>	PLUG PART GST1813F S2 R V GR01
<a href="#">92.934.0053.0 / GST1813F S2 ZR1 WS</a>	connector
<a href="#">99.706.9114.1 7030016400 O.BEF.SCHR.</a>	BUCHSENEINSATZ
<a href="#">99.709.9114.1 7031016400 O.BEF.SCHR.</a>	STECKEREINSATZ
<a href="#">99.710.9114.1 7220006530 O.BEF.SCHR.</a>	BUCHSENEINSATZ
<a href="#">99.712.9114.1 7221006530 O.BEF.SCHR.</a>	STECKEREINSATZ
<a href="#">99.709.9114.1</a>	Plug Insert
<a href="#">99.713.9114.1</a>	
<a href="#">92.932.3053.1 / GST1813S S1 ZR1 SW</a>	connectors

Product	Description
<a href="#">R1.188.0640.0 / SNV4063KL-A 30S</a>	Safety Relay
<a href="#">R1.188.0700.2 / SNO4062K-A AC/DC 24V (C)</a>	Basisgerät
<a href="#">R1.188.0720.2 / SNO4062KM-A</a>	Safety Relay
<a href="#">R1.188.0690.2</a>	
<a href="#">81.000.6200.0 / WIPOS R20</a>	REDUNDANZMODUL / wipos Redundanzmodul zur Entkopplung von Schaltnetzteilen, 2 Eingänge, 1 Ausgang, 21-28 V DC, max. 20 A, 1 Relais Meldeausgang (Fail / OK) pro Eingang; B x H x T: 54 x 90 x 115 mm
<a href="#">R1.188.0710.2 / SNO4062KM AC/DC 24V (C)</a>	Basisgerät
<a href="#">P/N: R1.188.0720.2 Type: SNO4062KM-A AC/DC</a>	Basisgerät
<a href="#">81.020.0011.0 / FLARE TIME TWIN-1</a>	ZEITRELAIS
<a href="#">70.320.1628.0</a>	Enclosure
<a href="#">70.350.1635.0</a>	Upper case
<a href="#">70.300.1640.0</a>	rectangular insert
<a href="#">70.320.0628.0</a>	Gehaeuseunterteilbas Gut GK 6
<a href="#">70.350.0635.0</a>	Body top Bas Got GG 6 M20 A0
<a href="#">80.010.4000.0 / FLARE-24DC-1W-250V6A</a>	RELAISBAUSTEIN
<a href="#">57.802.1053.0</a>	Isolating Set Point Amplifier With LCD Display Or Measuring Points
<a href="#">57.110.1555.0 / 9760 U/8 TKE 220 V/V0</a>	ERDLEIT.TR.KLEMME
<a href="#">PN: 93.931.4953.0 / Type: ST18/4B1 ZEV SW RD</a>	Bushing part
<a href="#">PN: 93.932.4853.0 / Type: ST 18/4S ZEV SW RD</a>	Bushing part
<a href="#">93.931.5153.0</a>	BU.T.M.ZUGENTL.
<a href="#">93.932.5053.0</a>	ST.T.M.ZUGENTL.
<a href="#">SNV4063KL-A 30S</a>	
<a href="#">SNO4003K-A AC/DC 24V (B)</a>	Basisgerät
<a href="#">R1.188.0700.2 / SNO4062K-A</a>	relay
<a href="#">SNV4063KL-A 30S DC 24V (A)</a>	safety relay
<a href="#">P/N: R1.188.0620.0 Type: SNV4063KL-A 3S DC 24V (A)</a>	Device for monitoring of safety-related circuits
<a href="#">R2.054.0310.1</a>	DZD92L 100H AC 230V 50-60HZ (B)
<a href="#">R1.188.0610.0 obsolete/replacement R1.188.0620.0</a>	
<a href="#">R1.188.0520.0</a>	SAFETY SWITCHING RELAY
<a href="#">70.310.1040.0</a>	STECKEREINSATZ
<a href="#">Ref. No. 70.060.1628.0. Type: IT DKE 16</a>	

Product	Description
<a href="#">83.210.1001.2 / 302083</a>	Field distributor at AS-I for decentralized consumers
<a href="#">Art.No.R1.188.0450.1, Type: SNZ4052K AC/DC 24V (B)</a>	Two-Hand Control Relay
<a href="#">IS-56-BASIC</a>	PORTABLE VACUUM CLEANER INDUSTRIAL
<a href="#">762112 DN 60</a>	Connecting piece
<a href="#">712018 DN 60</a>	Suction hose
<a href="#">714033 DN 60</a>	Suction tube
<a href="#">715137 DN 60</a>	Floor cleaning nozzle
<a href="#">715022 DN 60</a>	Flat nozzle
<a href="#">715007 DN 60</a>	Bowed pipe
<a href="#">605015 IS-56 FILTER</a>	INDUSTRIAL VACUUM CLEANER
<a href="#">R119000300</a>	samosPRO SP-SDIO84-P1-K-A samosPRO IO-Modul mit 8 Eingängen/4 HL-Ausgängen Steckbare Schraubklemme
<a href="#">80.020.6003.0</a>	
<a href="#">99.800.1332.1</a>	
<a href="#">83.315.0001.1 (pack 1x15)</a>	PodisCON plug with Schuko Socket
<a href="#">83.315.0002.1 (pack 1x9)</a>	PodiCon plug with CEE socket
<a href="#">83.240.0010.0</a>	LED LAMP
<a href="#">99.801.4866.1 (pack 1x4)</a>	Connection module
<a href="#">99.800.4866.1 (pack 1x5)</a>	FLAT CABLE OUTLET
<a href="#">70.200.0653.0</a>	Female insert
<a href="#">15.000.0653.0 (pack 1x50)</a>	LP.STECKVERBINDER
<a href="#">Art.No. R1.188.0719.2, Type: SNO4062KM AC/DC 24V 50-60HZ (C)</a>	Sicherheitsrelais / safety devices
<a href="#">R1.188.1810.0 / SNA4043K-A AC/DC 24V (A)</a>	device for monitoring of safety-related circuits
<a href="#">(R1.188.0990.0) SNO4063K-A AC/DC 24V (A)</a>	DEVICE FOR MONITORING OF SAFETY-RELATED CIRCUITS
<a href="#">81.020.0001.0</a>	
<a href="#">P/N: 83.040.0001.0 Type: WIENET UMS 8</a>	IP Switch
<a href="#">92.953.4453.0 (pack x50)</a>	
<a href="#">92.954.4453.0 (pack x50)</a>	
<a href="#">P/N: R1.180.0360.0 Type: SA-BM-S1-4EKL-C</a>	Configurable control component
<a href="#">57.535.9055.0 / WKN 35 SL</a>	
<a href="#">81.020.0000.0</a>	
<a href="#">P/N: R1.188.0699.2 Type: SNO4062K AC/DC 24V 50-60HZ (C)</a>	
<a href="#">70.354.0636.3</a>	
<a href="#">72.310.0653.9</a>	MALE INSERT
<a href="#">72.300.0653.9</a>	FEMALE INSERT
<a href="#">99.742.3329.7 (pack x10)</a>	
<a href="#">70.325.0628.9</a>	
<a href="#">29.401.0853.0</a>	

Product	Description
<a href="#">R1.188.1680.0 / SNA4043K AC/DC</a>	
<a href="#">P/N: R1.188.0590.0 Type: SNE4004K-A AC/DC 24V (A)</a>	Output Module
<a href="#">DZD92L 100H AC(R2.054.0300.1)</a>	
<a href="#">P/N: R1.188.0450.1 Type: SNZ4052K AC/DC 24V (B)</a>	
<a href="#">R1.188.0640.0</a>	
<a href="#">R1.188.3740.0</a>	Device for monitoring of safety-related circuits
<a href="#">81.020.0025.0</a>	Timer relay
<a href="#">92.931.3053.1 / GST18I3S B1 ZR1 SW</a>	connectors
<a href="#">92.954.4053.1 / GST18I5S S1 ZR1 SW</a>	connector
<a href="#">P/N: R1.188.0700.2 Type: SNO4062K-A AC/DC</a>	Protection role
<a href="#">73.300.0353.0</a>	Connector
<a href="#">73.310.0353.0 (pack x10)</a>	
<a href="#">76.352.0760.0 (pack x10)</a>	
<a href="#">99.710.9114.1 (1 package = 100 pcs)</a>	
<a href="#">99.714.9114.1 (1 package = 100 pcs)</a>	
<a href="#">WKN70 / U /V0 (1 package = 20 pcs)</a>	
<a href="#">99.712.9114.1 (1 package = 100 pcs)</a>	
<a href="#">99.715.9114.1 ( 1 package = 100 pcs)</a>	
<a href="#">R2.024.0860.0</a>	relay
<a href="#">P/N: 56.503.9055.0 Type: WK 2,5 SL/35</a>	clamp
<a href="#">P/N: 57.504.9055.0 Type: WK4SL/U/V0 (pack x100)</a>	Clamp
<a href="#">P/N: 54.506.9055.0 Type: WK6SL/U/V0 (pack x100)</a>	Clamp
<a href="#">57.503.0055.0 / WK2,5/U/V0</a>	Clamp
<a href="#">P/N: 57.504.0055.0 Type: WK4/U/V0 (pack x100)</a>	Clamp
<a href="#">P/N: 57.506.0055.0 Type: WK6/U/V0 (pack x100)</a>	Clamp
<a href="#">P/N: Z7.281.2227.0 Type: IVBWK 4 -12 (pack x10)</a>	
<a href="#">P/N: Z7.280.3227.0 Type: IVBWK 2,5 -12 (pack x10)</a>	
<a href="#">83.209.2110.2</a>	ELK.UNITE PODISMOT
<a href="#">R1.188.4100.0</a>	
<a href="#">25.160.3253.0 (pack x100)</a>	8191/2Z OB LP.klem 2P blank

Product	Description
<a href="#">25.161.3353.0 (pack x100)</a>	8191/3Z (2516133530) OB LP.klem 3P blank
<a href="#">25.133.0353.0 (pack x50)</a>	WIELAND 3POL >10< TYPE:8190 4
<a href="#">25.600.2253.0 (pack x100)</a>	W2560022530 contactstift 2pol. vr.
<a href="#">25.600.2353.0 (pack x100)</a>	WIELAND 3POL CPNN.VR.CONTACTST
<a href="#">25.600.2453.0 (pack x50)</a>	W2560024530 4 POL.CONN.VR.CONTACT
<a href="#">25.600.2653.0 (pack x50)</a>	W2560026530 klem 6POL conn. vr. contact
<a href="#">25.600.2753.0 (pack x50)</a>	WIELAND 7POL CONN.VR.CONTACTST
<a href="#">25.600.2853.0 (pack x50)</a>	WIELAND 8 POL CONN.VR.CONTACTS
<a href="#">25.600.2953.0 (pack x50)</a>	W2560029530 klem 9p. EOL
<a href="#">25.600.3253.0 (pack x50)</a>	W2560032530 conn. 12p. vr. serie 8142
<a href="#">25.602.5953.0 (pack x50)</a>	WIELAND CON. 9P >3.5< VROUW 2
<a href="#">Z5.531.0925.0 (pack x50)</a>	WIELAND PIN HEADER 9P >3.5< O.
<a href="#">Z5.530.5425.0 (pack x50)</a>	WZ553054250 stiftleisten 24p vertikaal
<a href="#">P/N: R1.180.0010.0 Type: SA-BM-S1-4EKL-A 5s DC 24V</a>	configurable control component
<a href="#">9708 / 2 S 35</a>	clamp
<a href="#">P/N: 81.000.6140.0, Type: WIPOS P1 24-10</a>	Switched-mode power supply
<a href="#">81.000.6150.0 / WIPOS P1 24-20</a>	Switched-mode power supply
<a href="#">P/N: 83.040.0002.0 Type: UMS 4-1FM</a>	IP Switch Wienet
<a href="#">P/N: R1.180.0420.0 Type: SA-IN-S1-K-C DC 24V</a>	
<a href="#">70.210.0653.0</a>	
<a href="#">73.350.4035.0</a>	
<a href="#">P/N: R1.180.0420.0, Type: SA-IN-S1-K-C 24V DC</a>	
<a href="#">99.700.3329.7 (pack 1x10 pcs)</a>	BOTTOM
<a href="#">99.731.3329.7 (pack 1x10 pcs)</a>	HOOD
<a href="#">70.300.2440.0</a>	
<a href="#">70.341.2435.0</a>	
<a href="#">70.500.1653.0 (pack x10)</a>	Female insert BAS BUF 16 2,5 50
<a href="#">70.320.1628.0 (pack x5)</a>	Bottom BAS GUT GA 16 A
<a href="#">70.510.1653.0 (pack x10)</a>	Male insert BAS STF 16 2,5 50
<a href="#">70.350.1635.1</a>	Hood BAS GOT GA 16 M25 A1
<a href="#">73.700.4058.0 (pack x10)</a>	Female insert HD BUC 40 25
<a href="#">73.710.4058.0 (pack x10)</a>	Male insert HD STC 40 25
<a href="#">73.353.4035.1</a>	Hood BAS GOT GA 40HM32 50 A1
<a href="#">56.703.7055.0 / WKFN 2.5 LG/35</a>	2.5mm <sup>2</sup> Double Deck Spring Print Terminal Block 56.703.7055.0
<a href="#">56.704.0055.0 (pack x100)</a>	4mm <sup>2</sup> Spring printed terminal block 56.704.0055.0
<a href="#">Z5.523.9353.0</a>	8mm terminal block stopper
<a href="#">81.030.0020.1</a>	FLARE CONTROL P3-L

Product	Description
<a href="#">00.729.0504.1</a>	
<a href="#">P/N: R1.100.3300.0 Type: SMA 3300 (pack x5)</a>	
<a href="#">P/N: R1.188.3620.0 Type: SNS 4074K-A</a>	standstill monitor
<a href="#">P/N: 81.000.6530.0, Type: WIPOS PS1 24-5</a>	switched-mode power supply
<a href="#">p/n: R1.188.2190.0; Type: SNV4074SL-A</a>	relay
<a href="#">92.232.5004.1 / 27904 (pack x100)</a>	
<a href="#">R1.190.0080.0</a>	Module
<a href="#">R1.190.0030.0 / SP-SDIO84-P1-K-A</a>	Module
<a href="#">R1.190.0190.0 / SP-PROFIBUS-DP</a>	module
<a href="#">R1.190.0090.0</a>	cable
<a href="#">R1.190.1110.0</a>	Configurable control component
<a href="#">P/N: R1.188.0500.1 SNO4003K-A AC/DC</a>	Device For Monitoring
<a href="#">81.020.0134.0</a>	Flare time relay hm8-2p-a
<a href="#">92.032.8758.1</a>	GST18I3 , Device connector 3 -pole
<a href="#">93.041.0253.0</a>	Female connector
<a href="#">93.942.0558.1</a>	Male connector
<a href="#">Z2.803.6010.0</a>	
<a href="#">Z7.282.3227.0</a>	
<a href="#">70.325.0628.0</a>	Chassis Bottom
<a href="#">R1.190.1210.0 / SP-COP2-EN-A</a>	safety control unit
<a href="#">R1.190.1000.0 / SP-COP-CARD1</a>	samosPRO-Memory card for SP-COP
<a href="#">p/n: R1.188.0700.2, Type: SNO4062K-A AC/DC 24V (C)</a>	Device for monitoring of safety-related circuits
<a href="#">FLARE TIME FM6-2 230V</a>	TIME RELAY
<a href="#">R1.188.2050.0 (SNV4076SL-C 3S DC 24V)</a>	Device for monitoring of safety-related circuits
<a href="#">02.124.1029.0</a>	Female contact
<a href="#">73.700.2553.0</a>	Female insert HD BUC 25 25
<a href="#">P/N: 57.404.6955.1, Type: WK 4E/UVB SW/V0</a>	floor clamp
<a href="#">21.331.6053.0</a>	Terminal Block
<a href="#">46.051.4553.9 (package of 100 pcs)</a>	connector
<a href="#">46.052.4553.9 (package of 100 pcs)</a>	connector
<a href="#">70.353.1635.0</a>	Hood BAS GOT GA 16 M32 A0
<a href="#">93.031.3250.0</a>	Connector ST18/3B1 WS
<a href="#">30.400.0675.0</a>	Conn Modular Terminal Block

Product	Description
<a href="#">71.340.1635.0</a>	Bottom BAS GUT GR 16 M25 A0
<a href="#">R1.188.0940.1</a>	Electromechanical Relay
<a href="#">R1.188.0700.2</a>	Relay
<a href="#">92.032.3358.1 / GST1813S S1 SW</a>	clutch
<a href="#">92.031.3258.1 / GST1813S B1 SW</a>	clutch
<a href="#">WKN2.5E / U V0 (57.403.7055.0)</a>	bunk clamp
<a href="#">57.506.0055.0 / WK 6 / U /V0</a>	THROUGH TERMINAL
<a href="#">57.504.0055.0 / WK 4 / U /V0</a>	THROUGH TERMINAL
<a href="#">57.535.0155.0 / WKN35 / U /V0</a>	THROUGH TERMINAL
<a href="#">57.516.0155.0 / WKN16 / U /V0</a>	THROUGH TERMINAL
<a href="#">72.215.1253.0</a>	Male insert POW STS 6/6 GC CA AG
<a href="#">72.205.1253.0</a>	Female insert
<a href="#">WK 4 / U /V0 (57.504.0055.0)</a>	Feed-through terminal
<a href="#">R1.190.1310.0 / SP-COP2- ENI-A</a>	
<a href="#">VB WK 4 - 3 (Z7.281.0327.0)</a>	CONNECTING BRIDGE
<a href="#">9705 A/6/10 B 24V (M1.132.5300.8)</a>	Label Label Strips Inscription 24V Type: 9705 A/6/10B
<a href="#">9705 A / 6 / 10 (04.242.6053.0)</a>	Terminal Blocks Label Strips
<a href="#">R1.188.0590.0 / SNE4004K- A AC/DC 24V (A)</a>	Safety Relay
<a href="#">p/n: R1.188.1980.0. Type: SNE4004K-C AC/DC 24V (A)</a>	Device for monitoring of safety-related circuits
<a href="#">R1.188.2000.0 / SNO4062K- C</a>	Device for monitoring of safety-related circuits
<a href="#">25.320.3453.0 (pack x50)</a>	
<a href="#">25.320.3353.0 (pack x100)</a>	
<a href="#">01.060.3353.0 (pack x100)</a>	
<a href="#">P/N:R1.190.1630.0 Type:SP- SAC4-A</a>	
<a href="#">WIER118807002</a>	Safety relay
<a href="#">70.320.1028.0</a>	
<a href="#">R1.100.0129.0</a>	Magnet switch set SMA 0129
<a href="#">R1.188.0530.1</a>	two-hand control relay
<a href="#">81.020.0134.0 / FLARE TIME HM8-2P-A</a>	TIMER
<a href="#">70.350.2435.0</a>	
<a href="#">70.330.2435.0 / BAS GUT GB 24 M25 A0</a>	
<a href="#">93.932.5053.0</a>	connector
<a href="#">00.729.0305.1 / 334422</a>	flat cable
<a href="#">Z6.563.6053.0 / 330032</a>	Cable end piece for Podis 5G6 flat cable



Product	Description
<a href="#">Z6.563.7800.0</a>	cable patch PODIS/GESIS
<a href="#">83.040.0001.0</a>	IP SWITCH WIENET UMS 8
<a href="#">Z5.523.5653.0</a>	
<a href="#">R1.188.3700.0 / SNZ1022K-A AC/DC 24V</a>	
<a href="#">R1.188.3710.0 / SNZ1022K-A AC 115-230V</a>	
<a href="#">99.600.0028.0</a>	
<a href="#">R1.188.3850.0 \ SNO 4083KM-C 0,5s DC 24V</a>	Safety Relay
<a href="#">R1.188.4100.0 / SNV4063KL-A</a>	Safety Relay
<a href="#">56.716.0053.0 / WKF 16/35</a>	
<a href="#">R1.188.1890.0 / SNA4044K-A AC230V</a>	
<a href="#">81.000.6580.0 / WIPOS PS3 24-20</a>	
<a href="#">R1.188.1940.0 / SNA4043K-C AC/DC</a>	
<a href="#">P/N: 57.404.7055.0, Type: WK 4E/U /V0</a>	Multi-tier terminal block
<a href="#">P/N: 56.703.0055.0, Type: WKFN 2,5 /35</a>	Feed-through terminal
<a href="#">P/N: 56.206.0055.0, Type: WTP 6/10</a>	Feed-through terminal
<a href="#">P/N: 56.206.0055.6, Type: WTP 6/10 BL</a>	Feed-through terminal
<a href="#">P/N: 56.203.0055.0, Type: WTP 2,5/4</a>	Feed-through terminal
<a href="#">96.042.4053.1</a>	Connector
<a href="#">96.041.4053.1</a>	Connector
<a href="#">70.353.0635.0</a>	Hood revos basic made
<a href="#">70.950.0653.3</a>	Multipole adapter set
<a href="#">56.206.9055.0</a>	
<a href="#">73.710.0853.0</a>	
<a href="#">70.330.1035.0</a>	Bottom-base
<a href="#">81.000.6220.0</a>	
<a href="#">56.703.8955.0 / WKFN 2,5 E/SL/35</a>	PE conductor terminal
<a href="#">81.020.0003.0</a>	
<a href="#">70.320.1010.0</a>	
<a href="#">70.320.2410.0</a>	
<a href="#">70.331.0610.0</a>	
<a href="#">73.334.1035.0</a>	
<a href="#">R1.100.0323.0</a>	wires
<a href="#">99.009.0000.6</a>	connector housing

Product	Description
<a href="#">99.026.0000.6</a>	connector housing
<a href="#">81.000.6130.0 / WIPOS P1 24-5</a>	Switched-mode power supply
<a href="#">81.000.6120.0 / WIPOS P1 24-2.5</a>	Switched-mode power supply
<a href="#">70.300.0640.0</a>	Female insert
<a href="#">70.310.0640.0</a>	Male insert
<a href="#">70.341.0635.0</a>	Bottom-base
<a href="#">Z7.284.7427.6</a>	connector
<a href="#">R1.188.2010.0</a>	safety relays
<a href="#">92.731.3053.1 / GST1813S B1 ZR1 M SW</a>	connector
<a href="#">72.250.1635.2</a>	
<a href="#">73.337.4035.0</a>	
<a href="#">R1.310.1120.0</a>	
<a href="#">R1.188.3580.0 / SNO 4083KM-A 1.5S-DC 24V</a>	Device for monitoring of safety-related circuits
<a href="#">R2.024.0850.0 / DZ12-SL 12MIN AC 230V 50/60HZ</a>	Response delayed time relay
<a href="#">71.320.1628.0</a>	
<a href="#">71.350.1635.0</a>	
<a href="#">71.350.2435.0</a>	
<a href="#">71.325.2428.0</a>	
<a href="#">96.031.4053.1</a>	connectors
<a href="#">96.032.4053.1</a>	connectors
<a href="#">83.214.0005.2</a>	Podis mot
<a href="#">R1.188.3830.0 / SNO 4083KM-A 0.5S- DC 24V</a>	Device for monitoring of safety-related circuits
<a href="#">R1.188.2070.0 / SNV4076SL-A 30S DC 24V</a>	Device for monitoring of safety-related circuits
<a href="#">21.310.1253.0</a>	Europa terminal strip 6E
<a href="#">21.340.5653.0</a>	Europa terminal strip 16E / 6
<a href="#">21.310.1253.0</a>	
<a href="#">21.340.5653.0</a>	
<a href="#">71.354.2435.2</a>	Hood revos
<a href="#">92.232.0504.1</a>	extension cable
<a href="#">92.931.3053.1</a>	connector
<a href="#">00.770.0304.7</a>	Flat cable
<a href="#">92.232.3070.1</a>	power wire
<a href="#">92.232.6070.1</a>	power wire
<a href="#">92.050.1553.1</a>	Power Supply Box
<a href="#">92.031.5453.1</a>	
<a href="#">06.562.0653.0</a>	wire endpiece
<a href="#">P/N: 96.032.5055.7, Type: RST2013S S1 M01VH GN0</a>	Device connector
<a href="#">25.320.3253.1</a>	pcb plug

Product	Description
<a href="#">25.320.3353.1</a>	pcb plug
<a href="#">71.320.2428.0</a>	
<a href="#">70.300.1640.0</a>	connectors
<a href="#">70.310.1640.0</a>	Connector
<a href="#">07.311.0155.0 / AP 2.5 - 4 /V0</a>	Locking plate
<a href="#">Z5.522.8553.0 / 9708 / 2 S 35</a>	END BRACKET 9708 / 2 S 35
<a href="#">72.300.2453.0</a>	
<a href="#">p/n: R1.188.2130.0, Type: SNV 4074SL-A</a>	Safety Relay
<a href="#">02.125.3929.8</a>	SOCKET CONTACT
<a href="#">07.313.2555.0</a>	End plate
<a href="#">07.312.9255.0</a>	End plate
<a href="#">07.312.6755.0</a>	End plate
<a href="#">04.855.0253.0</a>	Marking tag strip
<a href="#">04.855.0353.0</a>	Marking tag strips
<a href="#">58.506.0055.1</a>	
<a href="#">58.506.0055.5</a>	
<a href="#">92.232.1054.1</a>	Cable assembly
<a href="#">81.000.6220.0 / wipos UPS 24-30</a>	Power Supply Module
<a href="#">70.352.0628.0</a>	Heavy Duty Connector
<a href="#">70.350.0628.0</a>	Industrial Connector
<a href="#">78.116.0253.0</a>	
<a href="#">78.106.0253.0</a>	
<a href="#">78.213.0453.0</a>	Plugs & Receptacles, Revos Series
<a href="#">78.203.0453.0</a>	
<a href="#">78.010.1653.0</a>	
<a href="#">78.000.1653.0</a>	
<a href="#">76.350.4035.1</a>	
<a href="#">93.732.4353.0</a>	
<a href="#">Snv4063KI-A</a>	
<a href="#">73.310.1653.0</a>	
<a href="#">73.300.1653.0</a>	plug
<a href="#">R1.188.0720.2 / 31585</a>	
<a href="#">Z1.005.6553.1</a>	
<a href="#">75.018.0051.2</a>	
<a href="#">Z5.507.1453.1</a>	
<a href="#">05.505.0253.1</a>	
<a href="#">83.301.1020.1</a>	
<a href="#">05.562.3000.0</a>	
<a href="#">Z5.562.7553.1</a>	cable end piece
<a href="#">83.209.2203.0</a>	
<a href="#">96.041.4051.4</a>	connector
<a href="#">96.042.4051.4</a>	connector

Product	Description
<a href="#">00.709.0504.1</a>	
<a href="#">P/N: 83.214.1506.2 Type: PODIS MOT FA C 3/ RS485 (SEW) 15</a>	
<a href="#">83.209.2201.0</a>	
<a href="#">92.232.2007.1</a>	
<a href="#">99.401.6046.6</a>	
<a href="#">83.210.1001.2</a>	PODIS MOT FA C 3/ 1140 10
<a href="#">99.700.0000.6</a>	
<a href="#">99.701.0000.6</a>	
<a href="#">R1.188.0700.2 / 31580</a>	
<a href="#">83.040.0000.1</a>	Netzwerk Switch
<a href="#">R1.190.1310.0 / SP-COP2-ENI-A16</a>	Ethernet module
<a href="#">58.503.0055.0</a>	ELECTRIC TERMINAL BLOCK
<a href="#">58.503.0055.6</a>	Simple blue terminal
<a href="#">58.503.9055.0</a>	Simple green protective conductor clamp
<a href="#">58.504.0055.0</a>	Simple grey terminal
<a href="#">58.504.0055.6</a>	Simple blue terminal
<a href="#">58.504.9055.0</a>	Simple green protective conductor clamp
<a href="#">Z5.522.8553.0</a>	electric end clamp
<a href="#">Z7.280.7027.0</a>	Connecting plug
<a href="#">73.354.0635.3</a>	UPPER CASE
<a href="#">78.000.1053.0</a>	MODULE FRAME
<a href="#">78.002.1053.0</a>	MODULE INSERT
<a href="#">78.012.1053.0</a>	MODULE INSERT
<a href="#">78.003.0553.0</a>	MODULE INSERT
<a href="#">78.013.0553.0</a>	MODULE INSERT
<a href="#">02.125.4129.8</a>	SOCKET CONTACT
<a href="#">05.544.4129.8</a>	PLUG CONTACT
<a href="#">02.125.4229.8</a>	SOCKET CONTACT
<a href="#">05.544.4229.8</a>	PLUG CONTACT
<a href="#">05.544.3929.8</a>	PLUG CONTACT
<a href="#">57.516.9055.0 / WKN16SL/U/V0</a>	
<a href="#">57.510.0155.0 / WKN10/U/V0</a>	
<a href="#">57.510.9055.0 / WKN10SL/U/V0</a>	
<a href="#">57.506.9055.0 / WK6SL/U/V0</a>	
<a href="#">78.013.0253.0</a>	
<a href="#">78.003.0253.0</a>	
<a href="#">78.010.1053.0</a>	
<a href="#">70.502.2453.0</a>	socket insert
<a href="#">73.353.6435.1</a>	upper case
<a href="#">73.334.6435.1</a>	lower part of housing
<a href="#">70.352.0635.1</a>	Enclosure

Product	Description
<a href="#">70.372.0635.1</a>	Enclosure
<a href="#">WIE8103001100</a>	
<a href="#">R1.188.2680.0 / SNV4274SL-A</a>	
<a href="#">P/N: 80.020.2004.0. Type: WRS-SSDC-60V5A</a>	HALF-RELAY
<a href="#">77.352.1635.0</a>	Hood Bas Got Gi 16 M25 69 A0 Revos Basic 690V Size 16 Hood With Cable Gland M25
<a href="#">99.702.0000.6</a>	KIT, HOOD, BASE, MALE & FEMALE INSERT
<a href="#">92.932.3053.0</a>	
<a href="#">92.931.3053.0</a>	Luminaire connector
<a href="#">SNA 4063K-A / R1.188.1440.0</a>	
<a href="#">76.353.4035.1</a>	Upper case
<a href="#">R1.190.0210.1</a>	communication module
<a href="#">75.250.0053.1 / 877793</a>	connection module
<a href="#">75.256.0053.1 / 320025</a>	connection module
<a href="#">25.340.0253.0</a>	Conn Rising Cage Terminal Block
<a href="#">91.931.3053.0 / GST1513S B1 ZR1W WS</a>	Female connector with strain relief
<a href="#">91.932.3053.0 / GST1513S S1 ZR1W WS</a>	Male connector with strain relief
<a href="#">P/N: 81.020.0002.0. Type: M8-1</a>	FLARE TIME RELAY
<a href="#">P/N: 92.932.3053.0. Type: GST1813S S1 ZR1 WS</a>	plugs
<a href="#">P/N: 92.931.3053.0. Type: GST1813S B1 ZR1 WS</a>	Luminaire connector
<a href="#">96.021.4050.8</a>	SOCKET PART+ZE RST20I2S B13ZR1S L KG06
<a href="#">96.020.0150.8</a>	RST20I2V 3P1 F V L KG06 DISTRIBUTOR
<a href="#">96.022.4050.8</a>	CONNECTOR+ZE RST20I2S S13ZR1SVL KG06
<a href="#">96.020.0151.4</a>	RST20I2V 3P1 F V L BR01 DISTRIBUTOR
<a href="#">96.021.4051.4</a>	SOCKET PART+ZE RST20I2S B13ZR1S L BR01
<a href="#">96.022.4950.8</a>	CONNECTOR+ZE RST20I2S S13ZASSVL KG06
<a href="#">96.021.4950.8</a>	SOCKET PART+ZE RST20I2S B13ZASS L KG06
<a href="#">96.022.4951.4</a>	I2S S13ZASSVL BR01 connector
<a href="#">70.331.1635.0</a>	Bottom BAS GUT GC housing
<a href="#">ST18/5B1 ZEVNSW RD</a>	
<a href="#">71.342.1635.1</a>	Base
<a href="#">05.576.6612.0</a>	prong
<a href="#">Z5.507.9721.0</a>	25MM METAL CABLE PRESS
<a href="#">78.914.0253.0</a>	
<a href="#">78.012.8253.0</a>	
<a href="#">78.904.0253.0</a>	
<a href="#">P/N: R1.188.1810.0. Type: SNA4043K-A AC/DC 24V (A)</a>	safety relays
<a href="#">05.544.1029.0</a>	contact

<b>Product</b>	<b>Description</b>
<a href="#">R1.188.2140.0</a>	Relais
<a href="#">R1.188.1980.0</a>	Relais
<a href="#">92.051.5453.1</a>	flat connector
<a href="#">3737294</a>	Wieland FLARE CONTROL
<a href="#">81.000.6160.0 / WIPOS P3 24-5</a>	switched-mode power supply